IEC 1162
I:\MSC\68\23-Add.l
RESOLUTION MSC.68(68)
(adopted on 6 June 1997)
ADOPTION OF AMENDMENTS TO PERFORMANCE STANDARDS
FOR SHIPBORNE RADIOCOMMUNICATION EQUIPMENT ANNEX 4
MSC 68/23/ Add . 1
ANNEX 10
Page 5
AMENDMENTS TO RESOLUTION A.807(19) - PERFORMANCE STANDARDS FOR
INMARSAT-C SHIP EARTH STATIONS CAPABLE OF TRANSMITTING AND
RECEIVING DIRECT-PRINTING COMMUNICATIONS
Modify papragraph 3.8 of the Annex, as follows:

---CHUNK---

SOURCE: MSC.68%2868%29.pdf
INMARSAT-C SHIP EARTH STATIONS CAPABLE OF TRANSMITTING AND
RECEIVING DIRECT-PRINTING COMMUNICATIONS
Modify papragraph 3.8 of the Annex, as follows:
"3.8 Facilities should be provided to automatically update the ship's position and the time at which the position was determined from a suitable electronic position-fixing aid which may be an integral part of the equipment. For equipment which does not have an integral electronic position-fixing aid, such facilities should include a suitable interface conforming to the appropriate international standard. I"
Add'new paragraphs 3.9 and 3.10 to the Annex, as follows:
"3.9 Provisions should also be made for manual entry of position information and of the time at which the position was determined.
3.10 An alarm should be activated when no position data is received from the electronic position-fixing aid or, in the case of manual input, the position information is over 4 hours old. Any position

---CHUNK---

SOURCE: MSC.68%2868%29.pdf
aid or, in the case of manual input, the position information is over 4 hours old. Any position information not updated for more than 24 hours should be clearly identified."
lEC 1162
I:\MSC\68\23-Add.l
RESOLUTION MSC.68(68)
(adopted on 6 June 1997)
ADOPTION OF AMENDMENTS TO PERFORMANCE STANDARDS
FOR SHIPBORNE RADIOCOMMUNICATION EQUIPMENT RESOLUTION MSC.68(68)
(adopted on 6 June 1997)
ADOPTION OF AMENDMENTS TO PERFORMANCE STANDARDS
FOR SHIPBORNE RADIOCOMMUNICATION EQUIPMENT

---CHUNK---

SOURCE: MSC.234%2882%29.pdf
RESOLUTION MSC.234(82)
RECOMMENDATIONS CONCERNING TONNAGE MEASUREMENT OF
OPEN-TOP CONTAINERSHIPSMSC 82/24/Add.2

I:\MSC\82\24-Add-2.doc

ANNEX 28

RESOLUTION MSC.234(82)

RECOMMENDATIONS CONCERNING TONNAGE MEASUREMENT OF
OPEN-TOP CONTAINERSHIPS

THE MARITIME SAFETY COMMITTEE,

RECALLING Article 28(b) of the Convention on the International Maritime Organization concerning the functions of the Committee,

RECALLING FURTHER the relevant provis ions of the Intern ational Convention on Tonnage Measurement of Ships, 1969,

RECALLING ALSO circular TM.5/Circ.4 on Pr ovisional formula to calculate a reduced gross tonnage of open-top containerships, wher eby the Committee, being concerned with the economic disadvantages caused by the use of greater gross tonna ge in comparison with gross tonnage of conventional containe rships for the assessment of fees, agreed to recommend a reduced gross tonnage for open-top containerships based on a provisional formula,

---CHUNK---

SOURCE: MSC.234%2882%29.pdf
tonnage of conventional containe rships for the assessment of fees, agreed to recommend a reduced gross tonnage for open-top containerships based on a provisional formula,

RECALLING ALSO circular TM .5/Circ.5 on Interpretations of the provisions of the International Convention on Tonnage Measuremen t of Ships, 1969, in particular section 3 entitled “Open-top containerships”,

NOTING that, by the aforementioned circular TM.5/Circ.4, Governments were invited to submit to the Organization information on open- top containerships in operation and under consideration which would enable the assessment of the final coefficients in the formula, including principal dimensions, gross tonn age underdeck and ondeck carrying capacities of containers, deadweight etc.,

HAVING RECOGNIZED that based on the provisions included in circular MSC/Circ.608/Rev.1, open-top containerships are designed and constructed to a high safety level

---CHUNK---

SOURCE: MSC.234%2882%29.pdf
containers, deadweight etc.,

HAVING RECOGNIZED that based on the provisions included in circular MSC/Circ.608/Rev.1, open-top containerships are designed and constructed to a high safety level in particular. This applies to improved protection and securing of containers,

NOTING that, in view of the explicit amendment procedure of the 1969 Tonnage Measurement Convention, it may require a significant period of time for any amendment to

become effective,

REALIZING the need for the establishment of the principles for the treatment and unified application of tonnage measurement of open-top containerships,

HAVING CONSIDERED, at its eighty-second session, the recommendation made by the Sub-Committee on Stability and Load Lines and on Fishing Vessels Safety, at its forty-ninth session,

1. ADOPTS the Recommendations concerni ng tonnage measurement of open-top containerships, the text of which is set out in the Annex to the present resolution;

---CHUNK---

SOURCE: MSC.234%2882%29.pdf
session,

1. ADOPTS the Recommendations concerni ng tonnage measurement of open-top containerships, the text of which is set out in the Annex to the present resolution;

RESOLUTION MSC.234(82)
RECOMMENDATIONS CONCERNING TONNAGE MEASUREMENT OF
OPEN-TOP CONTAINERSHIPSMSC 82/24/Add.2
ANNEX 28
Page 2

I:\MSC\82\24-Add-2.doc
2. AGREES that Governments which are Cont racting Governments to the 1969 Tonnage Measurement Convention should use these Reco mmendations when applying the provisions of the Convention;

3. INVITES Governments to advise the ports and harbours authorities to apply the Recommendations when assessing fees ba sed on reduced gross tonnage for open-top containerships;

4. REVOKES circular TM.5/Circ.4 and section 3 entitled “O pen-top containerships” of circular TM.5/Circ.5.

RESOLUTION MSC.234(82)
RECOMMENDATIONS CONCERNING TONNAGE MEASUREMENT OF
OPEN-TOP CONTAINERSHIPSMSC 82/24/Add.2
ANNEX 28
Page 3

I:\MSC\82\24-Add-2.doc

ANNEX

---CHUNK---

SOURCE: MSC.234%2882%29.pdf
circular TM.5/Circ.5.

I:\MSC\82\24-Add-2.doc

ANNEX

RECOMMENDATIONS CONCERNING TONNAGE MEASUREMENT OF
OPEN-TOP CONTAINERSHIPS

1 In order to use a unified base for the a pplication of tonnage measurement of open-top containerships, the Administrations are recommended to accept the following.

Definition of open-top containership

2 An open-top containership , for the purpose of application of the 1969 Tonnage