("Facility Guidelines"). The following additional definition applies to these guidelines only:

"The ship" means the particular ship which a Ship Recycling Facility is going to recycle, and for which an SRP is required.

3 GENERAL

The Convention requires that the SRP should be explicitly or tacitly approved by the Competent Authority and verified as properly reflecting the information contained in the Inventory of Hazardous Materials (IHM) dur ing the final survey before issuance of an International Ready for Recycling Certificate. Preparation of the SRP should therefore begin well before the ship arrives at the Ship Recycling Facility.

As regards the languages of the SRP, in accordance with regulation 9.2 of the annex to the Convention, the shipowner may ask the Administration whether it is acceptable for the Ship Recycling Facility to use a language other than English, French or Spanish, and convey the decision of the Administration to the Ship Recycling Facility accordingly.

3.1 Review of ship-specific information

For each ship that is to be recycled, the Ship Recycling Facility should, in accordance with

---CHUNK---

SOURCE: MEPC.196(62).pdf
decision of the Administration to the Ship Recycling Facility accordingly.

3.1 Review of ship-specific information

For each ship that is to be recycled, the Ship Recycling Facility should, in accordance with regulation 8.4 of the Annex to the Convention, cooperate with the shipowner in order to prepare a SRP that incorporates all relevant information about the ship that may affect its safe and environmentally sound recycling.

The IHM is essential to the Ship Recycling Facility for planning and executing the removal and management of Hazardous Materials. The Ship Recycling Facility should obtain the completed IHM, including Part II and Part III, taking into account possible variations resulting from the ship's subsequent operations.

Examples of ship-specific information that is useful to the Ship Recycling Facility when developing a SRP include finished drawings and final specifications such as: general arrangement, capacity plan, shell expansion plan, fire control plan, trim and stability

---CHUNK---

SOURCE: MEPC.196(62).pdf
developing a SRP include finished drawings and final specifications such as: general

arrangement, capacity plan, shell expansion plan, fire control plan, trim and stability calculation, and light weight distribution or calculation table. Also the following may provide useful information: midship section, construction profile (including longitudinal sections, deck, inner bottom and deckhouse), longitudinal and transverse bulkhead principal transverse sections, fore and aft construction, superstru ctures, accommodation plan, hydrostatic curve or table, deck piping system, general arrangement of ventilators and air ducts, painting scheme, joiner works, engine room arrangement (if appropriate) and bilge piping system of pump room, pump room arrangement, engine room piping diagram, ballast piping and cargo piping diagram and manufacturers' finished drawings of major equipment. Such information could be useful in planning the ship recycling sequence in its entirety.

3.2 Comparison of ship-specific information with the Ship Recycling Facility Plan (SRFP) and/or Document of Authorization to conduct Ship Recycling (DASR)

---CHUNK---

SOURCE: MEPC.196(62).pdf
could be useful in planning the ship recycling sequence in its entirety.

3.2 Comparison of ship-specific information with the Ship Recycling Facility Plan (SRFP) and/or Document of Authorization to conduct Ship Recycling (DASR)

For each ship to be recycled, the ship-specific information obtained from the shipowner should be evaluated in the context of the capabilities and limitations specified in the Ship Recycling Facility Plan (SRFP) and/or Document of Authorization to conduct Ship Recycling (DASR). The SRP will need to address any ship-specific considerations that are not covered in the SRFP or that will require special procedures.

4 FRAMEWORK OF SRP

The responsibility for developing a comprehens ive SRP rests with the Ship Recycling Facility, although development of the SRP is a cooperative effort between the Ship Recycling Facility and the shipowner. The Ship Recycling Facility is best placed to understand and describe the methods and procedures that it uses in its recycling operations and it has knowledge of the available facilities and capabilities for the safe and environmentally sound

---CHUNK---

SOURCE: MEPC.196(62).pdf
describe the methods and procedures that it uses in its recycling operations and it has knowledge of the available facilities and capabilities for the safe and environmentally sound management of all Hazardous Materials and wastes generated during recycling, of the skills and capabilities of its workforce and the availability of local support services, and of the relevant national laws and regulations that apply to the facility and its activities, including the activities which it is approved to perform under its DASR. A sample cover page for the SRP is included in the appendix. The body of the SRP should include a more detailed narrative of the ship-specific recycling elements.

The SRP should describe how the Ship Recycling Facility will recycle the specific ship in a safe and environmentally sound manner, covering the recycling process steps and their sequence over the entire process. Any processes or procedures that deviate from the SRFP and are specific to the ship should be described in detail in the SRP.

Where more than one Ship Recycling Facility is used, SRPs should be prepared separately,

---CHUNK---

SOURCE: MEPC.196(62).pdf
and are specific to the ship should be described in detail in the SRP.

Where more than one Ship Recycling Facility is used, SRPs should be prepared separately, in principle, by each of the Facilities involved, according to their respective duties and indicate the order in which the activities will occur.

4.1 Pre-arrival elements

The SRP should include a description of any specific preparatory work that should be carried out. The SRP should clarify whether and to what extent any preparatory work such as

pre-treatment, identification of potential hazards and removal of stores will take place at a location other than the Ship Recycling Facility identified in the SRP. The extent to which such preparatory work will be covered in the SRP will depend upon the capability of the authorized Ship Recycling Facility and the scope of the agreement with the shipowner.
In the case of a tanker, the ship should arrive at the Ship Recycling Facility with cargo tanks

---CHUNK---

SOURCE: MEPC.196(62).pdf
authorized Ship Recycling Facility and the scope of the agreement with the shipowner.
In the case of a tanker, the ship should arrive at the Ship Recycling Facility with cargo tanks and pump room(s) in a condition that is ready for certification as Safe-for-entry, or Safe-for-hot work, or both.

The Ship Recycling Facility should plan appropriately for the ship's arrival. The SRP should include the location where the ship will be placed during recycling operations and a concise plan for the arrival and safe placement of the specific ship to be recycled.

4.2 Arrival of ship

The SRP should describe the procedures that the Ship Recycling Facility will follow to conduct a walk-through (on-board check) of the vessel in an effort to identify any potential environmental or safety issues. The Ship Recycling Facility should verify whether safe access and egress have been provided for and that the SRP is in place throughout the ship recycling process.

It is recommended that the Ship Recycling Facility should mark the location of the known Hazardous Materials. Any specific items or locations on board whose hazardous

---CHUNK---

SOURCE: MEPC.196(62).pdf
recycling process.

It is recommended that the Ship Recycling Facility should mark the location of the known Hazardous Materials. Any specific items or locations on board whose hazardous characteristics are uncertain should be marked for additional sampling as necessary.

4.3 Management of Hazardous Materials

The SRP should include information on how the type and amount of Hazardous Materials will be managed, as required by regulation 9.3 of the Convention and specify the facility's approach for managing each Hazardous Material. Special attention should be paid to the types and quantities of Hazardous Materials on the ship. If ship-specific conditions require deviation from normal practices for managing Hazardous Materials, the appropriate ship-specific measures should be described in detail in the SRP. In order to avoid confusion, it is recommended that the SRP should use the same nomenclature and identification scheme as those included in the IHM.

The SRP should also contain additional information on the management of Hazardous Materials as required in Appendix 5 of the Convention (also known as the DASR).

---CHUNK---

SOURCE: MEPC.196(62).pdf
scheme as those included in the IHM.