---CHUNK---

SOURCE: MEPC.197(62).pdf
If the wastes listed in Part II of the Inventory provided in "Table C (Potentially hazardous items)" of appendix 1 are intended for delivery with the ship to a Ship Recycling Facility, the quantity of the operationally generated wastes should be estimated and their approximate quantities and locations should be listed in Part II of the Inventory.

4.5 Development of Part III of the Inventory (stores)

4.5.1 Once the decision to recycle has been taken, Part III of the Inventory should be developed before the final survey, taking into account the fact that a ship destined to be recycled shall minimize the wastes remaining on board (regulation 8.2). Each item listed in Part III should correspond to the ship's operations during its last voyage.

4.5.2 Stores to be listed in the Inventory

If the stores to be listed in Part III of the Inventory provided in Table C of appendix 1 are to be delivered with the ship to a Ship Recycling Facility, the unit (e.g., capacity of cans and cylinders), quantity and location of the stores should be listed in Part III of the Inventory.

RESOLUTION MEPC.197(62)
Adopted on 15 July 2011

---CHUNK---

SOURCE: MEPC.197(62).pdf
be delivered with the ship to a Ship Recycling Facility, the unit (e.g., capacity of cans and cylinders), quantity and location of the stores should be listed in Part III of the Inventory.

RESOLUTION MEPC.197(62)
Adopted on 15 July 2011

4.5.3 Liquids and gases sealed in ship's machinery and equipment to be listed in the Inventory

If any liquids and gases listed in Table C of appendix 1 are integral in machinery and equipment on board a ship, their approximate quantity and location should be listed in Part III of the Inventory. However, small amounts of lubricating oil, anti-seize compounds and grease which are applied to or injected into machinery and equipment to maintain normal performance do not fall within the scope of this provision. For subsequent completion of Part III of the Inventory during the recycling preparation processes, the quantity of liquids and gases listed in Table C of appendix 1 required for normal operation, including the related

---CHUNK---

SOURCE: MEPC.197(62).pdf
Part III of the Inventory during the recycling preparation processes, the quantity of liquids and gases listed in Table C of appendix 1 required for normal operation, including the related

pipe system volumes, should be prepared and documented at the design and construction stage. This information belongs to the ship, and continuity of this information should be maintained if the flag, owner or operator of the ship changes.

4.5.4 Regular consumable goods to be listed in the Inventory

Regular consumable goods, as provided in Table D of appendix 1should not be listed in Part I or Part II but should be listed in Part III of the Inventory if they are to be delivered with the ship to a Ship Recycling Facility. A gene ral description including the name of item (e.g., TV set), manufacturer, quantity and location should be entered in Part III of the Inventory. The check on materials provided for in paragraphs 4.1.2 and 4.1.3 of the Guidelines does not apply to regular consumable goods.

4.6 Description of location of Hazardous Materials on board

The locations of Hazardous Materials on board should be described and identified using the

---CHUNK---

SOURCE: MEPC.197(62).pdf
Guidelines does not apply to regular consumable goods.

4.6 Description of location of Hazardous Materials on board

The locations of Hazardous Materials on board should be described and identified using the name of location (e.g., second floor of Engine-room, Bridge DK, APT, No.1 Cargo Tank, Frame number) given in the plans (e.g., General Arrangement, Fire and Safety Plan, Machinery Arrangement or Tank Arrangement).

4.7 Description of approximate quantity of Hazardous Materials

In order to identify the approximate quantity of Hazardous Materials, the standard unit used for the of Hazardous Materials should be kg, unless other units (e.g., m 3 for materials of liquid or gases, m 2 for materials used in floors or walls) are considered more appropriate. An approximate quantity should be rounded up to at least two significant figures.

5 Requirements for ascertaining the conformity of the Inventory

5.1 Design and construction stage

The conformity of Part I of the Inventory at the design and construction stage should be ascertained by reference to the collected "Supplier's Declaration of Conformity" described in

---CHUNK---

SOURCE: MEPC.197(62).pdf
5.1 Design and construction stage

The conformity of Part I of the Inventory at the design and construction stage should be ascertained by reference to the collected "Supplier's Declaration of Conformity" described in section 7 and the related "Material Declarations" collected from suppliers.

5.2 Operational stage

Shipowners should implement the following measures in order to ensure the conformity of Part I of the Inventory:

.1 designate a person as responsible for maintaining and updating the Inventory (the designated person may be employed ashore or on board);

.2 the designated person, in order to implement subsection 4.3.2, should establish and supervise a system to ensure the necessary updating of the Inventory in the event of new installation;

.3 to maintain the Inventory including dates of changes or new deleted entries and the signature of the designated person; and

.4 provide related documents as required for the survey or sale of the ship.

6 Material Declaration

---CHUNK---

SOURCE: MEPC.197(62).pdf
.3 to maintain the Inventory including dates of changes or new deleted entries and the signature of the designated person; and

.4 provide related documents as required for the survey or sale of the ship.

6 Material Declaration

6.1 General

Suppliers to the shipbuilding industry should identify and declare whether or not the materials listed in Table A or Table B are present above the threshold level specified in appendix 1 of these Guidelines. However, this provision does not apply to chemicals which do not constitute a part of the finished product.

6.2 Information required in the declaration

At a minimum the following information is required in the Material Declaration:

.1 date of declaration;

.2 Material Declaration identification number;

.3 supplier's name;

.4 product name (common product name or name used by manufacturer);

.5 product number (for identification by manufacturer);

.6 declaration of whether or not the materials listed in Table A and Table B of appendix 1 of these Guidelines are present in the product above the threshold level stipulated in appendix 1 of these Guidelines; and

---CHUNK---

SOURCE: MEPC.197(62).pdf
.6 declaration of whether or not the materials listed in Table A and Table B of appendix 1 of these Guidelines are present in the product above the threshold level stipulated in appendix 1 of these Guidelines; and

.7 mass of each constituent material listed in Table A and/or Table B of appendix 1 of these Guidelines if present above threshold level.

An example of a Material Declaration is shown in appendix 6.

7 Supplier's Declaration of Conformity