exhaust line, fuel line and drain line
Exhaust gas economizer Packing for casing door
Packing with manhole
Packing with hand hole
Gas shield packing for soot blower
Packing with flange of piping and valve for steam line,
exhaust line, fuel line and drain line
Lagging material for piping and valve of steam line,

---CHUNK---

SOURCE: MEPC.197(62).pdf
Packing with manhole
Packing with hand hole
Gas shield packing for soot blower
Packing with flange of piping and valve for steam line,
exhaust line, fuel line and drain line
Lagging material for piping and valve of steam line,
exhaust line, fuel line and drain line
Incinerator Packing for casing door
Packing with manhole
Packing with hand hole
Lagging material for exhaust pipe
Auxiliary machinery (pump,
compressor, oil purifier, crane)
Packing for casing door and valve
Gland packing
Brake lining
Heat exchanger Packing with casing
Gland packing for valve
Lagging material and insulation
Valve Gland packing with valve, sheet packing with piping
flange
Gasket with flange of high pressure and/or high
temperature
Pipe, duct Lagging material and insulation
Tank (fuel tank, hot water, tank,
condenser), other equipments
(fuel strainer, lubricant oil
strainer)
Lagging material and insulation
Electric equipment Insulation material
Airborne asbestos Wall, ceiling
Ceiling, floor and wall in
accommodation area
Ceiling, floor, wall
Fire door Packing, construction and insulation of the fire door
Inert gas system Packing for casing, etc.

---CHUNK---

SOURCE: MEPC.197(62).pdf
Airborne asbestos Wall, ceiling
Ceiling, floor and wall in

accommodation area
Ceiling, floor, wall
Fire door Packing, construction and insulation of the fire door
Inert gas system Packing for casing, etc.
Air-conditioning system Sheet packing, lagging material for piping and flexible joint

RESOLUTION MEPC.197(62)
Adopted on 15 July 2011
2011 GUIDELINES FOR THE DEVELOPMENT OF THE INVENTORY OF HAZARDOUS MATERIALSMEPC 62/24
Annex 3, page 28

I:\MEPC\62\24.doc
Structure and/or equipment Component
Miscellaneous Ropes
Thermal insulating materials
Fire shields/fire proofing
Space/duct insulation
Electrical cable materials
Brake linings
Floor tiles/deck underlay
Steam/water/vent flange gaskets
Adhesives/mastics/fillers
Sound damping
Moulded plastic products
Sealing putty
Shaft/valve packing
Electrical bulkhead penetration packing
Circuit breaker arc chutes
Pipe hanger inserts
Weld shop protectors/burn covers
Fire-fighting blankets/clothing/equipment
Concrete ballast

2.2.2.2 Polychlorinated biphenyl (PCBs)

Worldwide restriction of PCBs began on 17 May 2004 as a result of the implementation of

---CHUNK---

SOURCE: MEPC.197(62).pdf
Weld shop protectors/burn covers
Fire-fighting blankets/clothing/equipment
Concrete ballast

2.2.2.2 Polychlorinated biphenyl (PCBs)

Worldwide restriction of PCBs began on 17 May 2004 as a result of the implementation of the Stockholm Convention, which aims to eliminate or restrict the production and use of persistent organic pollutants. In Japan, domestic control began in 1973, with the prohibition

of all activities relating to the production, use and import of PCBs. Japanese suppliers can provide accurate information concerning their products. The "Indicative list" of PCBs has been developed as shown below:

Equipment Component of equipment
Transformer Insulating oil
Condenser Insulating oil
Fuel heater Heating medium
Electric cable Covering, insulating tape
Lubricating oil
Heat oil Thermometers, sensors, indicators
Rubber/felt gaskets
Rubber hose
Plastic foam insulation
Thermal insulating materials
Voltage regulators
Switches/reclosers/bushings
Electromagnets
Adhesives/tapes
Surface contamination of machinery
Oil-based paint
Caulking
Rubber isolation mounts
Pipe hangers
RESOLUTION MEPC.197(62)
Adopted on 15 July 2011

---CHUNK---

SOURCE: MEPC.197(62).pdf
Voltage regulators
Switches/reclosers/bushings
Electromagnets
Adhesives/tapes
Surface contamination of machinery
Oil-based paint
Caulking
Rubber isolation mounts
Pipe hangers
RESOLUTION MEPC.197(62)
Adopted on 15 July 2011
2011 GUIDELINES FOR THE DEVELOPMENT OF THE INVENTORY OF HAZARDOUS MATERIALSMEPC 62/24
Annex 3, page 29

I:\MEPC\62\24.doc
Equipment Component of equipment
Light ballasts (component within fluorescent light fixtures)

Plasticizers
Felt under septum plates on top of hull bottom

2.2.2.3 Ozone depleting substances

The "Indicative list" for Ozone depleting substances is shown below. Ozone depleting substances have been controlled according to the Montreal Protocol and MARPOL Convention. Although almost all substances have been banned since 1996, HCFC can still be used until 2020.

Materials Component of equipment Period for use of ODS in Japan
CFCs (R11, R12) Refrigerant for refrigerators Until 1996
CFCs Urethane formed material Until 1996
Blowing agent for insulation of
LNG carriers
Until 1996
Halons Extinguishing agent Until 1994
Other fully halogenated
CFCs
The possibility of usage in
ships is low

---CHUNK---