Inventory.

RESOLUTION MEPC.269(68)
(adopted on 15 May 2015)
2015 GUIDELINES FOR THE DEVELOPMENT OF THE
INVENTORY OF HAZARDOUS MATERIALSMEPC 68/21/Add.1
Annex 17, page 4

https://edocs.imo.org/Final Documents/English/MEPC 68-21-ADD.1 (E).doc
3.2.5 Similar materials or items that contain hazardous materials that potentially exceed

---CHUNK---

SOURCE: MEPC.269(68).pdf
INVENTORY OF HAZARDOUS MATERIALSMEPC 68/21/Add.1
Annex 17, page 4

https://edocs.imo.org/Final Documents/English/MEPC 68-21-ADD.1 (E).doc
3.2.5 Similar materials or items that contain hazardous materials that potentially exceed
the threshold value can be listed together (not individually) on the IHM with their general location and approximate amount specified there (hereinafter referred to as "bulk listing"). An example of how to list those materials and items is shown in row 3 of table 1 of appendix 3.

3.3 Exemptions Materials not required to be listed in the Inventory

3.3.1 Materials listed in Table B that are inherent in solid metals or metal alloys, such as steels, aluminium, brasses, bronzes, plating and solders, provided they are used in general construction, such as hull, superstructure, pipes or housings for equipment and machinery, are not required to be listed in the Inventory.

3.3.2 Although electrical and electronic equipment is required to be listed in the Inventory, the amount of hazardous materials potentially contained in printed wiring boards (printed

---CHUNK---

SOURCE: MEPC.269(68).pdf
are not required to be listed in the Inventory.

3.3.2 Although electrical and electronic equipment is required to be listed in the Inventory, the amount of hazardous materials potentially contained in printed wiring boards (printed circuit boards) installed in the equipment does not need to be reported in the Inventory.

3.4 Standard format of the Inventory of Hazardous Materials

The Inventory should be developed on the basis of the standard format set out in appendix 2 of these guidelines: Standard format of the Inventory of Hazardous Materials. Examples of how to complete the Inventory are provided for guidance purposes only.

3.5 Revision to threshold values

Revised threshold values in tables A and B of appendix 1 should be used for IHMs

developed or updated after the adoption of the revised values and need not be applied to existing IHMs and IHMs under development. However, when materials are added to the IHM, such as during maintenance, the revised threshold values should be applied and recorded in the IHM.

4 REQUIREMENTS FOR DEVELOPMENT OF THE INVENTORY

4.1 Development of part I of the Inventory for new ships 1

---CHUNK---

SOURCE: MEPC.269(68).pdf
such as during maintenance, the revised threshold values should be applied and recorded in the IHM.

4 REQUIREMENTS FOR DEVELOPMENT OF THE INVENTORY

4.1 Development of part I of the Inventory for new ships 1

4.1.1 Part I of the Inventory for new ships should be developed at the design and construction stage.

4.1.2 Checking of materials listed in table A

During the development of the Inventory (part I), the presence of materials listed in table A of appendix 1 should be checked and confirmed; the quantity and location of table A materials should be list ed in part I of the Inventory. If such materials are used in compliance with the Convention, they should be listed in part I of the Inventory . Any spare parts containing materials listed in table A are required to be listed in part III of the Inventory.

1 In ascertaining whether a ship is a "new ship" or an "existing ship" according to the Convention, the term "a similar stage of construction" in regulation 1.4.2 of the annex to the Convention means the stage at which:

.1 construction identifiable with a specific ship begins: and

---CHUNK---

SOURCE: MEPC.269(68).pdf
"a similar stage of construction" in regulation 1.4.2 of the annex to the Convention means the stage at which:

.1 construction identifiable with a specific ship begins: and
.2 assembly of that ship has commenced comprising at least 50 tonnes or 1% of the estimated mass of all structural material, whichever is less.

4.1.3 Checking of materials listed in table B

If materials listed in table B of appendix 1 are present in products above the threshold values provided in table B, the quantity and location of the products and the contents of the materials present in them should be listed in part I of the Inventory. Any spare parts containing materials listed in table B are required to be listed in part III of the Inventory.

4.1.4 Process for checking of materials

The checking of materials as provided in paragraphs 4.1.2 and 4.1.3 above should be based

---CHUNK---

SOURCE: MEPC.269(68).pdf
containing materials listed in table B are required to be listed in part III of the Inventory.

4.1.4 Process for checking of materials

The checking of materials as provided in paragraphs 4.1.2 and 4.1.3 above should be based on the Material Declaration furnished by the suppliers in the shipbuilding supply chain (e.g. equipment suppliers, parts suppliers, material suppliers).

4.2 Development of part I of the Inventory for existing ships

4.2.1 In order to achieve comparable results for existing ships with respect to part I of the Inventory, the following procedure should be followed:

.1 collection of necessary information;

.2 assessment of collected information;

.3 preparation of visual/sampling check plan;

.4 onboard visual check and sampling check; and

.5 preparation of part I of the Inventory and related documentation.

4.2.2 The determination of hazardous materials present on board existing ships should, as far as practicable, be conducted as prescribed for new ships, including the procedures described in sections 6 and 7 of these guidelines. Alternatively, the procedures described in

---CHUNK---

SOURCE: MEPC.269(68).pdf
as far as practicable, be conducted as prescribed for new ships, including the procedures described in sections 6 and 7 of these guidelines. Alternatively, the procedures described in this section may be applied for existing ships, but these procedures should not be used for any new installation resulting from the conversion or repair of existing ships after the initial preparation of the Inventory.

4.2.3 The procedures described in this section should be carried out by the shipowner, who may draw upon expert assistance. Such an expert or expert party should not be the same as the person or organization authorized by the Administration to approve the Inventory).

4.2.4 Reference is made to appendix 4 (Flow diagram for developing part I of the Inventory for existing ships) and appendix 5 (Example of development process for part I of the Inventory for existing ships.

4.2.5 Collection of necessary information (step 1)

The shipowner should identify, research, request and procure all reasonably available documentation regarding the ship. Information that will be useful includes maintenance,

---CHUNK---

SOURCE: MEPC.269(68).pdf
4.2.5 Collection of necessary information (step 1)

The shipowner should identify, research, request and procure all reasonably available documentation regarding the ship. Information that will be useful includes maintenance, conversion and repair documents; certificates, manuals, ship's plans, drawings and technical specifications; product information data sheets (such as Material Declarations); and hazardous material inventories or recycling information from sister ships. Potential sources of information could include previous shipowners, the ship builder, historical societies, classification society records and ship recycling facilities with experience working with similar ships.