Methyl bromide x
Bromochloromethane x
A-4 Anti-fouling systems containing organotin compounds as a biocide x 2,500 mg total tin/kg7

4 In accordance with regulation 4 of the Convention, for all ships, new installation of materials which contain asbestos shall be prohibited. According to the UN recommendation "Globally Harmonized System of Classification and Labelling of Chemicals (GHS)" adopted by the United Nations Economic and Social Council's Sub-Committee of Experts on the Globally Harmonized System of Classification and Labelling of Chemicals (UNSCEGHS), the UN 's Sub-Committee of Experts, in 2002 (published in 2003), carcinogenic mixtures classified as Category 1A (including asbestos mixtures) under the GHS are required to be labelled as carcinogenic if the ratio is more than 0.1%. However, if 1% is applied, this threshold value should be recorded in the Inventory and, if available, the Material Declaration and can be applied not later than five years after the entry into force of the Convention. The threshold value of 0.1% need not be

---CHUNK---

SOURCE: MEPC.269(68).pdf
should be recorded in the Inventory and, if available, the Material Declaration and can be applied not later than five years after the entry into force of the Convention. The threshold value of 0.1% need not be retroactively applied to those Inventories and Material Declarations.

5 In accordance with regulation 4 of the Convention, for all ships, new installation of materials which contain PCBs shall be prohibited. The Organization set 50 mg/kg as the threshold value referring to the concentration level at which wastes, substances and articles containing, consisting of or contaminated with PCB are characterized as hazardous under the Basel Convention.

6 "No threshold value" is in accordance with the Montreal Protocol for reporting ODS. Unintentional trace contaminants should not be listed in the Material Declarations and in the Inventory.

7 This threshold value is based on the Guidelines for brief sampling of anti-fouling systems on ships (resolution MEPC.104(49)).
RESOLUTION MEPC.269(68)
(adopted on 15 May 2015)
2015 GUIDELINES FOR THE DEVELOPMENT OF THE
INVENTORY OF HAZARDOUS MATERIALSMEPC 68/21/Add.1
Annex 17, page 13

---CHUNK---

SOURCE: MEPC.269(68).pdf
(resolution MEPC.104(49)).
RESOLUTION MEPC.269(68)
(adopted on 15 May 2015)
2015 GUIDELINES FOR THE DEVELOPMENT OF THE
INVENTORY OF HAZARDOUS MATERIALSMEPC 68/21/Add.1
Annex 17, page 13

https://edocs.imo.org/Final Documents/English/MEPC 68-21-ADD.1 (E).doc

Table B Materials listed in appendix 2 of the Annex to the Convention
No. Materials
Inventory

Threshold value
Part I Part II Part III
B-1 Cadmium and cadmium compounds x 100 mg/kg8
B-2 Hexavalent chromium and hexavalent chromium compounds x 1,000 mg/kg8
B-3 Lead and lead compounds x 1,000 mg/kg8
B-4 Mercury and mercury compounds x 1,000 mg/kg8
B-5 Polybrominated biphenyl (PBBs) x 50 mg/kg9
B-6 Polybrominated diphenyl ethers (PBDEs) x 1,000 mg/kg8
B-7 Polychlorinated naphthalenes (more than 3 chlorine atoms) x 50mg/kg10
B-8 Radioactive substances x no threshold value11
B-9 Certain shortchain chlorinated paraffins (Alkanes, C10-C13, chloro) x 1%12

8 The Organization set this as the threshold value referring to the Restriction of Hazardous Substances (RoHS Directive 2011/65/EU, Annex II).

---CHUNK---

SOURCE: MEPC.269(68).pdf
8 The Organization set this as the threshold value referring to the Restriction of Hazardous Substances (RoHS Directive 2011/65/EU, Annex II).

9 The Organization set 50 mg/kg as the threshold value referring to the concentration level at which wastes, substances and articles containing, consisting of or contaminated with PBB are characterized as hazardous under the Basel Convention.

10 The Organization set 50 mg/kg as the threshol d value referring to the concentration level at which wastes, substances and articles containing, consisting of or contaminated with PCN are characterized as hazardous under the Basel Convention.

11 All radioactive sources should be included in the Material Declaration and in the Inventory. Radioactive source means radioactive material permanently sealed in a capsule or closely bonded and in a solid form that is used as a source of radiation. This includes consumer products and industrial gauges with radioactive materials. Examples are listed in appendix 10.

12 The Organization set 1% as the threshold value referring to the EU legislation that restricts Chlorinated

---CHUNK---

SOURCE: MEPC.269(68).pdf
radioactive materials. Examples are listed in appendix 10.

12 The Organization set 1% as the threshold value referring to the EU legislation that restricts Chlorinated Paraffins from being placed on the market for use as substances or as constituents of other substances or preparations in concentrations higher than 1% (EU Regulation 1907/2006, Annex XVII Entry 42 and Regulation 519/2012).
RESOLUTION MEPC.269(68)
(adopted on 15 May 2015)
2015 GUIDELINES FOR THE DEVELOPMENT OF THE
INVENTORY OF HAZARDOUS MATERIALSMEPC 68/21/Add.1
Annex 17, page 14

Table C Potentially hazardous items
No. Properties Goods
Inventory
Part I Part II Part III
C-1
Liquid Oiliness
Kerosene x
C-2 White spirit x
C-3 Lubricating oil x
C-4 Hydraulic oil x
C-5 Anti-seize compounds x
C-6 Fuel additive x
C-7 Engine coolant additives x
C-8 Antifreeze fluids x
C-9 Boiler and feed water treatment and test re-agents x
C-10 De-ioniser regenerating chemicals x
C-11 Evaporator dosing and descaling acids x
C-12 Paint stabilizers/rust stabilizers x
C-13 Solvents/thinners x

---CHUNK---

SOURCE: MEPC.269(68).pdf
C-9 Boiler and feed water treatment and test re-agents x
C-10 De-ioniser regenerating chemicals x
C-11 Evaporator dosing and descaling acids x
C-12 Paint stabilizers/rust stabilizers x
C-13 Solvents/thinners x
C-14 Paints x
C-15 Chemical refrigerants x
C-16 Battery electrolyte x
C-17 Alcohol, methylated spirits x
C-18
Gas
Explosives/
inflammables
Acetylene x
C-19 Propane x
C-20 Butane x
C-21 Oxygen x
C-22
Green House
Gases
CO2 x
C-23 Perfluorocarbons (PFCs) x
C-24 Methane x
C-25 Hydrofluorocarbon (HFCs) x
C-27 Nitrous oxide (N2O) x
C-28 Sulfur hexafluoride (SF6) x
C-29
Liquid
Oiliness
Bunkers: fuel oil x
C-30 Grease x

C-31 Waste oil (sludge) x
C-32 Bilge and/or waste water generated by the after-treatment systems fitted on machineries x
C-33 Oily liquid cargo tank residues x
C-34

Ballast water x
C-35 Raw sewage x
C-36 Treated sewage x
C-37 Non-oily liquid cargo residues x
C-38 Gas Explosibility/ inflammability Fuel gas x
RESOLUTION MEPC.269(68)
(adopted on 15 May 2015)
2015 GUIDELINES FOR THE DEVELOPMENT OF THE
INVENTORY OF HAZARDOUS MATERIALSMEPC 68/21/Add.1

---CHUNK---

SOURCE: MEPC.269(68).pdf
C-37 Non-oily liquid cargo residues x
C-38 Gas Explosibility/ inflammability Fuel gas x
RESOLUTION MEPC.269(68)
(adopted on 15 May 2015)
2015 GUIDELINES FOR THE DEVELOPMENT OF THE