Figure 1 Process of MD (and SDoC) collection showing involvement of supply chain



RESOLUTION MEPC.269(68)
(adopted on 15 May 2015)
2015 GUIDELINES FOR THE DEVELOPMENT OF THE
INVENTORY OF HAZARDOUS MATERIALSMEPC 68/21/Add.1
Annex 17, page 23

https://edocs.imo.org/Final Documents/English/MEPC 68-21-ADD.1 (E).doc
3.2 Declaration of hazardous materials

---CHUNK---

SOURCE: MEPC.269(68).pdf
2015 GUIDELINES FOR THE DEVELOPMENT OF THE
INVENTORY OF HAZARDOUS MATERIALSMEPC 68/21/Add.1

https://edocs.imo.org/Final Documents/English/MEPC 68-21-ADD.1 (E).doc
3.2 Declaration of hazardous materials

Suppliers should declare whether or not the hazardous materials listed in table A and table B in the MD are present in concentrations above the threshold values specified for each homogeneous material in a product.

3.2.1 Materials listed in table A

If one or more materials listed in table A are found to be present in concentrations above the specified threshold value according to the MD, the products which contain these materials shall not be installed on a ship. However, if the materials are used in a product in accordance with an exemption specified by the Convention (e.g. new installations containing hydrochlorofluorocarbons (HCFCs) before 1 January 2020), the product should be listed in the Inventory.

3.2.2 Materials listed in table B

If one or more materials listed in table B are found to be present in concentrations above the specified threshold value according to the MD, the products should be listed in the Inventory.

---CHUNK---

SOURCE: MEPC.269(68).pdf
the Inventory.

3.2.2 Materials listed in table B

If one or more materials listed in table B are found to be present in concentrations above the specified threshold value according to the MD, the products should be listed in the Inventory.

3.3 Example of homogeneous materials

Figure 2 shows an example of four homogeneous materials which constitute a cable. In this case, sheath, intervention, insulator and conductor are all individual homogeneous materials.

Figure 2 Example of homogeneous materials (cable)

4 UTILIZATION OF HAZARDOUS MATERIALS INFORMATION

Products which contain hazardous materials in concentrations above the specified threshold values should be clearly identified in the MD. The approximate quantity of the hazardous materials should be calculated if the mass data for hazardous materials are declared in the MD using a unit which cannot be directly utilized in the Inventory.

5 PREPARATION OF INVENTORY (BY FILLING OUT STANDARD FORMAT)

The information received for the Inventory, as contained in table A and table B of appendix 1 of these guidelines, ought to be structured and utilized according to the following

---CHUNK---

SOURCE: MEPC.269(68).pdf
5 PREPARATION OF INVENTORY (BY FILLING OUT STANDARD FORMAT)

The information received for the Inventory, as contained in table A and table B of appendix 1 of these guidelines, ought to be structured and utilized according to the following categorization for part I of the Inventory:

Part I-1 Paints and coating systems;

Part I-2 Equipment and machinery; and

Part I-3 Structure and hull.

Sheath
(PVC)
Intervention
(paper)
Insulator
(rubber)
Conductor
(copper)
RESOLUTION MEPC.269(68)
(adopted on 15 May 2015)
2015 GUIDELINES FOR THE DEVELOPMENT OF THE
INVENTORY OF HAZARDOUS MATERIALSMEPC 68/21/Add.1
Annex 17, page 24

https://edocs.imo.org/Final Documents/English/MEPC 68-21-ADD.1 (E).doc
5.1 "Name of equipment and machinery" column

5.1.1 Equipment and machinery

5.1.1.1 The name of each item of equipment or machinery should be entered in this column. If more than one hazardous material is present in the equipment or machinery, the row relating to that equipment or machinery should be appropriately divided such that all of the hazardous materials contained in the piece of equipment or machinery are entered. If more

---CHUNK---

SOURCE: MEPC.269(68).pdf
relating to that equipment or machinery should be appropriately divided such that all of the hazardous materials contained in the piece of equipment or machinery are entered. If more than one item of equipment or machinery is situated in one location, both name and quantity of the equipment or machinery should be entered in the column. Examples are shown in rows 1 and 2 of table 1

5.1.1.2 For identical or common items, such as but not limited to bolts, nuts and valves, there is no need to list each item individually (see Bulk Listing in paragraph 3.2 of the

guidelines). An example is shown in row 3 of table 1.

Table 1 Example showing more than one item of equipment
or machinery situated in one location

No. Name of equipment and machinery Location Materials (classification in appendix 1) Parts where used Approximate quantity Remarks
1 Main engine Engine-room
Lead Piston pin bush 0.75 kg
Mercury
Thermometer
charge air
temperature
0.01 kg
2 Diesel generator (x 3) Engine-room Mercury Thermometer 0.03 kg
3 FC valve (x 100) Througout the ship Lead and lead compounds 20.5 kg

5.1.2 Pipes and cables

---CHUNK---

SOURCE: MEPC.269(68).pdf
Mercury
Thermometer