charge air
temperature
0.01 kg
2 Diesel generator (x 3) Engine-room Mercury Thermometer 0.03 kg
3 FC valve (x 100) Througout the ship Lead and lead compounds 20.5 kg

5.1.2 Pipes and cables

The names of pipes and of systems, including electric cables, which are often situated in more than one compartment of a ship, should be described using the name of the system concerned. A reference to the compartments where these systems are located is not necessary as long as the system is clearly identified and properly named.

5.2 "Approximate quantity" column

The standard unit for approximate quantity of solid hazardous materials should be kg.
If the hazardous materials are liquids or gases, the standard unit should be either m 3 or kg.
An approximate quantity should be rounded up to at least two significant figures. If the hazardous material is less than 10 g, the description of the quantity should read "<0.01 kg".

RESOLUTION MEPC.269(68)
(adopted on 15 May 2015)
2015 GUIDELINES FOR THE DEVELOPMENT OF THE
INVENTORY OF HAZARDOUS MATERIALSMEPC 68/21/Add.1
Annex 17, page 25

---CHUNK---

SOURCE: MEPC.269(68).pdf
RESOLUTION MEPC.269(68)
(adopted on 15 May 2015)
2015 GUIDELINES FOR THE DEVELOPMENT OF THE
INVENTORY OF HAZARDOUS MATERIALSMEPC 68/21/Add.1
Annex 17, page 25

https://edocs.imo.org/Final Documents/English/MEPC 68-21-ADD.1 (E).doc
Table 2 Example of a switchboard

No. Name of equipment and machinery Location Materials (classification in appendix 1) Parts where used Approximate quantity Remarks
 Switchboard Engine control room
Cadmium Housing coating 0.02 kg
Mercury Heat gauge <0.01 kg less than 0.01 kg

5.3 "Location" column

5.3.1 Example of a location list

It is recommended to prepare a location list which covers all compartments of a ship based on the ship's plans (e.g. general arrangement, engine-room arrangement, accommodation and tank plan) and on other documentation on board, including certificates or spare parts' lists. The description of the location should be based on a location such as a deck or room to enable easy identification. The name of the location should correspond to the ship's plans so

as to ensure consistency between the Inventory and the ship's plans. Examples of names of

---CHUNK---

SOURCE: MEPC.269(68).pdf
enable easy identification. The name of the location should correspond to the ship's plans so as to ensure consistency between the Inventory and the ship's plans. Examples of names of locations are shown in table 3. For bulk listings, the locations of the items or materials may be generalized. For example, the location may only include the primary classification such as "Throughout the ship" as shown in the table 3 below.

RESOLUTION MEPC.269(68)
(adopted on 15 May 2015)
2015 GUIDELINES FOR THE DEVELOPMENT OF THE
INVENTORY OF HAZARDOUS MATERIALSMEPC 68/21/Add.1
Annex 17, page 26

https://edocs.imo.org/Final Documents/English/MEPC 68-21-ADD.1 (E).doc
Table 3 Examples of location names

(A) Primary classification (B) Secondary classification (C) Name of location
Throughout the ship
Hull part Fore part Bosun store

Cargo part No.1 cargo hold/tank
No.1 garage deck

Tank part Fore peak tank
No.1 WBT
No.1 FOT

Aft Peak Tank
Aft part Steering gear room
Emergency fire pump space

Superstructure Accommodation
Compass deck
Nav. bridge deck

Wheel house

---CHUNK---

SOURCE: MEPC.269(68).pdf
No.1 WBT
No.1 FOT

Aft Peak Tank
Aft part Steering gear room
Emergency fire pump space

Superstructure Accommodation
Compass deck

Nav. bridge deck

Wheel house
Engine control room
Cargo control room

Deck house Deck house

(A) Primary classification (B) Secondary classification (C) Name of location
Machinery part Engine-room Engine-room
Main floor
2nd floor

Generator space/room
Purifier space/room
Shaft space/room
Engine casing
Funnel
Engine control room

Pump-room Pump-room

Exterior part Superstructure Superstructure
Upper deck Upper deck
Hull shell Hull shell
bottom
under waterline

RESOLUTION MEPC.269(68)
(adopted on 15 May 2015)
2015 GUIDELINES FOR THE DEVELOPMENT OF THE
INVENTORY OF HAZARDOUS MATERIALSMEPC 68/21/Add.1
Annex 17, page 27

https://edocs.imo.org/Final Documents/English/MEPC 68-21-ADD.1 (E).doc
5.3.2 Description of location of pipes and electrical systems

---CHUNK---

SOURCE: MEPC.269(68).pdf
INVENTORY OF HAZARDOUS MATERIALSMEPC 68/21/Add.1
Annex 17, page 27

https://edocs.imo.org/Final Documents/English/MEPC 68-21-ADD.1 (E).doc
5.3.2 Description of location of pipes and electrical systems

5.3.2.1 Locations of pipes and systems, including electrical systems and cables situated in more than one compartment of a ship, should be described for each system concerned. If they are situated in a number of compartments, the most practical of the following tw o options should be used:

.1 listing of all components in the column; or

.2 description of the location of the system using an expression such as those shown under "primary classification" and "secondary classification" in Table 3.

5.3.2.2 A typical description of a pipe system is shown in table 4.

Table 4 Example of description of a pipe system

No.	Name of equipment and machinery	Location	Materials (classification in appendix 1)	Parts where used	Approximate quantity	Remarks
	Ballast water system	Engine-room, Hold		parts		