used

---CHUNK---

SOURCE: MEPC.379(80).pdf
I-2 Equipment and machinery containing materials listed in table A and table B of appendix 1 of these guidelines
No. Name of equipment and machinery Location
Materials
(classification in
appendix 1)
Parts where
used
Approximate
quantity Remarks

1 Switchboard Engine control room Cadmium Housing coating 0.02 kg
Mercury Heat gauge <0.01 kg less than 0.01kg
2 Diesel engine, xx Co., xx #150 Engine room LeadCadmium BearingStarter for blower 0.02 kg
3 Diesel engine, xx Co., xx #200 Engine-room Lead Starter for blower 0.01 kg revised by XXX on Oct. XX, 2008 (revoking No.2)
4 Diesel generator (x 3) Engine-room Lead
Ingredient of
copper
compounds
0.01 kg
5 Radioactive level gauge No. 1 Cargo tank Radioactive substances Gauge 5 (1.8E+11) Ci (Bq) Radionuclides: 60Co

I-3 - Structure and hull containing materials listed in table A and table B of appendix 1 of these guidelines
No. Name of structural element Location
Materials
(classification
in appendix 1)
Parts where
used
Approximate
quantity Remarks
1 Wall panel Accommodation Asbestos Insulation 2,500.00 kg

---CHUNK---

SOURCE: MEPC.379(80).pdf
No. Name of structural element Location
Materials
(classification
in appendix 1)
Parts where
used
Approximate
quantity Remarks
1 Wall panel Accommodation Asbestos Insulation 2,500.00 kg
2 Wall insulation Engine control room Lead Perforated plate 0.01 kg cover for insulation material
Asbestos Insulation 25.00 kg under perforated plates

I:\MEPC\80\MEPC 80-17-Add.1.docx
Part II
Operationally generated waste

No. Location1 Name of item (classification in appendix 1) and detail (if any) of the item Approximate quantity Remarks
1 Garbage locker Garbage (food waste) 35.00 kg
2 Bilge tank Bilgewater 15.00 m3
3 No.1 cargo hold Dry cargo residues (iron ore) 110.00 kg
4 No.2 cargo hold Waste oil (sludge) (crude) 120.00 kg

5 No.1 ballast tank
Ballast water 2,500.00 m3
Sediments 250.00 kg

---CHUNK---

SOURCE: MEPC.379(80).pdf
2 Bilge tank Bilgewater 15.00 m3
3 No.1 cargo hold Dry cargo residues (iron ore) 110.00 kg
4 No.2 cargo hold Waste oil (sludge) (crude) 120.00 kg

5 No.1 ballast tank
Ballast water 2,500.00 m3
Sediments 250.00 kg

1 The location of a part II or part III item should be entered in order based on its location, from a lower level to an upper level and from a fore part to an aft part. The location of
part I items is recommended to be described similarly, as far as practicable.

I:\MEPC\80\MEPC 80-17-Add.1.docx
Part III
Stores
III-1 - Stores
No. Location1 Name of item (classification in appendix 1) Unit quantity Figure Approximate quantity Remarks2)
m3
kg
kg

Details are
shown in the
attached list.
5 Paint stores Paint, xx Co., #600 20.00 kg 5 pcs 100.00 kg Cadmium containing.

---CHUNK---

SOURCE: MEPC.379(80).pdf
m3
kg
kg

Details are
shown in the
attached list.
5 Paint stores Paint, xx Co., #600 20.00 kg 5 pcs 100.00 kg Cadmium containing.

1 The location of a part II or part III item should be entered in order based on its location, from a lower level to an upper l evel and from a fore part to an aft
part. The location of part I items is recommended to be described similarly, as far as practic able.

2 In column "Remarks" for part III items, if hazardous materials are integrated in products, the approximate amount of the cont ents should be shown as
far as possible.

III-2 Liquids sealed in ship's machinery and equipment
No.
Type of liquids
(classification in
appendix 1)
Name of machinery or equipment Location Approximate quantity Remarks
1 Hydraulic oil Deck crane hydraulic oil system Upper deck 15.00 m3
Deck machinery hydraulic oil system Upper deck and bosun store 200.00 m3

---CHUNK---

SOURCE: MEPC.379(80).pdf
appendix 1)
Name of machinery or equipment Location Approximate quantity Remarks
1 Hydraulic oil Deck crane hydraulic oil system Upper deck 15.00 m3
Deck machinery hydraulic oil system Upper deck and bosun store 200.00 m3
Steering gear hydraulic oil system Steering gear room 0.55 m3
2 Lubricating oil Main engine system Engine-room 0.45 m3
3 Boiler water treatment Boiler Engine-room 0.20 m3

III-3 Gases sealed in ship's machinery and equipment
No.
Type of gases
(classification in

appendix 1)
Name of machinery or equipment Location Approximate quantity Remarks
1 HFC AC system AC room 100.00 kg
2 HFC Refrigerated provision chamber machine AC room 50.00 kg

RESOLUTION MEPC.379(80) (adopted on 7 July 2023)
2023 GUIDELINES FOR THE DEVELOPMENT OF THE INVENTORY OF HAZARDOUS MATERIALS MEPC 80/17/Add.1
Annex 18, page 21

I:\MEPC\80\MEPC 80-17-Add.1.docx
III-4 Regular consumable goods potentially containing hazardous materials
No. Location17 Name of item Quantity Remarks
1 Accommodation Refrigerators 1
2 Accommodation Personal computers 2

---CHUNK---

SOURCE: MEPC.379(80).pdf
I:\MEPC\80\MEPC 80-17-Add.1.docx
III-4 Regular consumable goods potentially containing hazardous materials
No. Location17 Name of item Quantity Remarks
1 Accommodation Refrigerators 1
2 Accommodation Personal computers 2