5.1 "Name of equipment and machinery" column

5.1.1 Equipment and machinery

---CHUNK---

SOURCE: MEPC.379(80).pdf
2023 GUIDELINES FOR THE DEVELOPMENT OF THE INVENTORY OF HAZARDOUS MATERIALS MEPC 80/17/Add.1
Annex 18, page 24

I:\MEPC\80\MEPC 80-17-Add.1.docx
5.1 "Name of equipment and machinery" column

5.1.1 Equipment and machinery

5.1.1.1 The name of each item of equipment or machinery should be entered in this column. If more than one hazardous material is present in the equipment or machinery, the row relating to that equipment or machinery should be appropriately divided such that all of the hazardous materials contained in the piece of equipment or machinery are entered. If more than one item of equipment or machinery is situated in one location, both name and quantity of the equipment or machinery should be entered in the column. Examples are shown in rows 1 and 2 of table 1.

5.1.1.2 For identical or common items, such as but not limited to bolts, nuts and valves, there is no need to list each item individually (see Bulk Listing in paragraph 3.2 of the guidelines). An example is shown in row 3 of table 1.

Table 1 Example showing more than one item of equipment or machinery situated in one location

---CHUNK---

SOURCE: MEPC.379(80).pdf
is no need to list each item individually (see Bulk Listing in paragraph 3.2 of the guidelines). An example is shown in row 3 of table 1.

Table 1 Example showing more than one item of equipment or machinery situated in one location

No. Name of equipment and machinery Location Materials (classification in appendix 1) Parts where used Approximate quantity Remarks
1 Main engine Engine-room
Lead Piston pin bush 0.75 kg
Mercury
Thermometer
charge air
temperature

0.01 kg
2 Diesel generator (x 3) Engine-room Mercury Thermometer 0.03 kg
3 FC valve (x 100) Throughout the ship Lead and lead compounds 20.5 kg

5.1.2 Pipes and cables

The names of pipes and of systems, including electric cables, which are often situated in more than one compartment of a ship, should be described using the name of the system concerned. A reference to the compartments where these systems are located is not necessary as long as the system is clearly identified and properly named.

5.2 "Approximate quantity" column

The standard unit for approximate quantity of solid hazardous materials should be kg.

---CHUNK---

SOURCE: MEPC.379(80).pdf
as the system is clearly identified and properly named.

5.2 "Approximate quantity" column

The standard unit for approximate quantity of solid hazardous materials should be kg.
If the hazardous materials are liquids or gases, the standard unit should be either m 3 or kg.
An approximate quantity should be rounded up to at least two significant figures. If the hazardous material is less than 10 g, the description of the quantity should read "<0.01 kg".

Table 2 Example of a switchboard

No. Name of equipment and machinery Location
Materials
(classificatio
n in
appendix 1)
Parts where
used
Approximate
quantity Remarks
Switchboard Engine control room
Cadmium Housing coating 0.02 kg
Mercury Heat gauge <0.01 kg less than 0.01 kg

5.3 "Location" column

5.3.1 Example of a location list

It is recommended to prepare a location list which covers all compartments of a ship based on

---CHUNK---

SOURCE: MEPC.379(80).pdf
Cadmium Housing coating 0.02 kg
Mercury Heat gauge <0.01 kg less than 0.01 kg

5.3 "Location" column

5.3.1 Example of a location list

It is recommended to prepare a location list which covers all compartments of a ship based on the ship's plans (e.g. general arrangement, engine -room arrangement, accommodation and tank plan) and on other documentation on board, including certificates or spare parts lists. The description of the location should be based on a location such as a deck or room to enable easy identification. The name of the location should correspond to the ship's plans so as to ensure consistency between the Inventory and the ship's plans. Examples of names of locations are shown in table 3. For bulk listings, the locations of the items or materials may be generalized. For example, the location may only include the primary classification such as "Throughout the ship" as shown in the table 3 below.

Table 3 Examples of location names

---CHUNK---

SOURCE: MEPC.379(80).pdf
RESOLUTION MEPC.379(80) (adopted on 7 July 2023)
2023 GUIDELINES FOR THE DEVELOPMENT OF THE INVENTORY OF HAZARDOUS MATERIALS MEPC 80/17/Add.1
Annex 18, page 26

I:\MEPC\80\MEPC 80-17-Add.1.docx
Table 3 Examples of location names

(A) Primary classification	(B) Secondary classification	(C) Name of location
Throughout the ship		
Hull part	Fore part	Bosun store
Cargo part	No.1 cargo hold/tank	
	No.1 garage deck	
Tank part	Fore peak tank	
	No.1 WBT	
	No.1 FOT	
	Aft Peak Tank	

Aft part Steering gear room
Emergency fire pump space

Superstructure Accommodation
Compass deck
Nav. bridge deck

Wheel house
Engine control room
Cargo control room

Deck house Deck house

(A) Primary classification (B) Secondary classification (C) Name of location
Machinery part Engine-room Engine-room
Main floor
2nd floor

Generator space/room
Purifier space/room
Shaft space/room
Engine casing
Funnel
Engine control room

Pump-room Pump-room

Exterior part Superstructure Superstructure