I:\MEPC\80\MEPC 80-17-Add.1.docx
.10 International Anti-Fouling System Certificate

.11 Related manuals and drawings

.12 Information from other inventories and/or sister or similar ships, machinery, equipment, materials and coatings

.13 Results of previous visual/sampling checks and other analysis

2.1.2 If the ship has undergone conversions or major repair work, it is necessary to identify as far as possible the modifications from the initial design and specification of the ship.

2.2 Indicative list

2.2.1 It is impossible to check all equipment, systems and/or areas on board the ship to determine the presence or absence of hazardous materials. The total number of parts on board may exceed several thousand. In order to take a practical approach, an indicative list should be prepared that identifies the equipment, system and/or area on board that is presumed to contain hazardous materials. Field interviews with the shipyard and suppliers may be

---CHUNK---

SOURCE: MEPC.379(80).pdf
be prepared that identifies the equipment, system and/or area on board that is presumed to contain hazardous materials. Field interviews with the shipyard and suppliers may be necessary to prepare such lists. A typical example of an indicative list is shown below.

2.2.2 Materials to be checked and documented

Hazardous Materials, as identified in appendix 1 of these guidelines, should be listed in part I of the Inventory for existing ships . Appendix 1 of the guidelines contains all the materials concerned. Table A shows those which are required to be listed and table B shows those which should be listed as far as practicable.

2.2.3 Materials listed in table A

2.2.3.1 Table A lists the following four materials:

.1 Asbestos

.2 Polychlorinated biphenyls (PCBs)

.3 Ozone-depleting substances

.4 Anti-fouling systems containing organotin compounds as a biocide or cybutryne

2.2.3.2 Asbestos

Field interviews were conducted with over 200 Japanese shipyards and suppliers regarding the use of asbestos in production. Indicative lists for asbestos developed on the basis of this research are shown below:

Structure and/or equipment Component

---CHUNK---

SOURCE: MEPC.379(80).pdf
the use of asbestos in production. Indicative lists for asbestos developed on the basis of this research are shown below:

Structure and/or equipment Component
Propeller shafting Packing with low pressure hydraulic piping flange
Packing with casing
Clutch
Brake lining
Synthetic stern tubes
RESOLUTION MEPC.379(80) (adopted on 7 July 2023)
2023 GUIDELINES FOR THE DEVELOPMENT OF THE INVENTORY OF HAZARDOUS MATERIALS MEPC 80/17/Add.1
Annex 18, page 31

I:\MEPC\80\MEPC 80-17-Add.1.docx
Structure and/or equipment Component
Diesel engine Packing with piping flange
Lagging material for fuel pipe
Lagging material for exhaust pipe
Lagging material turbocharger
Turbine engine Lagging material for casing
Packing with flange of piping and valve for steam line, exhaust line and drain line
Lagging material for piping and valve of steam line, exhaust line and drain line
RESOLUTION MEPC.379(80) (adopted on 7 July 2023)
2023 GUIDELINES FOR THE DEVELOPMENT OF THE INVENTORY OF HAZARDOUS MATERIALS MEPC 80/17/Add.1
Annex 18, page 32

I:\MEPC\80\MEPC 80-17-Add.1.docx
Structure and/or equipment Component
Structure and/or equipment Component

---CHUNK---

SOURCE: MEPC.379(80).pdf
2023 GUIDELINES FOR THE DEVELOPMENT OF THE INVENTORY OF HAZARDOUS MATERIALS MEPC 80/17/Add.1
Annex 18, page 32

I:\MEPC\80\MEPC 80-17-Add.1.docx
Structure and/or equipment Component
Structure and/or equipment Component
Boiler Insulation in combustion chamber
Packing for casing door

Lagging material for exhaust pipe
Gasket for manhole
Gasket for hand hole
Gas shield packing for soot blower and other hole
Packing with flange of piping and valve for steam line,
exhaust line, fuel line and drain line
Lagging material for piping and valve of steam line,
exhaust line, fuel line and drain line
Exhaust gas economizer Packing for casing door
Packing with manhole
Packing with hand hole
Gas shield packing for soot blower
Packing with flange of piping and valve for steam line,
exhaust line, fuel line and drain line
Lagging material for piping and valve of steam line,
exhaust line, fuel line and drain line
Incinerator Packing for casing door
Packing with manhole
Packing with hand hole
Lagging material for exhaust pipe
Auxiliary machinery (pump,
compressor, oil purifier, crane)
Packing for casing door and valve
Gland packing
Brake lining

---CHUNK---

SOURCE: MEPC.379(80).pdf
Incinerator Packing for casing door
Packing with manhole
Packing with hand hole
Lagging material for exhaust pipe
Auxiliary machinery (pump,
compressor, oil purifier, crane)
Packing for casing door and valve
Gland packing
Brake lining
Heat exchanger Packing with casing
Gland packing for valve
Lagging material and insulation
Valve Gland packing with valve, sheet packing with piping
flange
Gasket with flange of high pressure and/or high
temperature
Pipe, duct Lagging material and insulation
Tank (fuel tank, hot water, tank,
condenser), other equipment
(fuel strainer, lubricant oil
strainer)
Lagging material and insulation
Electric equipment Insulation material
Airborne asbestos Wall, ceiling
Ceiling, floor and wall in

accommodation area
Ceiling, floor, wall
Fire door Packing, construction and insulation of the fire door
Inert gas system Packing for casing, etc.
Air conditioning system Sheet packing, lagging material for piping and flexible
joint

---CHUNK---

SOURCE: MEPC.379(80).pdf
joint

RESOLUTION MEPC.379(80) (adopted on 7 July 2023)
2023 GUIDELINES FOR THE DEVELOPMENT OF THE INVENTORY OF HAZARDOUS MATERIALS MEPC 80/17/Add.1
Annex 18, page 33

I:\MEPC\80\MEPC 80-17-Add.1.docx
Structure and/or equipment Component