Miscellaneous Ropes
Thermal insulating materials
Fire shields/fire proofing
Space/duct insulation
Electrical cable materials
Brake linings
Floor tiles/deck underlay
Steam/water/vent flange gaskets
Adhesives/mastics/fillers
Sound damping
Moulded plastic products
Sealing putty
Shaft/valve packing
Electrical bulkhead penetration packing
Circuit breaker arc chutes
Pipe hanger inserts
Weld shop protectors/burn covers
Fire-fighting blankets/clothing/equipment
Concrete ballast

2.2.3.3 Polychlorinated biphenyl (PCBs)

Worldwide restriction of PCBs began on 17 May 2004 as a result of the implementation of the Stockholm Convention, which aims to eliminate or restrict the production and use of persistent organic pollutants. In Japan, domestic control began in 1973, with the prohibition of all activities relating to the production, use and import of PCBs. Japanese suppliers can provide accurate

---CHUNK---

SOURCE: MEPC.379(80).pdf
organic pollutants. In Japan, domestic control began in 1973, with the prohibition of all activities relating to the production, use and import of PCBs. Japanese suppliers can provide accurate information concerning their products . T he indicative list of PCBs has been developed as shown below:

Equipment Component of equipment
Transformer Insulating oil
Condenser Insulating oil
Fuel heater Heating medium
Electric cable Covering, insulating tape
Lubricating oil
Heat oil Thermometers, sensors, indicators
Rubber/felt gaskets
Rubber hose
Plastic foam insulation
Thermal insulating materials
Voltage regulators
Switches/reclosers/bushings
Electromagnets
Adhesives/tapes
Surface contamination of machinery
Oil-based paint
Caulking
Rubber isolation mounts

Equipment Component of equipment
Light ballasts (component within fluorescent light fixtures)

Plasticizers
Felt under septum plates on top of hull bottom

---CHUNK---

SOURCE: MEPC.379(80).pdf
Annex 18, page 34

I:\MEPC\80\MEPC 80-17-Add.1.docx
Equipment Component of equipment
Light ballasts (component within fluorescent light fixtures)

Plasticizers
Felt under septum plates on top of hull bottom

2.2.3.4 Ozone-depleting substances

The indicative list for ozone-depleting substances is shown below. Ozone-depleting substances have been controlled according to the Montreal Protocol and MARPOL Convention. Although almost all substances have been banned since 1996, HCFC can still be used until 2020.

Materials Component of equipment Period for use of ODS in Japan
CFCs (R11, R12) Refrigerant for refrigerators Until 1996
CFCs Urethane formed material Until 1996
Blowing agent for insulation of LNG carriers Until 1996
Halons Extinguishing agent Until 1994
Other fully halogenated CFCs The possibility of usage in ships is low Until 1996
Carbon tetrachloride The possibility of usage in ships is low Until 1996
1,1,1-Trichloroethane

(methyl chloroform)
The possibility of usage in
ships is low
Until 1996
HCFC (R22, R141b) Refrigerant for refrigerating
machine
It is possible to use it until 2020
HBFC The possibility of usage in

---CHUNK---

SOURCE: MEPC.379(80).pdf
Until 1996
1,1,1-Trichloroethane
(methyl chloroform)
The possibility of usage in
ships is low
Until 1996
HCFC (R22, R141b) Refrigerant for refrigerating
machine
It is possible to use it until 2020
HBFC The possibility of usage in
ships is low
Until 1996
Methyl bromide The possibility of usage in
ships is low
Until 2005

2.2.3.5 Organotin compounds

Organotin compounds include tributyl tins (TBT), triphenyl tins (TPT) and tributyl tin oxide (TBTO). Organotin compounds have been used as anti -fouling paint on ships' bottoms, and the International Convention on the Control of Harmful Anti -fouling Systems on Ships (AFS Convention, as amended) stipulates that all ships shall not apply or reapply organotin compounds after 1 January 2003, and that, after 1 January 2008, all ships shall either not bear such compounds on their hulls or shall bear a coating that forms a barrie r preventing such compounds from leaching into the sea. The above-mentioned dates may have been extended by permission of the Administration bearing in mind that the AFS Convention entered into force on 17 September 2008.

2.2.3.6 Cybutryne

---CHUNK---

SOURCE: MEPC.379(80).pdf
compounds from leaching into the sea. The above-mentioned dates may have been extended by permission of the Administration bearing in mind that the AFS Convention entered into force on 17 September 2008.

2.2.3.6 Cybutryne

Cybutryne has been used as biocide in anti-fouling systems, and the International Convention on the Control of Harmful Anti-fouling Systems on Ships (AFS Convention, as amended) stipulates that all ships shall not apply or reapply cybutryne after 1 January 2023, and that

ships bearing an anti-fouling system that contains this substance in the external coating layer of their hulls or external parts or surfaces on 1 January 2023 shall either remove the anti-fouling system or apply a coating that forms a barrier to this substance leaching from the underlying non-compliant anti-fouling system at the next scheduled renewal of th e anti-fouling system after 1 January 2023, but no later than 60 months following the last application to the ship of an anti-fouling system containing cybutryne.

---CHUNK---

SOURCE: MEPC.379(80).pdf

an anti-fouling system containing cybutryne.
RESOLUTION MEPC.379(80) (adopted on 7 July 2023)
2023 GUIDELINES FOR THE DEVELOPMENT OF THE INVENTORY OF HAZARDOUS MATERIALS MEPC 80/17/Add.1
Annex 18, page 35

2.2.4 Materials listed in table B

For existing ships it is not obligatory for materials listed in table B to be listed in part I of the Inventory. However, if they can be identified in a practical way , they should be listed in the