---CHUNK---

SOURCE: MEPC.379(80).pdf
Unit Yes No g
This materials information shows the amount of hazardous materials contained in 1 (unit: piece, kg, m, m2, m3, etc.) of the product.

Table Material name Threshold value
Present
above threshold
value
If yes,
material mass If yes, information on where it is used
Yes / No Mass Unit
Table A

(materials
listed in
appendix 1
of the
Convention)
Asbestos Asbestos 0.1%19
Polychlorinated
biphenyls (PCBs)
Polychlorinated biphenyls
(PCBs) 50 mg/kg
Ozone-depleting
substance
Chlorofluorocaobons
(CFCs)
no threshold
value

Halons
Other fully halogenated
CFCs
Carbon tetrachloride
1,1,1-Trichloroethane
Hydrochlorofluorocaobons
Hydrobromofluorocaobons
Methyl bromide
Bromochloromethane
Anti-fouling
systems
containing
organotin
compounds as a
biocide

2,500 mg total
tin/kg

Anti-fouling
systems
containing
cybutryne
 1,000 mg/kg20

19 In accordance with regulation 4 of the Convention, for all ships, new installation of materials which contain

---CHUNK---

SOURCE: MEPC.379(80).pdf
biocide

2,500 mg total
tin/kg

Anti-fouling
systems
containing
cybutryne
 1,000 mg/kg20

19 In accordance with regulation 4 of the Convention, for all ships, new installation of materials which contain asbestos shall be prohibited. According to the UN recommendation "Globally Harmonized System of Classification and Labelling of Chemicals (GHS)" adopted by the United Nations Economic and Social Council's Sub-Committee of Experts on the Globally Harmonized System of Classification and Labelling of Chemicals (UNSCEGHS), the UN'S Sub -Committee of Experts, in 2002 (published in 2003), carcinogenic mixtures classified as Category 1A (including asbestos mixtures) under the GHS are required to be labelled as carcinogenic if the ratio is more than 0.1%. However, if 1% is applied, this threshold value should be recorded in the Inventory and, if available, the Material Declaration and can be applied not later than five years after the entry into force of the Convention. The threshold value of 0.1% need not be retroactively applied to those Inventories and Material Declarations.

---CHUNK---

SOURCE: MEPC.379(80).pdf
years after the entry into force of the Convention. The threshold value of 0.1% need not be retroactively applied to those Inventories and Material Declarations.

20 When samples are directly taken from the hull, average values of cybutryne should not be present above 1,000 mg of cybutryne per kilogram of dry paint.

Table Material name Threshold value
Present
above threshold
value
If yes,
material mass If yes, information on where it is used
Yes / No Mass Unit
Table B

(materials
listed in
appendix 2
of the
Convention)
Cadmium and cadmium compounds 100 mg/kg
Hexavalent chromium and hexavalent
chromium compounds 1,000 mg/kg
Lead and lead compounds 1,000 mg/kg
Mercury and mercury compounds 1,000 mg/kg
Polybrominated biphenyl (PBBs) 50 mg/kg
Polybrominated dephenyl ethers (PBDEs) 1,000 mg/kg
Polychloronaphthalenes (Cl >= 3) 50 mg/kg
Radioactive substances no threshold value

---CHUNK---

SOURCE: MEPC.379(80).pdf
Mercury and mercury compounds 1,000 mg/kg
Polybrominated biphenyl (PBBs) 50 mg/kg
Polybrominated dephenyl ethers (PBDEs) 1,000 mg/kg
Polychloronaphthalenes (Cl >= 3) 50 mg/kg
Radioactive substances no threshold value
Certain short-chain chlorinated paraffins 1%

APPENDIX 7

FORM OF SUPPLIER'S DECLARATION OF CONFORMITY

SUPPLIER'S DECLARATION OF CONFORMITY FOR MATERIAL DECLARATION MANAGEMENT

1

Identification number _____

2 Issuer's name

Issuer's address

3 Object(s) of the declaration

4 The object(s) of the declaration described above is in conformity with the following documents

Document No. Title Edition/date of issue