Indies. typhoons in the China Sea, cyclones in Indian waters and storms of a similar nature in other regions)" is replaced by "Tropical storm s ",
RESOLUTION MSC.31(63)
adopted on 23 May 1994
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CONVENTION

---CHUNK---

SOURCE: MSC.31(63).pdf
a similar nature in other regions)" is replaced by "Tropical storm s ",
RESOLUTION MSC.31(63)
adopted on 23 May 1994
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CONVENTION
FOR THE SAFETY OF LIFE AT SEA, 1974 - 6 -
Regulation V/4 _ Meteprolpgical serVices
7 In paragraph (b)(ii), the phrase "To i ss ue daily, by radio" i s replaced by "To issue twice daily, by radio".
Regu lation V/?2 - NAyigation bridge Visi h ility
8 The following new regulation V/22 is added:
"Regulation 22
Navigation bridge v isibility
(a) Ships o f not less than 45 m in length as defined i n regulation 111 /) .10, constructed on or after 1 July 1998 , sh a ll meet the following requirements:
(i) The view of the sea surface from the c onning positi o n s ha l l not be obscured by more than two ship lengths, or 500 m, whi c h ever is the less, forward o f the bow to 10 0 on either side under all conditi ons of draught, trim and deck carg o .
(il) No blind sector caused by cargo, cargo gear or other obst ructions outside of the wheelhouse forward of the beam which obstructs the view of the sea surface as seen from the co nning pos iti on, sha l l

---CHUNK---

SOURCE: MSC.31(63).pdf
of draught, trim and deck carg o .
(il) No blind sector caused by cargo, cargo gear or other obst ructions outside of the wheelhouse forward of the beam which obstructs the view of the sea surface as seen from the co nning pos iti on, sha l l
exceed 10°. The total arc of blind sectors shal l not exceed 20 ° .
The clear sectors between blind sectors shall be at least 5 °.
However, in the view described in paragraph (a)(i) , each individual blind sector shall not exceed 5°.
(iii) The horizontal field of vision from the conning position shall extend over an arc of not less than 225°, that is from right ahead to not less than 22.5° abaft the beam on either side of the ship.
(iv) From each bridge wing the horizontal field of vision shall extend over an arc of at least 225 °, that is from at least 45 ° on the opposite bow through right ahead and then from right ahead to right astern through 160° on the same side of the Ship.
(v) From the main steering position the horizontal field of visio n shall extend over an arc from right ahead to at least 60 0 on each side of the Ship.
(vi) The ship's side shall be visible from the bridge wing.

---CHUNK---

SOURCE: MSC.31(63).pdf
(v) From the main steering position the horizontal field of visio n shall extend over an arc from right ahead to at least 60 0 on each side of the Ship.
(vi) The ship's side shall be visible from the bridge wing.
(v ii) The heigh t of the lower edge of the navigation bridge front windows above the bridge deck shall be kep t as low as possible. In no case shall the lower edge present an obstruction to the forward view as described in this regulation .
(viii) The upper edge of the navigation bridge front window s sha ll allow a forward view of the horizon, for a person with a height of eye of 1,800 mm above the bridge deck at the conning position, when the ship is pitching in heavy seas . The Administration, if satisfied that a 1 , 800 mm height of eye is unreasonable an d impractical. may allow reduction of the height of eye but not
tn l pf':1': thl'ln 1 .",on min.
RESOLUTION MSC.31(63)
adopted on 23 May 1994
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CONVENTION FOR THE SAFETY OF LIFE AT SEA, 1974 - 7 -
(lx) Windows shall meet the following requirements:
(1) framing between navigation bridge windows shall be kept to

---CHUNK---

SOURCE: MSC.31(63).pdf
adopted on 23 May 1994
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CONVENTION FOR THE SAFETY OF LIFE AT SEA, 1974 - 7 -
(lx) Windows shall meet the following requirements:
(1) framing between navigation bridge windows shall be kept to a minimum and not be installed immediately forward of any workstation;
(2) to help avoid reflections, the bridge front windows shall be inclined from the vertical plane top out, at an angle of not less than 10° and not more than 25°;
(3) polarized and tinted windows shall not be fitted; and
(4) at all times regardless of weather conditions, at least two of the navigation bridge front windows shall provide a clear view, and in addition depending on the bridge configuration, an additional number of windows shall provide a clear view.
(b) Ships constructed before 1 July 1998 shall, where practicable, meet the requirements of (a) (i) and (a)(ii) . However, structural alterations or additional equipment need not be required.
(e) With ships of unconventional design which, in the opinion of the Administration cannot comply with this regulation, arrangements shall be

---CHUNK---

SOURCE: MSC.31(63).pdf
additional equipment need not be required.
(e) With ships of unconventional design which, in the opinion of the

Administration cannot comply with this regulation, arrangements shall be provided to achieve a level of visibility that is as near as practical to those prescribed in this regulation."
RESOLUTION MSC.31(63)
adopted on 23 May 1994
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CONVENTION FOR THE SAFETY OF LIFE AT SEA, 1974 RESOLUTION MSC.31(63)
adopted on 23 May 1994
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CONVENTION FOR THE SAFETY OF LIFE AT SEA, 1974

---CHUNK---

SOURCE: MSC.32(63).pdf
RESOLUTION MSC.32(63)
adopted on 23 May 1994
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION AND EQUIPMENT OF SHIPS CARRYING LIQUEFIED GASES IN BULK (IGC CODE) RESOLUTION MSC.32(63)
adopted on 23 May 1994
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION AND EQUIPMENT OF SHIPS CARRYING LIQUEFIED GASES IN BULK (IGC CODE)
THE MARITIME SAFETY COMMITTEE,
RECALLING Article 28(b) of the Convention on the International Maritime Organization concerning the fUnctions of the Committee,
RECALLING ALSO resolution MSC.5(48), by which the Committee adopted the International Code for the Construction and Equipment of Ships Carrying Liquefied Gases in Bulk (IGC Code),
RECALLING FURTHER article VIII(b) and regulation VII/ll.1 of the International Convention for the Safety of Life at Sea (SaLAS), 1974, as amended, concerning the procedure for amending the IGC Code,
BEING DESIROUS of keeping the IGC Code up to date.
HAVING CONSIDERED, at its sixty - third session, amendments to the Code proposed and circulated in accordance with article VIII(b)(i) of the SaLAS Convention,

---CHUNK---

SOURCE: MSC.32(63).pdf
BEING DESIROUS of keeping the IGC Code up to date.
HAVING CONSIDERED, at its sixty - third session, amendments to the Code proposed and circulated in accordance with article VIII(b)(i) of the SaLAS Convention,
1. ADOPTS, in accordance with article VIII(b)(iv) of the SaLAS Convention. amendments to the Code, the text of which is set out in the Annex to the present resolution;
2. DETERMINES, in accordance with article VIII(b)(vi)(2)(bb) of the SOLAS Convention, that the amendments shall be deemed to have been accepted on 1 January 1998 unless, prior to that date, more than one third of the Contracting Governments to the SaLAS Convention, or Contracting Governments the combined merchant fleets of which constitute not less than fifty per cent of the gross tonnage of the world's merchant fleet, have notified their Objections to the amendments;

3. INVITES Contracting Governments to note that, in accordance with article VIII(b)(vii)(2) of the SaLAS Convention, the amendments shall enter into force on 1 July 1998 upon their acceptance in accordance with paragraph 2 above;
4. REQUESTS the Secretary-General, in conformity with article VIII(b)(v) of

---CHUNK---

SOURCE: MSC.32(63).pdf
article VIII(b)(vii)(2) of the SaLAS Convention, the amendments shall enter into force on 1 July 1998 upon their acceptance in accordance with paragraph 2 above;
4. REQUESTS the Secretary-General, in conformity with article VIII(b)(v) of
the SaLAS Convention, to transmit certified copies of the present resolution and the text of the amendments contained in the Annex to all Contracting Governments to the SaLAS Convention;
5. FURTHER REQUESTS the Secretary-General to transmit copies of the resolution and its Annex to Members of the Organization which are not Contracting Governments to the SOLAS Convention.
RESOLUTION MSC.32(63)
adopted on 23 May 1994
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION AND EQUIPMENT OF SHIPS CARRYING