SOURCE: MSC.36(63).pdf
of the Recommendation on performance standards for automatic pilots, adopted by the Organization by resolution A.342(IX), may be omitted.
Provision should be made to change from the automatic to manual mode by a manual override.
Performance standards
All equipment to which this chapter applies should be of a type approved by the Administration. Subject to 13.13.2, such equipment should conform to performance standards not inferior to those adopted by the Organization.
Equipment installed before the adoption of performance standards by the Organizaton may be exempted from full compliance with the performance standards having due regard to the criteria which the Organization may adopt in connection with such standards.
W/1687n/pp/EWP
RESOLUTION MSC.36(63)
(adopted on 20 May 1994)
ADOPTION OF THE INTERNATIONAL CODE OF SAFETY
FOR HIGH SPEED CRAFT MSC 62123/Add.2
ANNEX 18
Page 130
14.1
14.1.1
14.1. 2
14.1. 3
14.2
14.2.1
CHAPTER 14 - RADIOCOMMUNICATIONS
Application
This chapter applies to all craft specified in 1.3.1 and 1.3.2.
This chapter does not apply to craft to which this Code would otherwise apply while such craft are being navigated within the

---CHUNK---

SOURCE: MSC.36(63).pdf
14.2.1
CHAPTER 14 - RADIOCOMMUNICATIONS
Application
This chapter applies to all craft specified in 1.3.1 and 1.3.2.
This chapter does not apply to craft to which this Code would otherwise apply while such craft are being navigated within the Great Lakes of North America and their connecting and tributary waters as far east as the lower exit of the St. Lambert Lock at Montreal in the Province of Quebec, Canada.~
No provision in this chapter should prevent the use by any craft, survival craft or person in distress, of any means at their disposal to attract attention, make known their position and obtain help.
Terms and definitions
For the purpose of this chapter, the following terms should have the meanings defined below:
.1 "Bridge-to-bridge communications" means safety communications between craft and ships from the position from which the craft is normally navigated .

. 2 "Continuous watch" means that the radio watch concerned should not be interrupted other than for brief intervals when the craft's receiving capability is impaired or blocked by its own communications or when the facilities are under periodical maintenance or checks .

---CHUNK---

SOURCE: MSC.36(63).pdf
not be interrupted other than for brief intervals when the craft's receiving capability is impaired or blocked by its own communications or when the facilities are under periodical maintenance or checks .
. 3 "Digital selective calling (DSC)" means a technique using digital codes which enables a radio station to establish contact with, and transfer information to, another station or group of stations, and complying with the relevant recommendations of the International Radio Consultative Committee (CCIR) .
. 4 "Direct-printing telegraphy" means automated telegraphy techniques which comply with the relevant recommendations of the International Radio Consultative Committee (CCIR) .
. 5 "General radiocommunications" means operational and public correspondence traffic other than distress, urgency and safety messages, conducted by radio .
. 6 "INMARSAT" means the Organization established by the Convention on the International Maritime Satellite Organization (INMARSAT) adopted on 3 September 1976.
Such craft are subject to special requirements relative to radio for safety purposes, as contained in the relevant agreement between Canada and the United States.

---CHUNK---

SOURCE: MSC.36(63).pdf
Organization (INMARSAT) adopted on 3 September 1976.
Such craft are subject to special requirements relative to radio for safety purposes, as contained in the relevant agreement between Canada and the United States.
W/1687n/pp/EWP
(
RESOLUTION MSC.36(63)
(adopted on 20 May 1994)
ADOPTION OF THE INTERNATIONAL CODE OF SAFETY FOR HIGH SPEED CRAFT 14.2.2
14.3
14.3.1
MSC 62/23/Add.2
ANNEX 18
Page 131
.7 "International NAVTEX service" means the co-ordinated broadcast and automatic reception on 518 kHz of maritime safety information by means of narrow-band direct-printing telegraphy using the English language* .

. 8 "Locating" means the finding of the ships, craft, aircraft,
units or persons in distress
9 "Maritime safety information" means navigational and
meteorological warnings, meteorological forecasts and other
urgent safety related messages broadcast to ships and craft .
. 10 "Polar orbiting satellite service" means a service which is based
on polar orbiting satellites which receive and relay distress
alerts from satellite EPIRBs and which provides their position .
. 11 "Radio Regulations" mean the Radio Regulations annexed to, or

---CHUNK---

SOURCE: MSC.36(63).pdf
on polar orbiting satellites which receive and relay distress
alerts from satellite EPIRBs and which provides their position .
. 11 "Radio Regulations" mean the Radio Regulations annexed to, or
regarded as being annexed to, the most recent International
Telecommunication Convention which is in force at any time .
. 12 "Sea area AI" means an area within the radiotelephone coverage
of at least one VHF coast station in which continuous DSC
alerting is available, as may be defined by a Contracting
Government to the Convention."""
.13 "Sea area A2" means an area, excluding sea area AI, within the
radiotelephone coverage of at least one MF coast station in
which continuous DSC alerting is available, as may be defined
by a Contracting Government to .the Convention. **
.14 "Sea area A3" means an area, excluding sea areas Al and A2,
within the coverage of an INMARSAT geostationary satellite in
which continuous alerting is available .
. 15 "Sea area A4" means an area outside sea areas AI; A2 and A3.
All other terms and abbreviations which are used in this chapter and
which are defined in the Radio Regulations should have the meanings
as defined in those Regulations.

---CHUNK---

SOURCE: MSC.36(63).pdf
. 15 "Sea area A4" means an area outside sea areas AI; A2 and A3.
All other terms and abbreviations which are used in this chapter and
which are defined in the Radio Regulations should have the meanings
as defined in those Regulations.
Exemptions
It is considered highly desirable not to deviate from the
requirements of this chapter; nevertheless the Administration,
in conjunction with the base port State, may grant partial or
conditional exemptions to individual craft from the requirements
of 14.6 to 14.10 provided:
.1 such craft comply with the functional requirements of 14.4; and
.2 the Administration has taken into account the effect such
exemptions may have upon the general efficiency of the service
for the safety of all ships and craft.
* Refer to the NAVTEX manual approved by the Organization.
** Refer to resolution A.704(17) concerning provision of radio services for
the Global Maritime Distress and Safety System (GMDSS), adopted by the

Organization.
RESOLUTION MSC.36(63)
(adopted on 20 May 1994)
ADOPTION OF THE INTERNATIONAL CODE OF SAFETY
FOR HIGH SPEED CRAFT MSC 62/23/Add.2
ANNEX 18
Page 132
14.3.2
14.3.3
14.4
14.4.1

---CHUNK---

SOURCE: MSC.36(63).pdf
Organization.
RESOLUTION MSC.36(63)
(adopted on 20 May 1994)
ADOPTION OF THE INTERNATIONAL CODE OF SAFETY
FOR HIGH SPEED CRAFT MSC 62/23/Add.2
ANNEX 18
Page 132
14.3.2