.11 safety arrangements at terminals and compliance with any existing safety arrangements, as appropriate;
.12 traffic control arrangements and compliance with any existing traffic control, as appropriate;

---CHUNK---

SOURCE: MSC.36(63).pdf
emergency procedures;
.11 safety arrangements at terminals and compliance with any existing safety arrangements, as appropriate;
.12 traffic control arrangements and compliance with any existing traffic control, as appropriate;
~13 restrictions and/or provisions relating to position fixing, to operation by night or in restricted visibility, including the use of radar and/or other electronic aids to navigation, as appropriate;
. 14 additional equipment which may be required, due to the specific characteristics of the service intended , for example, night operation;
.15 communication arrangements between craft, coast radio stations, base ports radio stations, emergency services and other ships, including radio frequencies to be used and watch to be kept;
.16 the keeping of records to enable the Administration to verify:
.16.1 that the craft is operated within the specified paramaters;
.16.2 the observance of emergency and safety drills/proceedures;
.16.3 the hours worked by the operating crew;
.16.4 the number of passengers on board;
.16.5 compliance with any law to which the craft is SUbject;
.16.6 craft operations; and

---CHUNK---

SOURCE: MSC.36(63).pdf
.16.2 the observance of emergency and safety drills/proceedures;
.16.3 the hours worked by the operating crew;
.16.4 the number of passengers on board;
.16.5 compliance with any law to which the craft is SUbject;
.16.6 craft operations; and
.16.7 maintenance of the craft and its machinery in accordance with approved schedules;
.17 arrangements to ensure that equipment is maintained in compliance with the Administration's requirements, and to ensure co-ordination of information as to the serviceability of the craft and equipment between the operating and maintenance elements of the operator's organization;
.18 the existence and use of adequate instructions regarding:
.18.1
.18.2
W/ 1687n/pp/EWP

loading of the craft so that weight and centre of gravity
limitations can be effectively observed and cargo is,
when necessary, adequately secured;
the provision of adequate fuel reserves;
RESOLUTION MSC.36(63)
(adopted on 20 May 1994)
ADOPTION OF THE INTERNATIONAL CODE OF SAFETY
FOR HIGH SPEED CRAFT MSC 62/23/Add.2
ANNEX 18
Page 158
18.1. 4
18.2
18.2.1
.18.3 action in the event of reasonable foreseeable
emergencies; and

---CHUNK---

SOURCE: MSC.36(63).pdf
RESOLUTION MSC.36(63)
(adopted on 20 May 1994)
ADOPTION OF THE INTERNATIONAL CODE OF SAFETY
FOR HIGH SPEED CRAFT MSC 62/23/Add.2
ANNEX 18
Page 158
18.1. 4
18.2
18.2.1
.18.3 action in the event of reasonable foreseeable
emergencies; and
.19 provision of contingency plans by operators for
foreseeable incidents including all land-based activities
for each scenario. The plans should provide operating crews
with information regarding search and rescue (SAR) authorities
and local aruninistrations and organizations which may
complement the tasks undertaken by crews with the equipment
available to them*.
The Administration should determine the maximum allowable distance
f-rom a base port or place of refuge after assessing the provisions
made under 18.1.3.
Craft documentation
The Administration should ensure that the craft is provided with
adequate information and guidance in the form of technical manual(s)
to enable the craft to be operated and maintained safely. The
technical manual(s) should consist of a Route Operational Manual,
Craft Operating Manual, Training Manual, Maintenance Manual and
Servicing Schedule. Arrangements should be made for such

---CHUNK---

SOURCE: MSC.36(63).pdf
technical manual(s) should consist of a Route Operational Manual,
Craft Operating Manual, Training Manual, Maintenance Manual and
Servicing Schedule. Arrangements should be made for such

information to be updated as necessary.
Craft operating manual
The craft operating manual should contain at least the following information:
.1 leading particulars of the craft;
. 2 description of the craft and its equipment;
.3 procedures for checking the integrity of buoyancy compartments;
.4 details arising from compliance with the requirements of chapter 2 likely to be of direct practical use to the crew in an emergency;
.5 damage control procedures;
.6 description and operation of machinery systems;
.7 description and operation of auxiliary systems;
.8 description and operation of remote control and warning
.9 description and operation of electrical equipment:
.10 loading procedures and limitations including maximum operational weight, centre of gravity position and distribution of load;
systems;
Refer to IMO Search and Rescue Manual (IMOSAR) adopted by the Organization by resolution A.439(XI) and Use of radar transponders for

---CHUNK---

SOURCE: MSC.36(63).pdf
operational weight, centre of gravity position and distribution of load;
systems;
Refer to IMO Search and Rescue Manual (IMOSAR) adopted by the Organization by resolution A.439(XI) and Use of radar transponders for search and rescue purposes adopted by resolution 11..530(13).
W/1687n/pp/EWP
RESOLUTION MSC.36(63)
(adopted on 20 May 1994)
ADOPTION OF THE INTERNATIONAL CODE OF SAFETY FOR HIGH SPEED CRAFT 18.2.2
MSC 62/23/Add.2
ANNEX 18
'tlo.-ofU
Page 159
.11 description and operation of fire detection and fire-extinguishing equipment;
.12 drawings indicating the structural fire protection arrangements;
.13 description and operation of radio equipment and navigational aids;
.14 information regarding the handling of the craft as determined in accordance with chapter 17:
. 15 maximum permissible towing speeds and towing loads, where applicable;
.16 procedure for dry-docking or lifting, including limitations;
.17 in particular, the manual should provide information, in clearly defined chapters approved specifically by the Administration, relating to:

.17.1 indication of emergency situations or malfunctions

---CHUNK---

SOURCE: MSC.36(63).pdf
.17 in particular, the manual should provide information, in clearly defined chapters approved specifically by the Administration, relating to:
.17.1 indication of emergency situations or malfunctions jeopardizing safety, required actions to be taken and any consequential restrictions on operation of the craft or its machinery;
.17.2 evacuation procedures;
.17.3 operating limitations including the worst intended conditions;
.17.4 limiting values of all machinery parameters requiring compliance for safe operation.
In regard to information on machinery or system failures, data should take into account the results of any FMEA reports developed during the craft design.
Route operational manual
The route operational manual should include at least the following information: