.1 evacuation procedures;
.2 operating limitations including the worst intended conditions such as sea height, sea and air temperatures, and wind conditions;
.3 procedures for operation of the craft within the limitations of .2;
.4 the elements of applicable contingency plans for primary and secondary rescue assistance in the case of foreseeable

---CHUNK---

SOURCE: MSC.36(63).pdf
conditions;
.3 procedures for operation of the craft within the limitations of .2;
.4 the elements of applicable contingency plans for primary and secondary rescue assistance in the case of foreseeable incidents, including land-based arrangements and activities for each incident;
W/1687n/pp/EWP
RESOLUTION MSC.36(63)
(adopted on 20 May 1994)
ADOPTION OF THE INTERNATIONAL CODE OF SAFETY FOR HIGH SPEED CRAFT MSC 62/23/Add.2
ANNEX 18
Page 160
18.2.3
.5 arrangements for obtaining weather information;
.6 identification of the "base port(s)";
.7 identification of the person responsible for decisions to cancel or delay voyages;
. 8 identification of crew complement, functions and qualifications;
.9 restrictions on working hours of crew;
.10 safety arrangements at terminals;
.11 traffic control arrangements and limitations, as appropriate;
.12 specific route conditions or requirements relating to position fixing, operations by night and in restricted visibility, including the use of radar or other electronic aids to navigation; and
.13 communication arrangements between craft, coast radio stations, base ports radio stations, emergency services and

---CHUNK---

SOURCE: MSC.36(63).pdf
including the use of radar or other electronic aids to navigation; and
.13 communication arrangements between craft, coast radio stations, base ports radio stations, emergency services and other ships, including radio frequencies to be used and watch to be kept.
Training manual
The training manual, which may comprise several volumes, should

contain instructions and information, in easily understood terms illustrated wherever possible, on evacuation, fire and damage control appliances and systems and on the best methods of survival. Any part of such information may be provided in the form of audio-visual aids in lieu of the manual. Where appropriate the contents of the training manual may be included in the craft operating manual. The following should be explained in detail:
.1 donning lifejackets and immersion suits, as appropriate;
.2 muster at the assigned stations;
.3 boarding, launching and clearing the survival craft and rescue boats;
. 4 method of launching from within the survival craft;
.5 release from launching appliances;
.6 methods and use of devices for protection in launching areas, where appropriate;
.7 illumination in launching areas;

---CHUNK---

SOURCE: MSC.36(63).pdf
boats;
. 4 method of launching from within the survival craft;
.5 release from launching appliances;
.6 methods and use of devices for protection in launching areas, where appropriate;
.7 illumination in launching areas;
. 8 use of all survival equipment;
.9 use of all detection equipment;
W/1687n / pp/EWP
r
RESOLUTION MSC.36(63)
(adopted on 20 May 1994)
ADOPTION OF THE INTERNATIONAL CODE OF SAFETY
FOR HIGH SPEED CRAFT 18.2.4
MSC 62/23/Add.2
ANNEX 18
Page 161
.10 with the assistance of illustrations, the use of radio life-saving appliances;
.11 use of drogues;
.12 use of engine and accessories:
.13 recovery of survival craft and rescue boats including stowage and securing;
.14 hazards of exposure and the need for warm clothing:
.15 best use of the survival craft facilities in order to survive;
.16 methods of retrieval, including the use of helicopter rescue gear (slings, baskets, stretchers), breeches-buoy and shore life-saving apparatus and craft's line-throwing apparatus;
.17 all other functions contained in the muster list and emergency instructions; and
.18 instructions for emergency repair of the life-saving appliances .

---CHUNK---

SOURCE: MSC.36(63).pdf
life-saving apparatus and craft's line-throwing apparatus;
.17 all other functions contained in the muster list and emergency instructions; and
.18 instructions for emergency repair of the life-saving appliances .
. 19 instructions in the use of fire protection and fire-extinguishing appliances and systems;
.20 guidelines for use of fireman's outfit in a fire, if fitted;
.21 use of alarms and communications associated with fire safety;
.22 methods for surveying damage;
.23 use of damage control appliances and systems including operation of watertight doors and bilge pumps; and
.24 for passenger craft, control of and communication with passengers in an emergency.
Maintenance and ser v icing manu al
The craft maintenance and servicing manual should contain as a minimum:
.1 detailed, illustrated description of all craft structure, machinery installations and all installed equipment and systems required for safe operation of the craft;
.2 specifications and quantities of all replenishable fluids, and of structural materials which may be required for repairs;
.3 operational limitations of machinery in terms of values of

---CHUNK---

SOURCE: MSC.36(63).pdf
systems required for safe operation of the craft;
.2 specifications and quantities of all replenishable fluids, and of structural materials which may be required for repairs;
.3 operational limitations of machinery in terms of values of parameters, vibration and consumption of replenished fluids;
.4 limitations of wear of structure or machinery components, including lives of components requiring calendar or operating time replacement;
W/1687n/pp/EWP
RESOLUTION MSC.36(63)
(adopted on 20 May 1994)
ADOPTION OF THE INTERNATIONAL CODE OF SAFETY FOR HIGH SPEED CRAFT MSC 62/23/Add.2
ANNEX 18
Page 162
18.3
18.3.1
18.3.2
18.3.3
.5 detailed description of procedures, including any safety precautions to be taken or special equipment required, to remove and install main and auxiliary machinery, transmissions, propulsion and lift devices and flexible structure components;
.6 test procedures to be followed subsequent to replacement of

machinery or system components or for malfunction diagnosis;
.7 procedure for lifting or dry-docking the craft, including any weight or attitude limitations;
.s procedure for weighing the craft and establishing the position

---CHUNK---

SOURCE: MSC.36(63).pdf
machinery or system components or for malfunction diagnosis;
.7 procedure for lifting or dry-docking the craft, including any weight or attitude limitations;
.s procedure for weighing the craft and establishing the position of .longitudinal centre of gravity (LCG);
.9 where craft may be dismantled for transportation, instructions should be provided for dismantling, transport and re-assembly;
.10 a servicing schedule, included in the maintenance manual or published separately, detailing the routine servicing and maintenance operations required to maintain the operational safety of the craft and its machinery and systems.
Training and qualification s
The level of competence and the training considered necessary in respect of the master and each crew member should be laid down and demonstrated in the light of the following guidelines to the