satisfaction of the Administration in respect of the particular type and model of craft concerned and the service intended. More than one crew member should be trained to perform all essential operational tasks in both normal and emergency situations.
The Administration should specify an appropriate period of

---CHUNK---

SOURCE: MSC.36(63).pdf
and model of craft concerned and the service intended. More than one crew member should be trained to perform all essential operational tasks in both normal and emergency situations.
The Administration should specify an appropriate period of operational training for the master and each member of the crew and, if necessary, the periods at which appropriate re-training should be carried out.
The Administration should issue a type rating certificate to the master and all officers having an operational role following an appropriate period of operational/simulator training and on the conclusion of an examination including practical test commensurate with the operational tasks on board the particular type and model of craft concerned and the route followed. The type rating training should cover at least the following items:
.1 knowledge of all on-board propulsion and control systems, including communication and navigational equipment, steering, electrical, hydraulic and pnewnatic systems and bilge and fire pumping;
.2 the failure mode of the control, steering and propulsion systems and proper response to such failures;

---CHUNK---

SOURCE: MSC.36(63).pdf
including communication and navigational equipment, steering, electrical, hydraulic and pnewnatic systems and bilge and fire pumping;
.2 the failure mode of the control, steering and propulsion systems and proper response to such failures;
.3 handling characteristics of the craft and the limiting operational conditions;
W/1687n/pp/EWP
r
RESOLUTION MSC.36(63)
(adopted on 20 May 1994)
ADOPTION OF THE INTERNATIONAL CODE OF SAFETY FOR HIGH SPEED CRAFT 18.3.4
18.3.5
18.3.6
18.3.7
18.3.8
MSC 62123/Add.2
ANNEX 18
Page 163
.4 bridge communication and navigation procedures:

.5 intact and damage stability and survivability of the craft in damage condition;
.6
.7
.8
.9
.10
.11
.12
location and use of the craft ' s life-saving appliances, including survival craft equipment;
location and use of escapes in the craft and the evacuation of passengers;
location and use of fire protection and fire-extinguishing appliances and systems in the event of fire on board;
location and use of damage control appliances and systems including operation of watertight doors and bilge pumps;
cargo and vehicle stowage securement systems;

---CHUNK---

SOURCE: MSC.36(63).pdf
appliances and systems in the event of fire on board;
location and use of damage control appliances and systems including operation of watertight doors and bilge pumps;
cargo and vehicle stowage securement systems;
methods for control of and communication with passengers in an emergency; and
location and use of all other items listed in the training manual.
The type rating certificate for a particular type and model of craft should only be valid for service on the route to be followed when it is so endorsed by the Administration following the completion of a practical test over that route.
The type rating certificate should be re-validated every two years and the Administration should lay down the procedures for re-validation.
All crew members should receive instructions and training, as specified in 18.3.3.6 to .12.
The Administration should specify standards of physical fitness and frequency of medical examinations having regard to the route and craft concerned.
The Administration of the country in which the craft is to operate, if other than the flag State, should be satisfied with the training, experience and qualifications of the master and each

---CHUNK---

SOURCE: MSC.36(63).pdf
and craft concerned.
The Administration of the country in which the craft is to operate, if other than the flag State, should be satisfied with the training, experience and qualifications of the master and each crew member. A valid type rating certificate appropriately endorsed

and held by a master or crew member, in conjunction with the current and valid licence or certificate issued by a flag State which is signatory to the International Convention on Standards of Training, Certification and Watchkeeping (STCW) in force for those who are required to hold such a licence or certificate, should be acceptable as evidence of satisfactory training, experience and qualification to the Administration of the country in which the craft is to operate.
W/1687n/pp/EWP
RESOLUTION MSC.36(63)
(adopted on 20 May 1994)
ADOPTION OF THE INTERNATIONAL CODE OF SAFETY
FOR HIGH SPEED CRAFT  MSC 62123 / Add.2
ANNEX 18
Page 164
18.4
18.4.1
18.4.2
18.4.3
18.4.4
18.4.5
18.4.6
18.5
18.5.1
18.5.2
18.5.3
18.5.4
18.5.5
18.5.6
ManniD9-o f s u rvival craft and sup e rvision
' There should be a sufficient number of trained persons on board for

---CHUNK---

SOURCE: MSC.36(63).pdf
ANNEX 18
Page 164
18.4
18.4.1
18.4.2
18.4.3
18.4.4
18.4.5
18.4.6
18.5
18.5.1
18.5.2
18.5.3
18.5.4
18.5.5
18.5.6
ManniD9-o f s u rvival craft and sup e rvision
' There should be a sufficient number of trained persons on board for mustering and assisting untrained persons.

There should be a sufficient number of crew members, who may be deck officers or certificated persons, on board for operating the survival craft, rescue boats and launching arrangements required for abandonment by the total number of persons on board.
A deck officer or certificated person should be placed in charge of each survival craft to be used. However, the Administration, having due regard to the nature of the voyage, the number of persons on board and the characteristics of the craft, may permit a deck officer, certificated person or persons practised in the handling and operation of liferafts to be placed in charge of each liferaft or group of liferafts.
The person in charge of survi v al craft should have a list of the survival craft crew and should see that the crew under command are acquainted with their duties .

---CHUNK---

SOURCE: MSC.36(63).pdf
or group of liferafts.
The person in charge of survi v al craft should have a list of the survival craft crew and should see that the crew under command are acquainted with their duties .
Every rescue boat and motorized survival craft should have a person