18.7.1
18.7.2
18.8
18.9
.1 summoning of crew to damage control stations;
.2 reporting to stations and preparing for the duties described in the muster list;
:3 operation of watertight doors and other watertight closures;
.4 operation of bilge pumps and testing of bilge alarms and

---CHUNK---

SOURCE: MSC.36(63).pdf
.2 reporting to stations and preparing for the duties described in the muster list;
:3 operation of watertight doors and other watertight closures;
.4 operation of bilge pumps and testing of bilge alarms and automatic bilge pump starting systems; and
.5 instruction in damage survey, use of the craft damage control systems and passenger control in the event of an emergency.
PART B - REQUIREMENTS FOR PASSENGER CRAFT
~e rating training
For all crew members, the type rating training should cover the control and evacuation of passengers additionally to 18.3.6.
When the craft carry cargoes, the craft should comply with the requirements of part C of this chapter in addition to this part.
Emergency instructions and drills
Emergency instructions including a general diagram of the craft showing the location of all exits, routes of evacuation, emergency equipment, life-saving equipment and appliances and illustration of lifejacket donning should be available to each passenger and placed near each passenger's seat.
Attention of passengers should be drawn to the provisions of the emergency instructions on boarding.
PART C - REQUIREMENTS FOR CARGO CRAFT

---CHUNK---

SOURCE: MSC.36(63).pdf
lifejacket donning should be available to each passenger and placed near each passenger's seat.
Attention of passengers should be drawn to the provisions of the emergency instructions on boarding.
PART C - REQUIREMENTS FOR CARGO CRAFT
Type rating training
For all crew members, the type rating training should cover knowledge of cargo and vehicles storage area securement systems.
Emergency instructions and drills
Emergency instr.uctions including a general diagram of the craft showing the location of all exits, routes of evacuation, emergency equipment, life-saving equipment and appliances and illustration of lifejacket donning should be available to each crew member.
W/1687n/pp/EWP
RESOLUTION MSC.36(63)

(adopted on 20 May 1994)
ADOPTION OF THE INTERNATIONAL CODE OF SAFETY
FOR HIGH SPEED CRAFT MSC 62/23/Add.2
ANNEX 18
Page 168
19.1
19.2
19.3
CHAPTER 19 - INSPECTION AND HAINTENANCE REQUIREMENTS
The Administration should be satisfied with the operator's organization or any organization on which he may call in the maintenance of his craft and should specify the scope of the duties which any part of the organization may carry out having regard to

---CHUNK---

SOURCE: MSC.36(63).pdf
organization or any organization on which he may call in the maintenance of his craft and should specify the scope of the duties which any part of the organization may carry out having regard to the number and competence of its staff, facilities available, arrangements for calling on specialist assistance should it be necessary, record-keeping, communication and allocation of responsibilities.
The craft and equipment should be maintained to the satisfaction of the Administration, in particular:
.1 routine preventive inspection and maintenance should be performed to a schedule approved by the Administration, which should have regard at least in the first instance to the manufacturer's schedule;
.2 in the performance of maintenance tasks, due regard should be paid to maintenance manuals, service bulletins acceptable to the Administration and to any additional instructions of the Administration in this respect;
.3 all modifications should be recorded and their safety aspects investigated. Where it could have any effect on safety, the modification, together with its installation, should be to the satisfaction of the Administration;

---CHUNK---

SOURCE: MSC.36(63).pdf
.3 all modifications should be recorded and their safety aspects investigated. Where it could have any effect on safety, the modification, together with its installation, should be to the satisfaction of the Administration;
.4 appropriate arrangements should be provided for informing the master of the serviceability state of his craft and its equipment;
.5 the duties of the operating crew in respect of maintenance and repairs and the procedure for obtaining assistance with repairs when the craft is away from the base port should be clearly defined;
.6 the master should report to the maintenance organization any

defects and repairs which are known to have occurred during operations;
.7 records of defects and their correction should be maintained and those defects of recurrent nature, or those which adversely affect craft or personal safety, should be reported to the Administration.
The Administration should be satisfied that arrangements are provided for ensuring adequate inspection, maintenance and recording of all life-saving appliances and distress signals carried.
W/l687n/pp/EWP
RESOLUTION MSC.36(63)
(adopted on 20 May 1994)

---CHUNK---

SOURCE: MSC.36(63).pdf
provided for ensuring adequate inspection, maintenance and recording of all life-saving appliances and distress signals carried.
W/l687n/pp/EWP
RESOLUTION MSC.36(63)
(adopted on 20 May 1994)
ADOPTION OF THE INTERNATIONAL CODE OF SAFETY FOR HIGH SPEED CRAFT MSC 63/23/Add.2
ANNEX 18
Page 169
ANNEX 1
Form of Safety Certificate for High Sp§ed Craft
HIGH SPEED CRAFT SAFETY CERTIFICATE
This Certificate should be supplemented by a Record of Equipment
by
(Official seal)
Issued under the provisions of the
INTERNATIONAL CODE OF SAFETY FOR HIGH SPEED CRAFT
(Resolution MSC ... (63»
under the authority of the Government of
(full designation of the State)
(full official designation of the competent person or organization authorized by the Administration)
Particulars of craft*
Name of craft
Manufacturer's model and hull number .....
Distinctive number or letters
IMO number** .....
Port of registry .....
Gross tonnage .....
(State)
Design waterline corresponding to draughts at draught marks of .. forward, .. aft
Category
Craft type

---CHUNK---

SOURCE: MSC.36(63).pdf

Port of registry .....
Gross tonnage .....
(State)
Design waterline corresponding to draughts at draught marks of .. forward,
.. aft
Category
Craft type
category A passenger craft/category B passenger craft/
cargo craft***
air-cushion vehicle/surface effect ship/hydrofoill
monohull/multihull/other (give detail .....)***
Date on which keel was laid or craft was at
a similar stage of construction or on which
a major conversion was commenced .....
* Alternatively, the particulars of the craft may be placed horizontally in
boxes.
** In accordance with the IMO ship identification number scheme adopted by
the Organization by resolution A.600(15).
*** Delete as appropriate.
W/1689n/pp/EWP
RESOLUTION MSC.36(63)
(adopted on 20 May 1994)
ADOPTION OF THE INTERNATIONAL CODE OF SAFETY