SOURCE: MSC.36(63).pdf
inflation mechanism should the craft sink; and
.3 as far as practicable watertight, except for drain holes in the container bottom.
4.2 The container should be marked with :
.1 maker's name or trademark:
.2 serial number;
.3 the number of persons it is permitted to carry;
.4 non-SOLAS reversible;
.5 type of emergency pack enclosed:
.6 date when last serviced:
.7 length of painter:
.8 maximum permitted height of stowage above waterline (depending on drop-test height): and
.9 launching instructions.
5 Mar kings on open r e ver s i bl e i n f latabl e liferafts
The open reversible liferafts should be marked with:
.1 maker's name or trademark;
.2 serial number:
.3 date of manufacture (month and year);
.4 name and place of service station where it was last serviced; and
.5 number of persons, it is permitted to accommodate on the top of each buoyancy tube, in characters not less than 100 mm in height and of a colour contrasting with that of the tube.
6 I nst r uctions a nd i nfo r ma tion
Instructions and information required for inclusion in the craft's training manual and in the instructions for on-board maintenance should be in

---CHUNK---

SOURCE: MSC.36(63).pdf
colour contrasting with that of the tube.
6 I nst r uctions a nd i nfo r ma tion
Instructions and information required for inclusion in the craft's training manual and in the instructions for on-board maintenance should be in a form suitable for inclusion in such training manual and instructions for
W/16S9n/pp/EWP
-.
RESOLUTION MSC.36(63)
(adopted on 20 May 1994)
ADOPTION OF THE INTERNATIONAL CODE OF SAFETY FOR HIGH SPEED CRAFT .~.
~
MSC 63/23/Add.2
ANNEX 18
Page 221
on-board maintenance. Instructions and information should be in a clear and concise form and should include, as appropriate, the following:
.1 general description of the open reversible liferaft and its equipment;
.2 installation arrangements;
.3 operational instructions including use of associated survival equipment; and
.4 servicing requirements.

W/1689n/pp/EWP
RESOLUTION MSC.36(63)
(adopted on 20 May 1994)
ADOPTION OF THE INTERNATIONAL CODE OF SAFETY
FOR HIGH SPEED CRAFT RESOLUTION MSC.36(63)
(adopted on 20 May 1994)
ADOPTION OF THE INTERNATIONAL CODE OF SAFETY
FOR HIGH SPEED CRAFT

---CHUNK---

SOURCE: MSC.37(63).pdf
RESOLUTION MSC.37(63)
(adopted on 19 May 1994)
ADOPTION OF AMENDMENTS TO THE CODE OF SAFETY
FOR DYNAMICALLY SUPPORTED CRAFT ANNEX 19
RESOLUTION MSC.37(63)
(adopted on 19 May 1994)
MSC 63/23/Add.1
ADOPTION OF AMENDMENTS TO THE CODE OF SAFETY FOR
DYNAMICALLY SUPPORTED CRAFT
THE MARITIME SAFETY COMMITTEE,
RECALLING Article 28(b) of the Convention on the International Maritime Organization concerning the functions of the Committee,
RECALLING ALSO that the Assembly, when adopting resolution A.373(X) on the Code of Safety for Dynamically Supported Craft (DSC Code) for Craft such as hydrofoil boats and air-cushion vehicles which were increasingly being introduced in international transport, authorized the Committee to amend the Code as may be necessary,
NOTING that dynamically supported craft continue to be constructed and operated internationally,
RECOGNIZING that the SOLAS Conference to be held on 17 and 24 May 1994 will be invited to adopt amendments which, inter alia, include a new chapter X on safety measures for high speed craft, to make the provisions of the International Code of Safety for High Speed Craft (HSC Code) mandatory under

---CHUNK---

SOURCE: MSC.37(63).pdf
will be invited to adopt amendments which, inter alia, include a new chapter X on safety measures for high speed craft, to make the provisions of the International Code of Safety for High Speed Craft (HSC Code) mandatory under the 1974 SOLAS Convention, for craft constructed on or after 1 January 1996,
RECOGNIZING FURTHER the need to incorporate improvements to maritime safety standards made since the adoption of the DSC Code in the provisions of the current DSC Code for craft constructed before the HSC Code enters into force,
HAVING CONSIDERED at its sixty-third session the text of the proposed amendments to the DSC Code, which were developed while preparing the HSC Code by a thorough revision of the DSC Code,
1. ADOPTS amendments to the DSC Code, the text of which is set out in the Annex to the present resolution;
2. RECOMMENDS Governments to apply the amended DSC Code to craft constructed before 1 January 1996.

W/1649n/EWP
RESOLUTION MSC.37(63)
(adopted on 19 May 1994)
ADOPTION OF AMENDMENTS TO THE CODE OF SAFETY
FOR DYNAMICALLY SUPPORTED CRAFT MSC 63/23/Add.l
ANNEX 19
Page 2
ANN FoX
AMENDMENTS TO THE CODE OF SAFETY FOR
DYNAMICALLY SUPPORTED CRAFT

---CHUNK---

SOURCE: MSC.37(63).pdf
RESOLUTION MSC.37(63)
(adopted on 19 May 1994)
ADOPTION OF AMENDMENTS TO THE CODE OF SAFETY
FOR DYNAMICALLY SUPPORTED CRAFT MSC 63/23/Add.l
ANNEX 19
Page 2
ANN FoX
AMENDMENTS TO THE CODE OF SAFETY FOR
DYNAMICALLY SUPPORTED CRAFT
CHAPTER 1 - GENERAL
1.3 Scope of application
Add a new paragraph to read:
"1.3.3 This Code does not apply to any craft the keel of which is laid, or which is subjected to repairs, alterations or modifications of a major character, on or after 1 January 1996".
Add a new section 1.10 to read:
"1.10 Interpretations
For craft constructed following the adoption of the International Code of Safety for High Speed Craft (HSC Code) by resolution MSC.36(63), and in the continued operation of craft certified under the present Code, guidance in the interpretations of this Code may be obtained from the HSC Code".
CHAPTER 8 - LIFE-SAVING APPLIANCES
8.2 Survival craft
Paragraphs 8.2.3 and 8.2.4 are replaced by a new paragraph 8.2.3 as follows:
"8.2.3 Craft should be provided with the radio life-saving appliances in accordance with regulations 111/6.2.1 and 111/6.2.2 of the Safety Convention".

---CHUNK---

SOURCE: MSC.37(63).pdf
Paragraphs 8.2.3 and 8.2.4 are replaced by a new paragraph 8.2.3 as follows:
"8.2.3 Craft should be provided with the radio life-saving appliances in accordance with regulations 111/6.2.1 and 111/6.2.2 of the Safety Convention".
Paragraphs 8.2.5 to 8.2.9 are renumbered as paragraphs 8.2.4 to 8.2.8.
CHAPTER 13 RADIOCOMMUNICATIONS AND NAVIGATIONAL EQUIPMENT
Sections 13.1, 13.2 and 13.3 are replaced by a new section 13.1 as follows:
"13.1 Radiocommunications

Craft should have a capability of distress and safety communications
in accordance with the provisions of chapter IV of the Safety Convention".
Sections 13.4 to 13.11 are renumbered as sections 13.2 to 13.9.
WII649n/EWP
RESOLUTION MSC.37(63)
(adopted on 19 May 1994)
ADOPTION OF AMENDMENTS TO THE CODE OF SAFETY
FOR DYNAMICALLY SUPPORTED CRAFT RESOLUTION MSC.37(63)
(adopted on 19 May 1994)
ADOPTION OF AMENDMENTS TO THE CODE OF SAFETY
FOR DYNAMICALLY SUPPORTED CRAFT

---CHUNK---

SOURCE: MSC.38(63).pdf
RESOLUTION MSC.38(63)
(adopted on 19 May 1994)
ADOPTION OF AMENDMENTS TO THE CODE FOR THE CONSTRUCTION AND EQUIPMENT
OF MOBILE OFFSHORE DRILLING UNITS, 1989 · ,
ANNEX 20
RESOLUTION MSC.30(63)
(adopted on 19 May 1994)
MSC 63/23/Add.1