made, that the material and workmanship of such repairs or renewals are in all respects satisfactory, and that the unit complies in all respects with the requirements of the Code.
1.6.3 The intermediate, annual and drydock surveys referred to in 1.6.2.3, 1.6.2.4 and 1.6.2.5 should be endorsed on the certificate.
1.6.4 As an alternative to the renewal and intermediate surveys required by 1.6.2.2 and 1.6.2.3 respectively, the Administration may, at the owner's request, approve a continuous survey programme provided that the extent and frequency of the surveys are equivalent to renewal and intermediate surveys. A copy of the continuous survey programme, together with the record of the surveys, should be kept on board the unit and the certificate annotated

---CHUNK---

SOURCE: MSC.38(63).pdf
frequency of the surveys are equivalent to renewal and intermediate surveys. A copy of the continuous survey programme, together with the record of the surveys, should be kept on board the unit and the certificate annotated accordingly.
1.6.5.1
.2
The inspection and survey of the units, so far as regards the enforcement of the provisions of the present regulations and the granting of exemptions therefrom, should be carried out by officers of the Administration. The Administration may, however, entrust the inspections and surveys either to surveyors nominated for the purpose or to organizations recognized by it.
An Administration nominating surveyors or recognising organizations to conduct inspections and surveys as set forth in 1.6.5.1 should as a minimum empower and nominated surveyor or recognized organization to:
W/1649n/EWP
RESOLUTION MSC.38(63)
(adopted on 19 May 1994)
ADOPTION OF AMENDMENTS TO THE CODE FOR THE CONSTRUCTION AND EQUIPMENT OF MOBILE OFFSHORE DRILLING UNITS, 1989 MSC 63/23/Add.l
ANNEX 20
Page 5
(1) require repairs to a unit:
(2) carry out inspections and surveys if requested by the appropriate authorities of a port State.

---CHUNK---

SOURCE: MSC.38(63).pdf
OF MOBILE OFFSHORE DRILLING UNITS, 1989 MSC 63/23/Add.l
ANNEX 20
Page 5
(1) require repairs to a unit:
(2) carry out inspections and surveys if requested by the appropriate authorities of a port State.
The Administration should notify the Organization of the specific responsibilities and conditions of the authority delegated to nominated surveyors or recognized organizations .

3 When a nominated surveyor or recognized organization determines that the condition of the unit or its equipment does not correspond substantially with the particulars of the certificate or is such that the unit is not fit to operate without danger to the unit, or persons on board, such surveyor or organization should immediately ensure that corrective action is taken and should in due course notify the Administration. If such corrective action is not taken the certificate should be withdrawn and the Administration should be notified immediately: and, if the unit is in an area under the jurisdiction of another Government, the appropriate authorities of the port State should be notified immediately. When an officer of the Administration, a nominated surveyor or recognized organization

---CHUNK---

SOURCE: MSC.38(63).pdf
jurisdiction of another Government, the appropriate authorities of the port State should be notified immediately. When an officer of the Administration, a nominated surveyor or recognized organization has notified the appropriate authorities of the port State, the Government of the port State concerned should give such officer, surveyor or organization any necessary assistance to carry out their obligations under this regulation. When applicable, the Government of the port State concerned should ensure that the unit should not continue to operate until it can do so without danger to the unit or the persons on board .
. 4 In every case, the Administration shall fully guarantee the completeness and efficiency of the inspection and survey, and should undertake to ensure the necessary arrangements to satisfy this obligation.
1.6.6.1
.2
.3
The condition of the unit and its equipment should be maintained to conform with the provisions of this Code to ensure that the unit in all respects will remain fit to operate without danger to the unit or the persons on board.
After any survey of the unit under this regulation has been

---CHUNK---

SOURCE: MSC.38(63).pdf
conform with the provisions of this Code to ensure that the unit in all respects will remain fit to operate without danger to the unit or the persons on board.
After any survey of the unit under this regulation has been completed, no change should be made to structure, equipment, fittings, arrangements and materials covered by the survey, without the sanction of the Administration.
Whenever an accident occurs to a unit or a defect is discovered, either of which affects the safety of the unit or the efficiency or completeness of structure, equipment, fittings, arrangements and materials, the person in charge or owner of the unit should report at the earliest opportunity to the Administration, the nominated

surveyor or recognized organization responsible, who should cause investigations to be initiated to determine whether a survey, as required by this regulation, is necessary. If the unit is in an area under the jurisdiction of another Government, the person in charge or the owner should also report immediately to the appropriate authorities of the port State and the nominated surveyor or recognized organization should ascertain that such a report has been made.

---CHUNK---

SOURCE: MSC.38(63).pdf
charge or the owner should also report immediately to the
appropriate authorities of the port State and the nominated surveyor
or recognized organization should ascertain that such a report has
been made.
W/1649n/EWP
RESOLUTION MSC.38(63)
(adopted on 19 May 1994)
ADOPTION OF AMENDMENTS TO THE CODE FOR THE CONSTRUCTION AND EQUIPMENT OF MOBILE OFFSHORE DRILLING UNITS, 1989 MSC 63/23/Add.1
ANNEX 20
Page 6
1.6.7 A certificate called a Mobile Offshore Drilling Unit Safety Certificate (1989) may be issued after an initial or renewal survey to a unit which complies with the requirements of the Code. The Certificate should be issued or endorsed either by the Administration or by any person or organization recognized by it. In every case, that Administration assumes full responsibility for the certificate.
1.6.8 Any exemptions granted under 1 . 4 should be clearly noted on the certificate.
1.6.9 A Contracting Government to both the 1974 SOLAS Convention and the 1966 Load Line Convention may, at the request of the Administration, cause a unit to be surveyed and, if satisfied that the requirements of the Code are

---CHUNK---

SOURCE: MSC.38(63).pdf
certificate.
1.6.9 A Contracting Government to both the 1974 SOLAS Convention and the 1966 Load Line Convention may, at the request of the Administration, cause a unit to be surveyed and, if satisfied that the requirements of the Code are
complied with, should issue or authorize the issue of a certificate to the unit and, where appropriate, endorse or authorize the endorsement of a certificate on the unit in accordance with the Code. Any certificate so issued should contain a statement to the effect that it has been issued at the request of the Government of the State the flag of which the unit is entitled to fly, and it should have the same force and receive the same recognition as a certificate issued under 1.6.7.
1.6.10 The certificate should be drawn up in the form corresponding to the model given in the appendix to the Code. If the language used is neither English nor French, the text should include a translation into one of these languages.
1.6.11.1 The Mobile Offshore Drilling Unit Safety Certificate (1989) should

be issued for a period specified by the Administration which should not exceed five years .

---CHUNK---

SOURCE: MSC.38(63).pdf
languages.
1.6.11.1 The Mobile Offshore Drilling Unit Safety Certificate (1989) should be issued for a period specified by the Administration which should not exceed five years .
. 2.1 notwithstanding the requirements of 1.6.11.1, when the renewal survey is completed within three months before the expiry date of the existing certificate, the new certificate should be valid from the date of completion of the renewal survey to a date not exceeding five years from the date of expiry of the existing certificate;
.2.2 when the renewal survey is completed after the expiry date of the existing certificate, the new certificate should be valid from the date of completion of the renewal survey to a date not exceeding five years from the date of expiry of the existing certificate;
.2.3 when the renewal survey is completed more than three months before the expiry date of the existing certificate, the new