(adopted on 19 May 1994)
ADOPTION OF AMENDMENTS TO THE CODE FOR THE CONSTRUCTION AND EQUIPMENT OF MOBILE OFFSHORE DRILLING UNITS, 1989 " -
1
Final approach and
take-off ar.~
- -
MSC 63/23/Add.l
ANNEX 20
Page 19
150- SECTOR
(Alternative
positions on
th.e periphery
and SWinging the
whole .ector !lS-
trom that shown
may be used in
satisfying
requiremen t s)
-- ;-----~ w
a
--
LD Helicopter largest
. overall dimension
Obi :ac: le free
:J
..... ----0. 83'-b,------
__ --0. 62LC>-·--- .....
e;za
Secden M

---CHUNK---

SOURCE: MSC.38(63).pdf
whole .ector !lS-
trom that shown
may be used in
satisfying
requiremen t s)
-- ;-----~ w
a
--
LD Helicopter largest
. overall dimension
Obi :ac: le free
:J
..... ----0. 83'-b,------
__ --0. 62LC>-·--- .....
e;za
Secden M
Obstacles limited
to 0.05 LD
rigure 13-2 - B.lideck obstacle limitation ctor

Tandem main rotor helicopters - omnidirectional
operations in adverse climate
RESOLUTION MSC.38(63)
(adopted on 19 May 1994)
ADOPTION OF AMENDMENTS TO THE CODE FOR THE CONSTRUCTION AND EQUIPMENT
OF MOBILE OFFSHORE DRILLING UNITS, 1989 MSC 63/23/Add.l
ANNEX 20
Page 20
210· ODSTACLE-FREE S~CrOR
for take-off and .pprO~chr
i
I
I ..
'\
[!m · '\,
,
I··ILD
I ,
I
'oint of
Orivin
0·75 tD
mu:]; ,
---~----.:...'-
'LAN VIEW
0.62 LD-~
Landing Area Level
Limited obstacle sector
of 150·. No alternative
position allowed
obstacles limited
to l.lm
... 0.75 LD ~I 'ROFIL~.VI(W
Fiqure 13-3 - Helideck obstacle limitation sector
Tandem main rotor helicopters. bidirectional
operations in adverse climate
RESOLUTION MSC.38(63)
(adopted on 19 May 1994)
ADOPTION OF AMENDMENTS TO THE CODE FOR THE CONSTRUCTION AND EQUIPMENT

---CHUNK---

SOURCE: MSC.38(63).pdf
Fiqure 13-3 - Helideck obstacle limitation sector
Tandem main rotor helicopters. bidirectional
operations in adverse climate
RESOLUTION MSC.38(63)
(adopted on 19 May 1994)
ADOPTION OF AMENDMENTS TO THE CODE FOR THE CONSTRUCTION AND EQUIPMENT
OF MOBILE OFFSHORE DRILLING UNITS, 1989 180
0
OBSTACLE-FREE SECTOR
for t.k.-Of~
.-

{ It:>
(or 0.75 r.:o for
tandem main rotor
helicopters)
"..AN VIEW
POINT OF
ORIGIN
~
... t , , I
n
~-.
J-;-~_. i
I
T
'-,
-. , ..
I ,
I I
I I , I
I I I
, , ,
I
I
I
I
,
I ,
I
I I I , I
II · 7
I :7
I ./
h-.... ~ . .. ,..'~....rJ
~/
MSC 63/23/Add.l
ANNEX 20
Page 21
r\.
r-'", ...
. ,,-, r, c::::l.
._ .... , =:!3\
, , I
, f I ,
f
I I i I I j Z 11
I
,
I ,
. /
.;
I 'f
'J
/
-

, , , ,
'"
Obstacle
limited
: : 2 slop
..---- ,
La!\din~: .~ .. e2
L£"; .:.;.
. ,"r I I
----!::U:~ , I
----------~~
I I
, I
_____ ----------~~ i
l~~~' ----------RD PROrli.E: VI~iO
Figure 13-4 - Helideck obstacle limitation sector
180 0 for moderate climate
to
e
RESOLUTION MSC.38(63)
(adopted on 19 May 1994)
ADOPTION OF AMENDMENTS TO THE CODE FOR THE CONSTRUCTION AND EQUIPMENT