S
P
P
p
P
P
P
P
P
P
lMO
Instrument
1989 t«JDU
Code
7.3.1
7.4.2.4
8.5.4
7.4.2.5
8.5.5
7.4.2.9
7.6.1
8.3.1
8.3.3
8.3.6
8.3.7
8.5.7
8.7.1
8.8.3
Functi on
Water tube boiler high
water level alarm
Propulsion machinery
orders from bridge
Propulsion station in
control indication
Type
A,V
I
I
Low starting air pressure A,V
Steering gear running I
HP fuel oil pipe leakage , A,V

---CHUNK---

SOURCE: MSC.39(63).pdf
Functi on
Water tube boiler high
water level alarm
Propulsion machinery
orders from bridge
Propulsion station in
control indication
Type

A,V
I
I
Low starting air pressure A,V
Steering gear running I
HP fuel oil pipe leakage , A,V
I
I
Fuel heating temperature I A,V
alarm I ,
Fire detection alarm for , A,V
boiler/propulsion machinery' ,
Internal combustion engine, HI
monitors ,
I
Propulsion machinery 'A,V
remote control failure ,
I
fault requiring attention I A,V
I
I
I
I
I
I
Automatic changeover of ,A,V
propulsion auxiliaries ,
I ,
Cross reference to SOLAS regulation
WII649n/EWP
Notes
Column 3, table 8.1
Column 3, table 8.2
11-1/31.2.4"'
11-1/49.2"
Columns 1&3, table 8.2
11-1/31.2.5"'
11-1/49.3"'
Columns 1&3, table 8.2
11-1/31 .2.9"'
Columns 1 & !3, Table 8.1
II-1/30. 1"
! Column 3, table 8.3
11-2115.5.1"'
! Column 3, table 8.3
11-2/15.5.3"
! Column 3, table 8.3
11-1/47.1"'
Column 3, table 8.3
11-1/47.2"'
Column 3, table 8.2
II-l/49.5"
At a normally manned control
station in addition to main

machinery control station
including 8.3.5.1,8.4.1,
8 .8.6 and 8.9
11-1/51.1"
Column 3, table 8.3
11-1153.4.2"

---CHUNK---

SOURCE: MSC.39(63).pdf
Column 3, table 8.3
11-1/47.2'"
Column 3, table 8.2
II-l/49.5"
At a normally manned control
station in addition to main
machinery control station
including 8.3.5.1,8.4.1,
8 .8.6 and 8.9
11-1/51.1"
Column 3, table 8.3
11-1153.4.2"
RESOLUTION MSC.39(63)
(adopted on 19 May 1994)
ADOPTION OF AMENDMENTS TO THE CODE ON
ALARMS AND INDICATORS 6 Add the following to Table 9.1. 3
MSC 63/23/Add.1
ANNEX 23
Page 5
- Location: central fire control station where provided
I I I
I IMO I I
Pd ori ty I Instrument function I Type Notes I
I I I
I I I
I 1989 HODU I I
I Code I I
I I I
P I 9.7.1 fi re detection system I A,V,I II-U13'" I
I alarm I I
I I I
P I 9.8 Gas detection and alarm I A,V I
I system I I
I I I
I I I
7 Add the following to Table 9.1.4
- Location: at the equipment or at the location being monitored
I I I I
I IMO I I I
Priority I Instrument I function Type I Notes I
I I I I
I I I I
I 1989 HODU I I I
I Code I I I

I I I I
S I 3.6.4.2 I Watertight doors and hatch A,V I I
I I cover positions alarm I I
I I I I
S I 4.3.5 I Water level of essential HI I II-1/32.6''' I
I I boi 1 er I
I I I
S I 4.4.3 I Steam pressure HI II-1/33.3''' I
I I I

---CHUNK---

SOURCE: MSC.39(63).pdf
I Code I I I
I I I I
S I 3.6.4.2 I Watertight doors and hatch A,V I I
I I cover positions alarm I I
I I I I
S I 4.3.5 I Water level of essential HI I II-1/32.6''' I
I I boi 1 er I
I I I
S I 4.4.3 I Steam pressure HI II-1/33.3''' I
I I I