0
"' .. ..
~."..
Trla..,l pboIpIIte
"' "". '"
Y .. .. "' 15.19 .6 (COIIUl.Jrlo;J lus tNa n
ortbo-~rl
Tdcrur 1 pho5pbIte 2574(1) SIP 1
"' "".,"' T2 lU Y .. " 1,P "' 15. 12. 3, 15. 19 (COIItliAlD; 1\ <It ~
ortho-lsmnl
T rl~i".dd
"' .... 0 "' .. 15.19.6, 16.2.6, 16.2.~. UiA.2.2
Trllt b.lD:llaJ.,... S " "" . .. lU ... .. 1 " .. TrlethflaiDI
""
sIP
"'
CotIt . .. T2 III .. H l,t
"
15.12, 15.19.6
Trhlllr lhenunl "' "". .. y" 0 .. .. 15.19.6 TrI.tbrleneulraJ. ...
""
S
" "". .. T2 lU y" .. Nl .. TrlelbrlpbO.phltl 232l S/'
" """ " "" ,-. l,' "' 15 .12.1, 15.19.& trUsopcopflet.d pbotarl
" "" . .. ... 0 .. 1 .. 15. 19.6 _ ...
trW-lilli_tic Kid S
"' "".,.. ... .. Yl .. 15.11 .2 to 15.11.8 N Td_lbrl-.!ne WIIUOO (30\ "97 SIP "' """ "' "' "1 l,t Nl 15.12, lS.H, 15.19, 16.2 .9 ~
QC 1 ....)
Trbllb r1t*1_ (al l '-rs)
" """ .. .. ' l .. 1;;.19.6 Trw-lbrlbu_lbylt:lllCUaJ. 1II
"" '" "".
No . .. 0 .. l,t Nl .. 15. 19.6
(2,2,"- AIId 2,4, 4-1.-n:)
TrbltbyU--lbr 1_

---CHUNK---

SOURCE: MEPC.55(33).pdf
Trbllb r1t*1_ (al l '-rs)
" """ .. .. ' l .. 1;;.19.6 Trw-lbrlbu_lbylt:lllCUaJ. 1II
"" '" "".
No . .. 0 .. l,t Nl .. 15. 19.6
(2,2,"- AIId 2,4, 4-1.-n:)
TrbltbyU--lbr 1_
"" sIP " "".,"' y" l ,e(c) .. 15.12. 15.16.2, 15.11, 15.19.6 dl.lmq_te (2,2,4' IIDd
2,4,4-t-n1
2,2 ,4-Trt.lbrl- l,J- pIOtaDedlo t
" "" . .. ." "' .. l -I- boilulft"illi
Tr_ tlIrl pboafIhlte 2l2'!
" "".,.. .. '-1 l ,' .. 15. 12.1, 15. 16.2. IS.19.6 I,J,S-Tri_ S " "".,.. .. f 1,0 .. 15.19. 6 Trll1Jltl ~te " ... .. y" 15.19
".,.,,"" "" " eotlt . .. .. , f .. 15.1'.6 ~Icildd
" "" . .. ... 0 .. .. 1l'0.2.6. 16.2.'
RESOLUTION MEPC.55(33) (adopted on 30 October 1992)
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION

AND EQUIPMENT OF SHIPS CARRYING
DANGEROUS CHEMICALS IN BULK (IBC CODE)f.aqe 110.
" XI/1I~2
pr«)O'UtIJII IDIJII/KBER I_DiSH ,_"""" 0
! · Undea""
" """, '" ." 0 '" '" 15.19.6 U/ldeCJI llcohol , " 0,,, ., ." " '" IS.19.6, 16.2.9, 16A.2.2(r) Urn/AlmooоI"" nitrate $Olutioo SIP
" """" ., '" , .. '" (cOflulllinq itqlJa AO'PIOIIia)
Vlltnldehrde (all lsaoers) 2058 sl'
"
COQt. IMrt
"
IIB
'" ,., ., 15 .4. 6, 15.1 6.1, 15.19.6 Vlnrl ,cetatt nor sl'
"

---CHUNK---

SOURCE: MEPC.55(33).pdf
" """" ., '" , .. '" (cOflulllinq itqlJa AO'PIOIIia)
Vlltnldehrde (all lsaoers) 2058 sl'
"
COQt. IMrt
"
IIB
'" ,., ., 15 .4. 6, 15.1 6.1, 15.19.6 Vlnrl ,cetatt nor sl'
"
Coo,"
" "
III
" , "" 15 . .i3, 15.19.6, 16.6.1, 16.6.2 Vln,1 eth,l ttller D0 2 sl' IG COl'll. I~rt
"
II> ., ,., " 15.4, 15.13, 15.14, 15.19, 16.6. 1. 16.6.2
V!nrlidene chloride DOJ
" "",. IMrt " m '" ,., H5 15.13, 15.14, 15.19.6, 16.&.1, 16.6.2
Vlnrl~te Sl' " ",". '" .. , 0 " '.' '" 15 . 13, 15 . 1&.1, 15.19.6, 16.6.1, 1&.6.2
Vinrlto1~1IC
"" SIP " Coo,. " II> '" l.1 " " 15.n, 15.19.6, 1&.6.1, 16.6.2 \hilt splnt. low (15·20\) 1]00 (.j
"
Coal. ", '" " 15.19.6 Ucmotlf;
lr l'"" (ilbl 1]0>
" """" " '" '"
15.19.6, 11>.2.9(..)
Irl.nol
"" Sl' " ",. " IU ." 0 " ' .1 " 15. 19.6, 16.2.9, 16A.2.2 Une .lunl d.i.tlliopho$pn.o t ~ (C)
" .... " ." 0 '" '.1 .. 16.2.1. 1&.2.8 ~ (C7'CI&) 0
Iloc: .1Jrr1 d..ithlopl:lOSpbate
" """, .. ." 0 " '.1 ., 15.19.&, 1&.2.6 (Cl -t U)
RESOLUTION MEPC.55(33) (adopted on 30 October 1992)
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION
AND EQUIPMENT OF SHIPS CARRYING
DANGEROUS CHEMICALS IN BULK (IBC CODE)- 31 -

---CHUNK---

SOURCE: MEPC.55(33).pdf
RESOLUTION MEPC.55(33) (adopted on 30 October 1992)
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION AND EQUIPMENT OF SHIPS CARRYING
DANGEROUS CHEMICALS IN BULK (IBC CODE)- 31 -
a Applies to 8IIIlOnLa aquerus, (28% or less) but not belo:.J 10%.
hmalia aquecus (28% or less)
b If the product to be carried contains flanmable solvents auch that the flashpJint does not exceed W·C c.c., then s~ia1 electrical system and a f1.amteble vapour detector should be provided.
Di~l nethane diisocyanate
Polyrrethylene JXllyphenyl isocyanate
c Althrugh \oUter is suitable for extinguishing open air fires involving chBnicals to which this footnote applies, wter should not be atlOoled to contaminate closed tarks containing these dleni.cals because of the risk of hazardrus gas generation.
Di!ilenYlnethane diisocyanate
Toluene diisocyanate
Trirrethylhexarrethylene diisocyanate (2,2,4- aM 2,4,4-isorers)
d UN No.1198 only applies if flashJXlint is below 60°C c.c.
Fonnaldehyde solutions (45% or less)
e Applies to formaldehyde solutions (45% or less), but not bela..r 5%.
Fonreldehyde solutions (45% or less)
f Applies to hydrochloric acid not belcu lOX .

---CHUNK---

SOURCE: MEPC.55(33).pdf
Fonnaldehyde solutions (45% or less)
e Applies to formaldehyde solutions (45% or less), but not bela..r 5%.
Fonreldehyde solutions (45% or less)
f Applies to hydrochloric acid not belcu lOX .
Alun:iniun chloride (30% or less}/Hydrochloric acid (20% or less) solution
Hydrochloric acid
g Dry chemical camot be used because of the possibility of an explosi on.
Maleic anhydride
1'1 ~ !'t:l.2032 assigned to red funing nitric acid.
Nitric acid (70% ard ove:r-)
i ill mnber depends on boiling point of substance.
Polyethylene polyami.nes
PoI)'!Z'ethylene JXlIYJhenyl isocyanate
UN IUlber assigred to this substance containing rcore than 3% of ortho-iscrter.
Tricresyl phosJhate (containing 1% or IlDre ortho-isau:!r)
k Fhosphorus (yel1Oo1 or ~ite) is carried above its autoignitioo. ~rature and therefore flashpoint is not appropriate. Electrical equip:rent requirerents m!ly be similar to those for substar.:es with a flashpoint above 6O·C C.c.
EhosJhorus (yella..r or ~ite)
RESOLUTION MEPC.55(33) (adopted on 30 October 1992)
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION AND EQUIPMENT OF SHIPS CARRYING
DANGEROUS CHEMICALS IN BULK (IBC CODE)- 32 -

---CHUNK---

SOURCE: MEPC.55(33).pdf

EhosJhorus (yella..r or ~ite)
RESOLUTION MEPC.55(33) (adopted on 30 October 1992)
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION AND EQUIPMENT OF SHIPS CARRYING
DANGEROUS CHEMICALS IN BULK (IBC CODE)- 32 -
SulFhur (mlten) has a flashpoint above 6O·C c.c., ~er, electrical equiptent shcu1d be certified safe for gases evolved.
SulFhur (miten)
m UN No.2672 refers to 10-35% ammonia solutions .
hmonia aqueous (28% or less)
n UN No.2511 applies to 2--ch1oropropionic acid only.
2- or 3--<hloropropionic acid
o Dinitroto1uene should not be carried in deck tanks.
Dinitrotoluene (rrolten)
p (~leted).
q Requiratents are based on those isaters having a flashpoint of E()GC c.c., or less, .sene iscxrers have a flashpoint greater than E()·C c.c., and therefore the requi rerrents based 00 f1.&nnability wculd not apply to such isooers.
Heptanol (all ismers)
r Reference 16A.2.2 applies to l--undecy1 a1coool only.
Undecyl alcoool
s Applies to n-decyl alcoool only.
J:ecy1 alcoool (all isooers)
t m.No 1114 applies to benzene.