Resolution MEPC.60(33)
adopted on 30 October 1992
GUIDELINES AND SPECIFICATIONS FOR POLLUTION PREVENTION
EQUIPMENT FOR MACHINERY SPACE BILGES OF SHIPSj
)
APPENDIX
MEPC 33/20/Add.1
ANNEX 10
Page 31
TEST DATA AND RESULTS OF TESTS CONDUCTED ON AN
OIL CONTENT METER IN ACCORDANCE WITH PART 2 OF
THE ANNE~ TO THE GUIDELINES AND SPECIFICATIONS
CONTAINED IN IMO RESOLUTION MEPC (33)
Oil conteI),t meter ~ubmitted by ..... ~ ..... ' ... .
Test location III
Method of sample analysis ..... .
Samples analysed by ..... _ .....
Environmental testing of the electronic section of the oil content meter
has been carried out in accordance with part 3 of the annex to the Guidelines
and Specifications contained in IMO resolution MEPC (33). The equipment
functioned satisfac'torily on completion of each test specified on the
environmental test protocol.
Manufacturers' recommendations and information concerning the use of cleansing

---CHUNK---

SOURCE: MEPC.60(33).pdf
functioned satisfac'torily on completion of each test specified on the
environmental test protocol.
Manufacturers' recommendations and information concerning the use of cleansing
age n t s .... "., ... ,..... .. '. . . . .
W/9146D/EWP
Resolution MEPC.60(33)
adopted on 30 October 1992
GUIDELINES AND SPECIFICATIONS FOR POLLUTION PREVENTION
EQUIPMENT FOR MACHINERY SPACE BILGES OF SHIPSMEPC 33~20/Ad4~1
ANNEX 10
Page 32
CALIBRATION
LIGHT DISTILLATE
FUEL OIL
o
15
READINGS (ppm)
. .': ,"J'::', ... " I'
.. tnCii,c·at:ed;, t-ieasureil ·
.·.; .. ~r~ ·
, S~p~~
J ;
If
FULL SCALE
RESPONSE. TIlo1ES
CONTAMINANTS TEST
., ~

" , ,.
1 Non-oil parti,culate . mat~er
Jl I .~
Meter reading shift with ppm non-oil
particulate contaminants mixed with
water and light distilla~e oil added
in oil concentrations of:
ppm
ppm
ppm
COLOUR TEST
2.5 ppm black ink test
Delete as appropriate
W/9146D/EWP
" ~ ...
.~
ppm
ppm
ppm
pass/fail*
REMARKS
. '
TEST
WATER TEMPERATURE
RE-ZERO YES/NO"
· ~ECAq.aRATE; .. · YES/NO.
seconds
, ,.
Resolution MEPC.60(33)

---CHUNK---

SOURCE: MEPC.60(33).pdf
ppm
ppm
COLOUR TEST
2.5 ppm black ink test
Delete as appropriate
W/9146D/EWP
" ~ ...
.~
ppm
ppm
ppm
pass/fail*
REMARKS
. '
TEST
WATER TEMPERATURE
RE-ZERO YES/NO"
· ~ECAq.aRATE; .. · YES/NO.
seconds
, ,.
Resolution MEPC.60(33)

adopted on 30 October 1992
GUIDELINES AND SPECIFICATIONS FOR POLLUTION PREVENTION
EQUIPMENT FOR MACHINERY SPACE BILGES OF SHIPS)
SAMPLE PRESSURE OR FLOW TEST
Meter reading shift at 50'\ of normal
Meter readinq ' shift at 200'\ o(normal
Deviations from this test should be
stated if necessary
Meter reading before shut-off
Meter reading after start-up
(minimum dry period 8 hou~s)
Damage to rii'eteras follows: -'
. . .. " .. " ..... " " " ....
, t
ppm
ppm
ppm
ppm
" ..... " ....
.. .. " ..... " ..... " ..... " ....
.. .. " ..... " " ..... " .... " ....
UTILITIES SUPPLY VARIATION TEST
110'\ voltage effects " " ..... " ..... " .... " " .... " ....

---CHUNK---

SOURCE: MEPC.60(33).pdf
.. .. " ..... " " ..... " .... " ....
UTILITIES SUPPLY VARIATION TEST
110'\ voltage effects " " ..... " ..... " .... " " .... " ....
90'\ voltage effects ..... " ..... " ..... " .. e.
110'\ air pressure effects
90'\ air pressure effects
110'\ hydraulic pressure effects
90'\ hydraulic pressure effects ..... " " ~ " " "
OTHER COMMENTS
MEPC 33/20/Add~i'"
ANNEX 10
Page 33
..... " ..... " " .. " ..... " .. " " ..... " .. " ..... " .. " .. " ..... " " ..... " ..... " " .. " .... " " ..... " .... " ....
.. ..

CALIBRATION AND ZERO TEST
Calibration ~ri!t
Zero drift
Signed
, .;, , ,
ppm
.' ppm
.. ,
Date Offical stamp
(OffiCial stamp or equivalent identif~.9ati9n ~nd the date of
approval to be placed on all pages of the test protocol)
***
. ,.
W/9146D/EWP
, ,
"
)
Resolution MEPC.60(33)
adopted on 30 October 1992