7.2 TALLINN TRAFFIC

7.2.1 System capability

7.2.1.1 The VTS system will be located in the offi ce of the Maritime Administration at Hundipea port, Tallinn. From the consoles the operator can control, monitor and display the status

---CHUNK---

SOURCE: MSC.139(76).pdf
7.2 TALLINN TRAFFIC

7.2.1 System capability

7.2.1.1 The VTS system will be located in the offi ce of the Maritime Administration at Hundipea port, Tallinn. From the consoles the operator can control, monitor and display the status of all VTS sensors. The VTS centre will at all times be manned with two operators.

7.2.1.2 TALLINN TRAFFIC maintains a continuous watch over traffic on the Gulf of Finland on channels 61 and 16. Operators add the reported vessel information to the associated database and can display supporting informati on on screen. The system is capable of providing an automatic alarm to identify any tr ack that strays into the unauthorized area. Recording equipment automatically stores info rmation from all tracks, which can either be replayed on the system or from the record ed resource. Records are made according to an authorized method that can be used as evidence.

7.2.2 Radar facilities

7.2.2.1 The surveillance sensors can observe targets of at least 300 gross tonnage and a minimum height of 10 metres in the given traffic area.

7.2.3 Radio communication facilities

---CHUNK---

SOURCE: MSC.139(76).pdf
7.2.2 Radar facilities

7.2.2.1 The surveillance sensors can observe targets of at least 300 gross tonnage and a minimum height of 10 metres in the given traffic area.

7.2.3 Radio communication facilities

7.2.3.1 VHF radio transceivers are located at TALLINN TRAFFIC operation room.

The VHF channels used are:

Channel 61 working channel
Channel 81 reserve channel

7.2.3.2 TALLINN TRAFFIC monitors shipping in the Gulf of Finland by radar, VHF and RDF equipment and with AIS shipborne transponders. All the traffic and messages will be stored to the database and displayed on th e electronic chart. The messages from AIS

transponders, not in accordance with IEC 61993-2 will be filtered out. System uses standard AIS channels.

7.2.4 Personnel qualifications and training

7.2.4.1 TALLINN TRAFFIC is staffed with pers onnel trained according to national and international recommendations.

7.3 ST. PETERSBURG TRAFFIC

7.3.1 System capability

---CHUNK---

SOURCE: MSC.139(76).pdf
international recommendations.

RESOLUTION MSC.139(76)
(adopted on 5 December 2002)
MANDATORY SHIP REPORTING SYSTEMSMSC 76/23/Add.1
ANNEX 13
Page 10

I:\MSC\76\23-ADD.1.DOC
7.3 ST. PETERSBURG TRAFFIC

7.3.1 System capability

7.3.1.1 The Centre is situated at VTMIS Centre lo cated in Petrodvorets. The Centre is linked with shore-based VHF station located at island Gogland. VHF range covers the waters close to the border.

7.3.1.2 ST. PETERSBURG TRAFFIC maintains a con tinuous watch on traffic on the Gulf of Finland on channels 74 and 16. Operators add reported vessel information to the associated database and can display supporti ng information on screen. The system is capable of providing an automatic alarm to identify any track, which strays into an unauthorized area. Recording equipment automatically stores information from all tracks, which can either be replayed on the system or from the recorded resource.

7.3.2 Radar facilities

7.3.2.1 The nearest radar sensor to ship reporting system is placed on island Gogland with antenna height 80 metres above sea level can observe targets at least 300 gross tons at the distances up to 026030E.

---CHUNK---

SOURCE: MSC.139(76).pdf
7.3.2 Radar facilities

7.3.2.1 The nearest radar sensor to ship reporting system is placed on island Gogland with antenna height 80 metres above sea level can observe targets at least 300 gross tons at the distances up to 026030E.

7.3.3 Radio communication facilities

7.3.3.1 Radio communication terminals are sited in consoles of ST. PETERSBURG TRAFFIC operation rooms. VHF radio transceivers are located at Gogland.

The VHF channels used are:

Channel 74 working channel
Channel 10 reserve channel

7.3.4 AIS facilities St. Petersburg

7.3.4.1 The ST. PETERSBURG TRAFFIC can monitor sh ips sailing in the eastern part of the Gulf of Finland to the east of 026 030E and equipped with universal AIS shipborne stations.

7.3.5 Personnel qualifications and training

7.3.5.1 The ST. PETERSBURG TRAFFIC is staffed with personnel trained according to national and international recommendations.

7.3.5.2 The training of the personnel comprises an overall study of the navigation safety measures, the relevant international (IMO) a nd national provisions with respect to safety of navigation. The training also includes thorough real-time simulations.

---CHUNK---

SOURCE: MSC.139(76).pdf
measures, the relevant international (IMO) a nd national provisions with respect to safety of navigation. The training also includes thorough real-time simulations.

8 ALTERNATIVE COMMUNICATION IF THE COMMUNICATION FACILITIES OF THE SHORE-BASED AUTHORITIES FAIL

8.1 The system is designed with sufficient syst em redundancy to cope with normal equipment failure.

9 MEASURES TO BE TAKEN IF A SHIP FAILS TO COMPLY WITH THE REQUIREMENTS OF THE SYSTEM

9.1 The primary objective of the system is to f acilitate the exchange of information between the ship station and the shore station and to support safe navigation and the protection of the marine environment. All means will be used to encourage and promote the full participation of ships required to submit reports under SOLAS regul ation V/11. If reports are not submitted and the offending ship can be positively identified, then information will be passed to the relevant Flag State Authorities for investigation and po ssible prosecution in accordance with national

---CHUNK---

SOURCE: MSC.139(76).pdf
the offending ship can be positively identified, then information will be passed to the relevant Flag State Authorities for investigation and po ssible prosecution in accordance with national
legislation.

SUMMARY OF SHIP REPORTING SYSTEM IN THE GULF OF FINLAND

1 Ships required to participate:

Ships of 300 gross tonnage and over are required to participate in the system.

2 Position for submitting reports:

The ship reporting area covers the internationa l water area in the Gulf of Finland between