I This section applies to ships regardless of the date of construction: Transverse sectional areas of deck flange (deck plating and deck longitudinals) and bottom flange (bottom shell plating and bottom longitudinals) of the ship's hull girder have been calculated by using the thickness measured, renewed or reinforced , as appropriate, during the renewal survey of the Cargo Ship Safety Construction Certificate or the Cargo Ship Safety Certificate (SC renewal survey) most recently conducted after the ship reached 10 years of age, and found that the diminution of the transverse sectional area does not exceed 10% ofthe as-built area, as shown in the following table:
RESOLUTION MSC.197(80)
(adopted on 20 May 2005)

---CHUNK---

SOURCE: MSC.197(80).pdf
10 years of age, and found that the diminution of the transverse sectional area does not exceed 10% ofthe as-built area, as shown in the following table:
RESOLUTION MSC.197(80)
(adopted on 20 May 2005)
AMENDMENTS TO THE GUIDELINES ON THE ENHANCED PROGRAMME OF INSPECTIONS DURING SURVEYS OF BULK CARRIERS AND OIL TANKERS (RESOLUTION A.744(18), AS AMENDED)- 73 -
Table 1 - Transverse sectional area of hull girder flange
Measured As-built Diminution
Transverse Deek flange em' em' em'(%)
seetion I Bottom flange em' em' em'(%)
Transverse Deek flange em' em' em' (%)
seetion 2 Bottom Flange em' em' em'(%)
Transverse Deek Flange em' em' em' (%)
seetion 3 Bottom Flange em' em' em'(%)
2 This section applies to ships constructed on or after I July 2002: Section moduli of transverse section of the ship 's hull girder have been calculated by using the thickness of structural members measured, renewed or reinforced , as appropriate, during the SC renewal survey most recently conducted after the ship reached 10 years of age in accordance with the provision s of paragraph 2.1.1 of annex 12, and are found to be

---CHUNK---

SOURCE: MSC.197(80).pdf
renewal survey most recently conducted after the ship reached 10 years of age in accordance with the provision s of paragraph 2.1.1 of annex 12, and are found to be
within their diminution limits determined by the Administration, taking into account the recommendations adopted by the Organization, as shown in the following table:
Table 2 - Transverse section modulus of bull girder
Z"" (em') Zreq (em')' Remarks
Transverse Upper deek
seetion I Bottom
Transverse Upper deek
seetion 2 Bottom
Transverse Upper deck
section 3 Bottom
Notes:
1 Zact means the actual section moduli of the transverse section of the ship ' s hull girder calculated by using the thickness of structural members measured, renewed or reinforced , as appropriate, during the SC renewal

survey, in accordance with the provisions of paragraph 2. L I of annex 12.
2 Zreq means the diminution limit of the longitudinal bending strength of
ships, as calculated in accordance with the provisions of paragraph 2.1.1
of annex 12.
The calculation sheets for Z ac! should be attached to this report .
3 This section applies to ships constructed before I July 2002: Section moduli of

---CHUNK---

SOURCE: MSC.197(80).pdf
ships, as calculated in accordance with the provisions of paragraph 2.1.1
of annex 12.
The calculation sheets for Z ac! should be attached to this report .
3 This section applies to ships constructed before I July 2002: Section moduli of
transverse sections of the ship's hull girder have been calculated by using the thicknes s of
structural members measured , renewed or reinforced, as appropriate, during the
SC renewal survey most recentl y conducted after the ship reached 10 years of age in
accordance with the provision s of paragraph 2.2.1.2 of annex 12, and found to meet the
criteria required by the Administration or the recogni zed classification society and that
Zact is not less than Zmc (defined in Note 2 below) as specified in appendix 2 to annex 12,
as shown in the following table.
RESOLUTION MSC.197(80)
(adopted on 20 May 2005)
AMENDMENTS TO THE GUIDELINES ON THE ENHANCED
PROGRAMME OF INSPECTIONS DURING SURVEYS OF BULK CARRIERS
AND OIL TANKERS (RESOLUTION A.744(18), AS AMENDED)- 74-
Describe the criteria for acceptance of the minimum section moduli of the ship's hull

---CHUNK---

SOURCE: MSC.197(80).pdf
AMENDMENTS TO THE GUIDELINES ON THE ENHANCED
PROGRAMME OF INSPECTIONS DURING SURVEYS OF BULK CARRIERS
AND OIL TANKERS (RESOLUTION A.744(18), AS AMENDED)- 74-
Describe the criteria for acceptance of the minimum section moduli of the ship's hull
girder for ships in service required by the Administration or the recognized classification
society.
Table 3 - Transverse section modulus of hull girder
Zoo, (em')' Zm, (cm')" Remarks
Transverse Upper deck
section I Bottom
Transverse Upper deck
section 2 Bottom
Transverse Upper deck
section 3 Bottom
Notes:
I As defined in note I of table 2.
2 Zm< means the diminution limit of minimum section modulus calculated in
accordance with provisions of paragraph 2.1.2 of annex 12.
RESOLUTION MSC.197(80)
(adopted on 20 May 2005)
AMENDMENTS TO THE GUIDELINES ON THE ENHANCED
PROGRAMME OF INSPECTIONS DURING SURVEYS OF BULK CARRIERS
AND OIL TANKERS (RESOLUTION A.744(18), AS AMENDED)- 75 -

ANNEX 10
RECOMMENDED PROCEDURES FOR THICKNESS MEASUREMENTS
OF DOUBLE HULL OIL TANKERS
General
1 These procedures should be used for recording thickness measurements as required by annexes 2 and 4.

---CHUNK---

SOURCE: MSC.197(80).pdf
ANNEX 10
RECOMMENDED PROCEDURES FOR THICKNESS MEASUREMENTS
OF DOUBLE HULL OIL TANKERS
General
1 These procedures should be used for recording thickness measurements as required by annexes 2 and 4.
2 Reporting fonns TMI-DHT , TM2-DHT(i), TM2-DHT(ii), TM3-DHT, TM4-DHT, TM5-DHT and TM6-DHT, set out in appendix 2, should be used for recording thickness measurements and the maximum allowable diminution should be stated.
3 Appendix 3 contains guidance diagrams and notes relating to the reporting fonns and the requirements for thickness measurement.
4 The reporting fonns should, where appropriate, be supplemented by data presented on structural sketches.
RESOLUTION MSC.197(80)
(adopted on 20 May 2005)
AMENDMENTS TO THE GUIDELINES ON THE ENHANCED PROGRAMME OF INSPECTIONS DURING SURVEYS OF BULK CARRIERS AND OIL TANKERS (RESOLUTION A.744(18), AS AMENDED)- 76-
APPENDIXl
Ship's name: ....
IMO number: ..... .

---CHUNK---

SOURCE: MSC.197(80).pdf
IMO number: ..... .
Class/Administration identity number: ....
Port of registry: ....
Gross tonnage: ....
Deadweight: ....
Date of build: ....
Classification society: ....
N arne of company performing thickness measurement: ....
Thickness measurement company certified by: ..... .

---CHUNK---

SOURCE: MSC.197(80).pdf
N arne of company performing thickness measurement: ....
Thickness measurement company certified by: ..... .
Certificate number:
Certificate valid from: to
Place of measurement: ....

First date of measurement: ....
Last date of measurement:
Renewal survey/intermediate survey' due: ....
Details of measurement equipment: ....
Qualification of operator: ....
Report number: .... consisting of ..... pages.
Name of operator: .... Name of surveyor: ..... .

---CHUNK---

SOURCE: MSC.197(80).pdf
Report number: .... consisting of ..... pages.
Name of operator: .... Name of surveyor: ..... .
Signature of operator: .... Signature of surveyor: ....
Company official stamp: ..... Administration: ....
Official stamp: ..... .
Delete as appropriate .
RESOLUTION MSC.197(80)
(adopted on 20 May 2005)
AMENDMENTS TO THE GUIDELINES ON THE ENHANCED
PROGRAMME OF INSPECTIONS DURING SURVEYS OF BULK CARRIERS
AND OIL TANKERS (RESOLUTION A.744(18), AS AMENDED)STRAKE
POSITION