Key
1 Trim upper right corner only for left insert layers per table B.2
2 Trim upper left corner only for right insert layers per table B.2
3 Outside
4 Inside

---CHUNK---

SOURCE: MSC.200(80).pdf

Key
1 Trim upper right corner only for left insert layers per table B.2
2 Trim upper left corner only for right insert layers per table B.2
3 Outside
4 Inside

Figure B.2 – Front foam inserts (right and left sides)

Figure B.3 – Back foam insert

RESOLUTION MSC.200(80)
(adopted on 13 May 2005)
ADOPTION OF AMENDMENTS TO THE REVISED

Figure B.4 – Cover cut pattern (outside and inside covers)

Key
1 Fabric reinforcements for chest strap attachments
2 Fabric reinforcement for waist belt and belt loop attachments

Figure B.5 – Fabric reinforcements

RESOLUTION MSC.200(80)
(adopted on 13 May 2005)
ADOPTION OF AMENDMENTS TO THE REVISED
RECOMMENDATION ON TESTING OF
LIFE-SAVING APPLIANCESMSC 80/24/Add.1
ANNEX 17
Page 45

I:\MSC\80\24-ADD-1.DOC

Key
1 Bar-tack
2 Webbing
3 Outer cover and reinforcemen t (shown on lower view only)

Figure B.6 – Belt loop

Key
1 Webbing
2 Double bar-tack (or Box-x) stitch
3 Fixed part of closure

---CHUNK---

SOURCE: MSC.200(80).pdf
Page 45

I:\MSC\80\24-ADD-1.DOC

Key
1 Bar-tack
2 Webbing
3 Outer cover and reinforcemen t (shown on lower view only)

Figure B.6 – Belt loop

Key
1 Webbing
2 Double bar-tack (or Box-x) stitch
3 Fixed part of closure
4 Adjustable part of closure
5 Double bar-tack (or Box-x) stitch
6 Webbing
7 Tab
8 Outer cover and reinforcemen t (shown on lower view only)

Figure B.7 – Chest strap assembly (adjustable part left and fixed part right)
RESOLUTION MSC.200(80)
(adopted on 13 May 2005)
ADOPTION OF AMENDMENTS TO THE REVISED
RECOMMENDATION ON TESTING OF
LIFE-SAVING APPLIANCESMSC 80/24/Add.1
ANNEX 17
Page 46

I:\MSC\80\24-ADD-1.DOC

Key
1 Fixed part of closure
2 Box-x (or double bar-tack) stitch
3 Webbing
4 Tab, double fold webbing and secure with a bar-tack stitch
5 Adjustable part of closure
6 Outer left cover and reinforcement (shown on lower view only)

Figure B.8 – Waist belt assembly

Key
1 Stitching on interior fabric reinforcement for chest strap on right and left sides of
the outside cover
2 Stitching on interior fabric reinforcemen t for waist belt and belt loop on right and

---CHUNK---

SOURCE: MSC.200(80).pdf
Figure B.8 – Waist belt assembly

Key
1 Stitching on interior fabric reinforcement for chest strap on right and left sides of

the outside cover
2 Stitching on interior fabric reinforcemen t for waist belt and belt loop on right and left sides of the outside cover
3 Fabric fold and zipper teet h line of engagement when zipper is attached to outside and inside covers
4 Fabric fold and zipper teet h line of engagement when zipper is attached to outside and inside covers
5 Lockstitch seams (with fabric face to face)
6 Lockstitch with 5 mm seam allowance and over-edge stitch (with fabric face to face)
7 After stitching cut relief

Figure B.9 – Initial assembly (shown right side out, except as noted)