I:\MEPC\62\24-Add-1.doc
4.9 Sampling should be carried out as shown in figure 2 so that the sample taken will

---CHUNK---

SOURCE: MEPC.205(62).pdf
MEPC.60(33)-COMPLIANT OIL FILTERING EQUIPMENTMEPC 62/24/Add.1
Annex 24, page 12

I:\MEPC\62\24-Add-1.doc
4.9 Sampling should be carried out as shown in figure 2 so that the sample taken will suitably represent the fluid issuing from the effluent outlet of add-on equipment.

4.10 Samples should be taken in accordance with ISO 93772:2000. The sample is to be extracted on the same day of collection, and be sealed and labelled in the presence of a representative of the national authority and arrangements should be made for analysis as soon as possible and in any case within seven days, provided the samples are being kept between 2ºC and 6ºC at laboratories approved by the Administration.

4.11 The oil content of the samples should be determined in accordance with part 4 of the annex to resolution MEPC.107(49).

4.12 When accurate and reliable oil content meters are fitted at inlet and outlet of add-on equipment, one sample at inlet and outlet taken during each test will be considered sufficient if they verify, to within ±10%, the meter readings noted at the same instant.

PART 3

DOCUMENTATION OF APPROVAL

---CHUNK---

SOURCE: MEPC.205(62).pdf
equipment, one sample at inlet and outlet taken during each test will be considered sufficient if they verify, to within ±10%, the meter readings noted at the same instant.

PART 3

DOCUMENTATION OF APPROVAL

5.1 Satisfactory compliance with all the test requirements enumerated in part 1 or 2 of this annex should be shown in the certificate of type approval issued by the Administration in the format specified in paragraph 5.2 below. An Administration may issue a certificate of type approval based on separate testing or on testing already carried out under supervision by another Administration.

5.2 A certificate of type approval should be in the format shown in the appendix to this annex. The Certificate should identify the type and model of the add-on equipment to which it applies and identify equipment assembly drawings, duly dated. Each drawing should bear the model specification numbers or equivalent i dentification details. The certificate should include the full performance test protocol on which it is based. If a certificate of type approval is issued by an Administration based on a certificate previously issued by another

---CHUNK---

SOURCE: MEPC.205(62).pdf
include the full performance test protocol on which it is based. If a certificate of type approval is issued by an Administration based on a certificate previously issued by another Administration, the certificate should identify the Administration which conducted the test on add-on equipment and a copy of the original test results should be attached to it.

RESOLUTION MEPC.205(62)
Adopted on 15 July 2011
2011 GUIDELINES AND SPECIFICATIONS FOR ADD-ON EQUIPMENT FOR UPGRADING RESOLUTION MEPC.60(33)-COMPLIANT OIL FILTERING EQUIPMENTMEPC 62/24/Add.1
Annex 24, page 13

I:\MEPC\62\24-Add-1.doc
Appendix 1

Certificate of type approval for add-on equipment

Name of Administration

This is to certify that the add-on equipment listed below has been examined and tested in accordance with the requirements of the specifications of the annex to the 2011 Guidelines contained in resolution MEPC.205(62). This certificate is valid only for add-on equipment referred to below.

Add-on equipment supplied by
.....

---CHUNK---

SOURCE: MEPC.205(62).pdf
referred to below.

Add-on equipment supplied by
.....
Under type and model designation .....
and incorporating:
*Add-on equipment manufactured by .....
to specification/assembly drawing No ..... date
*Coalescer/Absorbent/Membrane/Filter manufactured by .....
to specification/assembly drawing No .....
*Control equipment manufactured by .....
to specification/assembly drawing No ..... date
*Other means .....

---CHUNK---

SOURCE: MEPC.205(62).pdf
to specification/assembly drawing No ..... date
*Other means .....
to specification/assembly drawing No .....
*For installation on oil filtering equipment supplied by
.....
Under type and model designation .....

Maximum throughput of system m3/h ___

Limiting conditions imposed .....
Test date and results attached in the appendix.

Official stamp Signed .....
Administration of .....
Date this ..... day of ..... 20 .....

* Delete as appropriate.
BADGE
OR
CIPHER

---CHUNK---

SOURCE: MEPC.205(62).pdf
Administration of .....
Date this ..... day of ..... 20 .....

* Delete as appropriate.
BADGE
OR
CIPHER
RESOLUTION MEPC.205(62)
Adopted on 15 July 2011
2011 GUIDELINES AND SPECIFICATIONS FOR ADD-ON EQUIPMENT FOR UPGRADING RESOLUTION MEPC.60(33)-COMPLIANT OIL FILTERING EQUIPMENTMEPC 62/24/Add.1
Annex 24, page 14

I:\MEPC\62\24-Add-1.doc
Appendix 2

Test data and results of tests conducted on add-on equipment in accordance with Part 1 or 2 of the annex to the 2011 Guidelines contained in resolution MEPC.205(62)

Add-on equipment submitted by
.....
Test location .....

Method of sample analysis .....

---CHUNK---

SOURCE: MEPC.205(62).pdf
Method of sample analysis .....
.....
.....
.....

Samples analysed by .....

Environmental testing of the electrical and electronic sections of the add-on equipment has been carried out in accordance with part 3 of the annex to the 2011 Guidelines contained in resolution MEPC.205(62). The equipment functioned satisfactorily on completion of each test specified on the environmental test protocol.

---CHUNK---

SOURCE: MEPC.205(62).pdf
been carried out in accordance with part 3 of the annex to the 2011 Guidelines contained in resolution MEPC.205(62). The equipment functioned satisfactorily on completion of each