---CHUNK---

SOURCE: MEPC.207(62).pdf
Annex 26, page 25

I:\MEPC\62\24-Add-1.doc
Record of Biofouling Management Actions

SAMPLE BIOFOULING RECORD BOOK PAGE

Name of Ship: .....

Registration number: .....

Date Item
(number)
Record of management actions Signature of officers
in charge

Signature of master ...

***
RESOLUTION MEPC.207(62)
Adopted on 15 July 2011
2011 GUIDELINES FOR THE CONTROL AND MANAGEMENT OF SHIPS' BIOFOULING TO MINIMIZE THE TRANSFER OF INVASIVE AQUATIC SPECIESRESOLUTION MEPC.207(62)

Adopted on 15 July 2011
2011 GUIDELINES FOR THE CONTROL AND MANAGEMENT OF SHIPS' BIOFOULING TO MINIMIZE THE TRANSFER OF INVASIVE AQUATIC SPECIES

---CHUNK---

SOURCE: MEPC.208(62).pdf
RESOLUTION MEPC.208(62)
Adopted on 15 July 2011
2011 GUIDELINES FOR INSPECTION OF ANTI-FOULING SYSTEMS ON SHIPSMEPC 62/24/Add.1
Annex 27, page 1

I:\MEPC\62\24-Add-1.doc
ANNEX 27

RESOLUTION MEPC.208(62)

Adopted on 15 July 2011

2011 GUIDELINES FOR INSPECTION OF ANTI-FOULING SYSTEMS ON SHIPS

THE MARINE ENVIRONMENT PROTECTION COMMITTEE,

RECALLING Article 38(a) of the Convention on the International Maritime Organization concerning the functions of the Marine Environment Protection Committee conferred upon it by international conventions for the prevention and control of marine pollution,

RECALLING ALSO that the International Conference on the Control of Harmful Anti-fouling Systems for Ships, 2001, held in October 2001, adopted the International Convention on the Control of Harmful Anti-fouling Systems on Ships, 2001 (the AFS Convention) together with four Conference resolutions,

RECALLING FURTHER that Article 11 of the AFS Convention prescribes that ships to which this Convention applies may, in any port, shipyard, or offshore terminal of a Party, be inspected by officers authorized by that Party for the purpose of determining whether the ship

---CHUNK---

SOURCE: MEPC.208(62).pdf
this Convention applies may, in any port, shipyard, or offshore terminal of a Party, be inspected by officers authorized by that Party for the purpose of determining whether the ship is in compliance with this Convention,

NOTING that Article 3(3) of the AFS Conventio n prescribes that Parties to this Convention shall apply the requirements of this Convention as may be necessary to ensure that no more favourable treatment is given to ships of non-Parties to this Convention,

NOTING ALSO resolution MEPC.105(49) by which the Committee adopted the Guidelines for inspection of anti-fouling systems on ship on 18 July 2003,

NOTING FURTHER that by resolution MEPC.105(49), the Committee resolved to keep the 2003 Guidelines under review in the light of experience gained,

HAVING CONSIDERED, at its sixty-second session, the draft 2011 Guidelines for inspection of anti-fouling systems on ships developed by the Sub-Committee on Flag State Implementation at its nineteenth session,

1. ADOPTS the 2011 Guidelines for inspection of anti- fouling systems on ships, as set out in the annex to this resolution;

---CHUNK---

SOURCE: MEPC.208(62).pdf
Implementation at its nineteenth session,

1. ADOPTS the 2011 Guidelines for inspection of anti- fouling systems on ships, as set out in the annex to this resolution;

2. INVITES Governments to apply the 2011 Guidelines when exercising port State control inspections;

3. RECOMMENDS that the 2011 Guidelines be adopted as amendments to resolution A.787(19) on Procedures for port State control, as amended;

4. AGREES to keep the 2011 Guidelines under review in the light of experience gained; and

5. REVOKES the Guidelines adopted by resolution MEPC.105(49).

RESOLUTION MEPC.208(62)
Adopted on 15 July 2011
2011 GUIDELINES FOR INSPECTION OF ANTI-FOULING SYSTEMS ON SHIPSMEPC 62/24/Add.1
Annex 27, page 2

I:\MEPC\62\24-Add-1.doc
ANNEX

2011 GUIDELINES FOR INSPECTION OF ANTI-FOULING SYSTEMS ON SHIPS

1 INTRODUCTION

1.1 The right of the port State to conduct inspections of anti-fouling systems on ships is in Article 11 of the AFS Convention. The guidelines for conducting these inspections are described below.

1.2 Ships of 400 gross tonnage and above engaged in international voyages (excluding

---CHUNK---

SOURCE: MEPC.208(62).pdf
in Article 11 of the AFS Convention. The guidelines for conducting these inspections are described below.

1.2 Ships of 400 gross tonnage and above engaged in international voyages (excluding

fixed or floating platforms, FSUs and FPSOs) will be required to undergo an initial survey before the ship is put into service or before the International Anti-fouling System Certificate (IAFS) is issued for the first time; and a survey should be carried out when the anti-fouling systems are changed or replaced.

1.3 Ships of 24 metres in length or more but less than 400 gross tonnage engaged in international voyages (excluding fixed or floating platforms, FSUs and FPSOs) will have to carry a Declaration on Anti-fouling Systems signed by the owner or authorized agent. Such declaration shall be accompanied by appropriate documentation (such as a paint receipt or a contractor invoice) or contain appropriate endorsement.

2 INITIAL INSPECTION

2.1 Ships required to carry an IAFS Certificate or Declaration on Anti-Fouling Systems (Parties of the AFS Convention)

2.1.1 The PSCO should check the validity of the IAFS Certificate or Declaration on

---CHUNK---

SOURCE: MEPC.208(62).pdf
2 INITIAL INSPECTION