technical report could be added to the record sheets.

5 The first-stage analysis

The first-stage analysis serves to detect the total amount of tin in the AFS applied.

It is to the discretion of the port State competent authority to choose the first-stage analysis methodology. However, the use of a portable X-ray fluorescence analyser (mentioned under

---CHUNK---

SOURCE: MEPC.208(62).pdf
It is to the discretion of the port State competent authority to choose the first-stage analysis methodology. However, the use of a portable X-ray fluorescence analyser (mentioned under
Method 2) or any other scientifically justified method allowing the conduction of first-stage analyses on site could be considered best practice.

The port State competent authority has to decide whether the first-stage analysis should be carried out by PSCOs or by contracted companies.

The port State competent authority could provide PSCOs with this equipment (e.g., portable X-ray fluorescence analyser) and provide the appropriate training.

6 The second-stage analysis

The second-stage (final) analysis is used to veri fy whether or not the AFS system complies with the Convention requirements, i.e. whether organotin compounds are present in the AFS at a level which would act as a biocide.

The port State could consider implementing only a second-stage analysis.

---CHUNK---

SOURCE: MEPC.208(62).pdf
with the Convention requirements, i.e. whether organotin compounds are present in the AFS at a level which would act as a biocide.

The port State could consider implementing only a second-stage analysis.

It is to the discretion of the Authority to choose the second-stage analysis methodology. In this respect it is hereby noted that the second-stage analysis methodology for sampling Method 2 provided in the Guidelines is only tentative and "should be thoroughly reviewed by experts based on scientific evidence" (section 5.1 of Method 2).

7 Conclusions on compliance

The Authority should only make conclusions on compliance based on the second-stage

analysis of the sample (organotin). In case the results indicate non-compliance at that stage, there are clear grounds to take further steps.

If considered necessary, more thorough sampling can be also carried out in addition or instead of brief sampling.

Sampling results should be communicated as soon as possible to the vessel (as part of the inspection report) and in the case of non-compliance also to the flag State and Recognized Organization acting on behalf of the flag State if relevant.

---CHUNK---

SOURCE: MEPC.208(62).pdf
Sampling results should be communicated as soon as possible to the vessel (as part of the inspection report) and in the case of non-compliance also to the flag State and Recognized Organization acting on behalf of the flag State if relevant.

Authorities should, in accordance with section 5.2 of the Guidelines for brief sampling of anti-fouling systems on ships, develop and adopt procedures to be followed for those cases where compliance with acceptable limits or lack thereof, is unclear, considering additional sampling or other methodologies for sampling.

RESOLUTION MEPC.208(62)
Adopted on 15 July 2011
2011 GUIDELINES FOR INSPECTION OF ANTI-FOULING SYSTEMS ON SHIPSMEPC 62/24/Add.1
Annex 27, page 13

I:\MEPC\62\24-Add-1.doc
FORM S/1

REPORT OF INSPECTION of a ship's anti-fouling system (AFS)

SHIP PARTICULARS

1. Name of ship : 2. IMO number :

3. Type of ship : 4. Call sign :

5. Flag of ship : 6. Gross tonnage :

7. Date keel laid / major conversion commenced :

INSPECTION PARTICULARS

8. Date & time :

9. Name of facility:
(dry-dock, quay, location)

Place & country:

---CHUNK---

SOURCE: MEPC.208(62).pdf
5. Flag of ship : 6. Gross tonnage :

7. Date keel laid / major conversion commenced :

INSPECTION PARTICULARS

8. Date & time :

9. Name of facility:
(dry-dock, quay, location)

Place & country:

11. Relevant certificate(s)

(a) title (b) issuing authority (c) dates of issue

1. IAFS Cert.

2. Record of AFS

3. Declaration of AFS

4.

12. Dry-dock period AFS applied :

13. Name of facility AFS applied :

14. Place & country AFS applied :

15. AFS samples taken : No Yes Nature of sampling : Brief Extent

17. Record sheet attached :
(country-code / IMO number / dd-mm-yy)

18. Copy to: PSCO Flag State Recognized Organization
Head office Master Other:

10. Areas inspected Ship's logbook Certificates Ship's hull
16. Reason for sampling of AFS:

RESOLUTION MEPC.208(62)
Adopted on 15 July 2011
2011 GUIDELINES FOR INSPECTION OF ANTI-FOULING SYSTEMS ON SHIPSMEPC 62/24/Add.1
Annex 27, page 14

I:\MEPC\62\24-Add-1.doc
PORT STATE PARTICULARS

Reporting
authority:

---CHUNK---

SOURCE: MEPC.208(62).pdf
RESOLUTION MEPC.208(62)
Adopted on 15 July 2011
2011 GUIDELINES FOR INSPECTION OF ANTI-FOULING SYSTEMS ON SHIPSMEPC 62/24/Add.1
Annex 27, page 14

I:\MEPC\62\24-Add-1.doc
PORT STATE PARTICULARS

Reporting
authority:
District
office:

Address: