Telephone/Fax/
Mobile:

E-mail:

Name:
(duly authorized inspector of
reporting authority)

Date: Signature:

RESOLUTION MEPC.208(62)
Adopted on 15 July 2011
2011 GUIDELINES FOR INSPECTION OF ANTI-FOULING SYSTEMS ON SHIPSMEPC 62/24/Add.1
Annex 27, page 15

I:\MEPC\62\24-Add-1.doc
FORM S/2

Record sheet for the sampling procedure for compliance with the convention in terms
of the presence of organotin acting as a biocide in anti-fouling systems on ship hulls

(country-code / IMO number / dd-mm-yy)

Name of ship : IMO number :

SAMPLING PARTICULARS

1. Date & time initiated: 2. Date & time completed:

3. Name of paint manufacturer:

4. AFS product name & colour:

5. Reason for Sampling: Port State
Control
Survey &
Certification
Other flag State
compliance inspection

---CHUNK---

SOURCE: MEPC.208(62).pdf

3. Name of paint manufacturer:

4. AFS product name & colour:

5. Reason for Sampling: Port State Control
Survey & Certification
Other flag State compliance inspection

6. Sampling Method:

7. Hull areas sampled: Port Side Starboard Side Bottom

Number of sampling points:

13. Comments concerning sampling procedure

14. Sampling company Name

Date

Signature

RECORD NUMBER
8. Back-up samples' storage location:
(e.g., Port State inspection office)

9. Photos taken of the sample points Comments:
10. Paint samples (wet) Comments:
11. First-stage analysis Comments:
12. Second-stage analysis Comments:

I:\MEPC\62\24-Add-1.doc
PORT STATE PARTICULARS

Reporting
authority:
District
office:

Address:

Telephone/ Fax/
Mobile:

E-mail:

Name:
(duly authorized inspector of
reporting authority)

Date: Signature:

---CHUNK---

SOURCE: MEPC.208(62).pdf
Reporting
authority:
District
office:

Address:

Telephone/ Fax/
Mobile:

E-mail:

Name:
(duly authorized inspector of
reporting authority)

Date: Signature:

RESOLUTION MEPC.208(62)
Adopted on 15 July 2011

I:\MEPC\62\24-Add-1.doc
FORM S/3

RECORD
NUMBER

Name of ship: IMO number:

METHOD 1 ANALYSIS

1. Instrument I.D.: Calibration Expire Date:
2. Specimens "A" results total number of specimens "A" analysed:
3. No. Sample location
(Frame & Distance from
boot topping)
mg Sn/ kg No. Sample location
(Frame & distance from