Under regulation 9 of the Convention, a ship-specific Ship Recycling Plan (SRP) shall be developed by the Ship Recycling Facility before any recycling of a ship can take place.

---CHUNK---

SOURCE: MEPC.210(63).pdf
I:\MEPC\63\23.doc
3.2.4 Ship Recycling Plan (SRP) development

Under regulation 9 of the Convention, a ship-specific Ship Recycling Plan (SRP) shall be developed by the Ship Recycling Facility before any recycling of a ship can take place. The operational processes that are indicated in the SRFP can be used to prepare the SRP. The Convention requires that the SRP should be approved, in accordance with regulation 9, prior to issuance of an International Ready for Recycling Certificate. The SRFP should describe the process for developing a SRP, taking into account the Guidelines for the Development of the Ship Recycling Plan (SRP).

3.2.5 Vessel arrival management

The SRFP should describe the procedures to be implemented to secure vessels upon arrival at the Ship Recycling Facility, including provisions for mooring, heavy and/or severe weather contingencies, afloat monitoring, stability during recycling and flooding and/or sinking prevention methods. Provisions may be different depending on the ship recycling method.

3.2.6 Ship recycling methodology

The SRFP should provide a comprehensive description of the Ship Recycling Facility's ship

---CHUNK---

SOURCE: MEPC.210(63).pdf
prevention methods. Provisions may be different depending on the ship recycling method.

3.2.6 Ship recycling methodology

The SRFP should provide a comprehensive description of the Ship Recycling Facility's ship recycling methodology, covering the entire process of recycling a vessel including management of Hazardous Materials and wastes and a description of the methodology and procedures for identifying and segregating materials. The SRFP should also include a detailed description of how recycled material s, reusable items and wastes are handled and/or disposed of in a safe and environmentally sound manner.

The SRFP should include procedures for conducting assessments of the hazards associated with the safe and environmentally sound recycling of ships and should identify the subsequent process for minimizing and eliminating any such hazards.

Where materials or wastes are removed from the Ship Recycling Facility for further processing and/or disposal, the SRFP should provide details of the procedures that will be used to ensure that they are transferred only to a facility that is authorized to deal with their

---CHUNK---

SOURCE: MEPC.210(63).pdf

processing and/or disposal, the SRFP should provide details of the procedures that will be used to ensure that they are transferred only to a facility that is authorized to deal with their treatment and/or disposal in an environmentally sound manner.

3.2.7 Reporting upon completion

Regulation 25 of the Convention contains requirements for reporting upon completion. The SRFP should describe the procedures in place for such reporting, including how the Ship Recycling Facility will document and report any incidents and accidents.

3.3 Worker safety and health compliance approach

3.3.1 Worker health and safety

In this section of the SRFP, the Ship Recycling Facility should provide a comprehensive description of the Facility's plans and procedures for protecting worker health and safety and should reflect applicable requirements of t he Convention (particularly regulations 19 and 21 to 23) and national legislation. The Ship Recycling Facility should also take into account, as appropriate, guidelines developed by international organizations. A reference list of these guidelines is provided in appendix 4. The SRFP should identify and demonstrate

---CHUNK---

SOURCE: MEPC.210(63).pdf
account, as appropriate, guidelines developed by international organizations. A reference list of these guidelines is provided in appendix 4. The SRFP should identify and demonstrate the Ship Recycling Facility's knowledge and understanding of applicable worker safety and occupational health processes, procedures, laws, regulations and guidance. Further, the SRFP should demonstrate that the safety and health programme supports the activities necessary for environmental compliance and for recycling and disposal at the Ship Recycling Facility.
RESOLUTION MEPC.210(63)
Adopted on 2 March 2012
2012 GUIDELINES FOR SAFE AND ENVIRONMENTALLY SOUND SHIP RECYCLINGMEPC 63/23
Annex 4, page 12

I:\MEPC\63\23.doc
3.3.2 Key safety and health personnel

The SRFP should identify one or more key personnel who possess the level of training and experience necessary to effectively ensure that safe conditions are maintained during operations at the Ship Recycling Facility, including one or more Competent persons for the performance of specific work. Depending upon the size of the Ship Recycling Facility and the

---CHUNK---

SOURCE: MEPC.210(63).pdf
operations at the Ship Recycling Facility, including one or more Competent persons for the performance of specific work. Depending upon the size of the Ship Recycling Facility and the number of workers, the SRFP could include a hierarchy of safety and health management staff, including an overall manager, supervisory staff and general workers.

3.3.3 Job hazard assessment

The SRFP should include the procedures to be implemented to conduct a job-hazard assessment to determine the proper approach to maximizing worker safety. Responsibility for job hazard assessments should be assigned to a Competent person for the specific hazards of each job. It is recommended that the assessments should be conducted by a team of personnel including the Competent person, a representative of management and workers with the appropriate level of expertise.

3.3.4 Prevention of adverse effects to human health

Regulation 19 of the Convention specifies that the Ship Recycling Facility shall establish and utilize procedures to prevent explosions by ensuring that Safe-for-hot-work and Safe-for-entry conditions are established and maintained throughout the ship recycling

---CHUNK---

SOURCE: MEPC.210(63).pdf
and utilize procedures to prevent explosions by ensuring that Safe-for-hot-work and Safe-for-entry conditions are established and maintained throughout the ship recycling process; to prevent other accidents that cause or have the potential to cause damage to human health; and to prevent spills of cargo residues and other materials which may cause harm to human health and/or the environment. Since these are among the more critical aspects for the safe operation of Ship Recycling Facilities, it is important that the SRFP clearly demonstrates that it has procedures in place to prevent workplace accidents and injuries. The guidelines below outline the key considerations that should be included in the SRFP.

3.3.4.1 Safe-for-entry procedures

Throughout the entire recycling process, the Ship Recycling Facility should ensure that, prior to entry and during work, enclosed spaces and other areas where the atmosphere is dangerous are monitored to ensure that they remain Safe-for-entry and safe for continued activity. The Ship Recycling Facility should ensure that shipboard spaces are not entered

---CHUNK---

SOURCE: MEPC.210(63).pdf
is dangerous are monitored to ensure that they remain Safe-for-entry and safe for continued activity. The Ship Recycling Facility should ensure that shipboard spaces are not entered until a Safe-for-entry certificate has been issued by a Competent person. A Competent person should visually inspect and test each space on the ship to determine the areas which are safe for entry before issuing a certificate and before recycling activities are commenced.

Safe-for-entry certification, inspection and te sting should be conducted in all spaces that have the potential to pose harm to human health as a result of the space's oxygen content, flammability or atmospheric toxicity, with particular attention paid to enclosed spaces and to spaces and adjacent spaces where hot work has been or will be performed during the course of the daily recycling work.

Designation as "Safe-for-entry" is not sufficient for hot work, as additional criteria should be met to address safety issues related to hot work.

RESOLUTION MEPC.210(63)
Adopted on 2 March 2012

---CHUNK---

SOURCE: MEPC.210(63).pdf
met to address safety issues related to hot work.

RESOLUTION MEPC.210(63)
Adopted on 2 March 2012
2012 GUIDELINES FOR SAFE AND ENVIRONMENTALLY SOUND SHIP RECYCLINGMEPC 63/23
Annex 4, page 13

I:\MEPC\63\23.doc
3.3.4.1.1 Safe-for-entry criteria

For entry purposes, steady readings of all the following should be obtained:

.1 the oxygen content of the atmosphere is 21 per cent by volume, measured