---CHUNK---

SOURCE: MEPC.210(63).pdf
4 Environmental compliance approach

4.1 Environmental monitoring
4.2 Management of Hazardous Materials
4.2.1 Potentially containing Hazardous Materials
4.2.2 Additional sampling and analysis
4.2.3 Identification, marking and labelling and potential on-board locations
4.2.4 Removal, handling and remediation
4.2.5 Storage and labelling after removal
4.2.6 Treatment, transportation and disposal
4.3 Environmentally sound management of Hazardous Materials
4.3.1 Asbestos and materials containing asbestors
4.3.2 PCBs and materials containing PCBs
4.3.3 Ozone-depleting substances (ODSs)
4.3.4 Paints and coatings
4.3.4.1 Anti-fouling compounds and systems (organotin
compounds including tributyltin (TBT))
4.3.4.2 Toxic and highly flammable paints
4.3.5 Hazardous liquids, residues and sediments (such as oils, bilge, and
ballast water)
4.3.6 Heavy metals (lead, mercury, cadmium and hexavalent chromium)
4.3.7 Other Hazardous Materials
4.4 Prevention of adverse effects to the environment
4.4.1 Spill prevention, control and countermeasures
4.4.2 Storm-water pollution prevention
4.4.3 Debris prevention and control

---CHUNK---

SOURCE: MEPC.210(63).pdf
4.3.7 Other Hazardous Materials
4.4 Prevention of adverse effects to the environment
4.4.1 Spill prevention, control and countermeasures
4.4.2 Storm-water pollution prevention
4.4.3 Debris prevention and control
4.4.4 Incident and spills reporting procedures

Plan Attachments

Facility Map
Organizational Flow Chart
Permits, Licences and Certification
Resumes

RESOLUTION MEPC.210(63)
Adopted on 2 March 2012
2012 GUIDELINES FOR SAFE AND ENVIRONMENTALLY SOUND SHIP RECYCLINGMEPC 63/23
Annex 4, page 39

I:\MEPC\63\23.doc
APPENDIX 2

EXAMPLE FORMAT OF FACILITY INFORMATION IN SRFP
(relating to sections 3.2.1 (Facility information) and 3.2.2 (Permits, licences and certification))

Facility name and contact information
Facility name

Registered address
Facility address
Representative and communication
address

Number of employees
Tel. No. Fax No.
E-mail
address
URL
Working language

Capacity of Facility
Maximum capacity of ship to be recycled DWT
GT
LDT
Length
Breadth
Width
Depth
Types of ship to be accepted

Annual recycling capacity (in LDT)

Waste management capacity

Asbestos removal
storage
process

---CHUNK---

SOURCE: MEPC.210(63).pdf
Capacity of Facility
Maximum capacity of ship to be recycled DWT
GT
LDT
Length
Breadth
Width
Depth
Types of ship to be accepted

Annual recycling capacity (in LDT)

Waste management capacity

Asbestos removal
storage
process
Ozone-depleting substances removal
storage
process
Polychlorinated biphenyls (PCB) removal
storage
process
Anti-fouling compounds and system removal
storage
process
RESOLUTION MEPC.210(63)
Adopted on 2 March 2012
2012 GUIDELINES FOR SAFE AND ENVIRONMENTALLY SOUND SHIP RECYCLINGMEPC 63/23
Annex 4, page 40

I:\MEPC\63\23.doc
Cadmium and Cadmium Compounds removal
storage
process
Hexavalent Chromium and Hexavalent
Chromium Compounds
removal
storage
process
Lead and Lead Compounds removal
storage
process
Mercury and Mercury Compounds removal
storage
treatment
process
Polybrominated Biphenyl (PBBs) removal
storage
treatment
process
Polybrominated Diphenyl Ethers (PBDEs) removal
storage
treatment
process
Polychlorinated Naphthalenes (more than 3
chlorine atoms)
removal
storage
treatment
process
Radioactive substances removal

storage
treatment
process

---CHUNK---

SOURCE: MEPC.210(63).pdf
process
Polybrominated Diphenyl Ethers (PBDEs) removal
storage
treatment
process
Polychlorinated Naphthalenes (more than 3
chlorine atoms)
removal
storage
treatment
process
Radioactive substances removal
storage
treatment
process
Certain Shortchain Chlorinated Paraffins