In case of an alleged violation, the Party having jurisdiction over the Ship Recycling Facility shall promptly inform the Party that reported the alleged violation, as well as the Organization, of any action taken.

If the Party has not taken any action within one year of receiving the information, it shall inform the Party that reported the alleged violation, and the Organization, of the reasons why no action has been taken.

If a request for an investigation is received from any Party, together with sufficient evidence that a Ship Recycling Facility is operating, has operated or is about to operate in violation of

---CHUNK---

SOURCE: MEPC.211(63).pdf
no action has been taken.

If a request for an investigation is received from any Party, together with sufficient evidence that a Ship Recycling Facility is operating, has operated or is about to operate in violation of any provision of the Convention, the Party under whose jurisdiction the Ship Recycling Facility is operating should investigate it and produce a report. The report of any such investigation, including information on action taken or to be taken, if any, shall be sent to the requesting Party and to the Organization for appropriate action.

The Competent Authority(ies) should be promptly informed by the Ship Recycling Facility in cases of alleged violations covered by article 9 of the Convention.

***

RESOLUTION MEPC.211(63)
Adopted on 2 March 2012
2012 GUIDELINES FOR THE AUTHORIZATION OF SHIP RECYCLING FACILITIESRESOLUTION MEPC.211(63)
Adopted on 2 March 2012
2012 GUIDELINES FOR THE AUTHORIZATION OF SHIP RECYCLING FACILITIES

---CHUNK---

SOURCE: MEPC.212(63).pdf
RESOLUTION MEPC.212(63)
Adopted on 2 March 2012
2012 GUIDELINES ON THE METHOD OF CALCULATION OF THE
ATTAINED ENERGY EFFICIENCY DESIGN INDEX (EEDI) FOR NEW SHIPSMEPC 63/23
Annex 8, page 1

I:\MEPC\63\23.doc
ANNEX 8

RESOLUTION MEPC.212(63)

Adopted on 2 March 2012

2012 GUIDELINES ON THE METHOD OF CALCULATION OF THE

ATTAINED ENERGY EFFICIENCY DESIGN INDEX (EEDI) FOR NEW SHIPS

THE MARINE ENVIRONMENT PROTECTION COMMITTEE,

RECALLING article 38(a) of the Convention on the International Maritime Organization concerning the functions of the Marine Envi ronment Protection Committee (the Committee) conferred upon it by international conventions for the prevention and control of marine pollution,

RECALLING ALSO that, at its sixty-second session, the Committee adopted, by resolution MEPC.203(62), amendments to the annex of the Pr otocol of 1997 to amend the International Convention for the Prevention of Pollution from Ships, 1973, as modified by the Protocol of 1978 relating thereto (inclusion of regulations on energy efficiency for ships in MARPOL Annex VI),

NOTING the amendments to MARPOL Annex VI adopted at its sixty-second session by

---CHUNK---

SOURCE: MEPC.212(63).pdf
of 1978 relating thereto (inclusion of regulations on energy efficiency for ships in MARPOL Annex VI),

NOTING the amendments to MARPOL Annex VI adopted at its sixty-second session by inclusion of a new chapter 4 for regulations on energy efficiency for ships, are expected to enter into force on 1 January 2013 upon their acceptance on 1 July 2012,

NOTING ALSO that regulation 20 (Attai ned EEDI) of MARPOL Annex VI, as amended, requires that the Energy Efficiency Design Index shall be calculated taking into account the guidelines developed by the Organization,

RECOGNIZING that the amendments to MARPOL Annex VI requires the adoption of relevant guidelines for smooth and uniform implem entation of the regulations and to provide sufficient lead time for industry to prepare,

HAVING CONSIDERED, at its sixty-third session, the draft 2012 Guidelines on the method of calculation of the attained Energy Efficiency Design Index (EEDI) for new ships,

1. ADOPTS the 2012 Guidelines on the method of calculation of the attained Energy Efficiency Design Index (EEDI) for new ships, as set out at annex to the present resolution;

---CHUNK---

SOURCE: MEPC.212(63).pdf
1. ADOPTS the 2012 Guidelines on the method of calculation of the attained Energy Efficiency Design Index (EEDI) for new ships, as set out at annex to the present resolution;

2. INVITES Administrations to take the annexed Guidelines into account when developing and enacting national laws which give fo rce to and implement provisions set forth in regulation 20 of MARPOL Annex VI, as amended;

3. REQUESTS the Parties to MARPOL Annex VI and other Member Governments to bring the annexed Guidelines related to the Energy Efficiency Design Index (EEDI) to the

attention of shipowners, ship operators, shipbuilders, ship designers and any other interested groups;

4. AGREES to keep these Guidelines under review in light of the experience gained; and

5. REVOKES the Interim Guidelines circulated by MEPC.1/Circ.681, as from this date.

RESOLUTION MEPC.212(63)
Adopted on 2 March 2012
2012 GUIDELINES ON THE METHOD OF CALCULATION OF THE
ATTAINED ENERGY EFFICIENCY DESIGN INDEX (EEDI) FOR NEW SHIPSMEPC 63/23
Annex 8, page 2

I:\MEPC\63\23.doc
ANNEX

2012 GUIDELINES ON THE METHOD OF CALCULATION OF THE
ATTAINED ENERGY EFFICIENCY DESIGN INDEX (EEDI) FOR NEW SHIPS

---CHUNK---

SOURCE: MEPC.212(63).pdf
ATTAINED ENERGY EFFICIENCY DESIGN INDEX (EEDI) FOR NEW SHIPSMEPC 63/23
Annex 8, page 2

I:\MEPC\63\23.doc
ANNEX

2012 GUIDELINES ON THE METHOD OF CALCULATION OF THE
ATTAINED ENERGY EFFICIENCY DESIGN INDEX (EEDI) FOR NEW SHIPS

CONTENTS

1 Definitions

2 Energy Efficiency Design Index (EEDI) including the equation

2.1 CF ; conversion factor between fuel consumption and CO2 emission
2.2 Vref ; ship speed
2.3 Capacity
2.3.1 Bulk carriers, tankers, gas carriers, ro-ro cargo ships and general cargo ships
2.3.2 Passenger ships and ro-ro passenger ships
2.3.3 Containerships
2.4 Deadweight
2.5 P ; Power of main and auxiliary engines
2.5.1 PME ; power of main engines
2.5.2 PPTO ; shaft generator
2.5.3 PPTI ; shaft motor
2.5.4 Peff ; output of innovative mechanical energy efficient technology

2.5.5 PAEeff ; auxiliary power reduction
2.5.6 PAE ; power of auxiliary engines
2.6 Vref, Capacity and P
2.7 SFC ; Specific fuel consumption
2.8 fj ; Correction factor for ship specific design elements
2.8.1 fj ; ice-class ships
2.8.2 fj ; shuttle tankers
2.8.3 fj ; other ship types
2.9 fw ; Weather factor

---CHUNK---

SOURCE: MEPC.212(63).pdf
2.6 Vref, Capacity and P
2.7 SFC ; Specific fuel consumption
2.8 fj ; Correction factor for ship specific design elements
2.8.1 fj ; ice-class ships
2.8.2 fj ; shuttle tankers
2.8.3 fj ; other ship types
2.9 fw ; Weather factor
2.10 feff ; Availability factor of innovative energy efficiency technology
2.11 fi ; Capacity factor
2.11.1 fi ; ice-class ships