6 Calculated Value of attained EEDI

6.1 Basic data
Type of Ship Capacity DWT Speed Vref (knots)
Bulk Carrier 150,000 14.25

6.2 Main engine
MCRME
(kW) Shaft Gen. PME (kW) Type of Fuel CFME SFCME (g/kWh)
15,000 N/A 11,250 Diesel Oil 3.206 165.0

6.3 Auxiliary engines
PAE (kW) Type of Fuel CFAE SFCAE (g/kWh)
625 Diesel Oil 3.206 220.0

6.4 Ice class

N/A

6.5 Innovative electrical energy efficient technology

N/A

6.6 Innovative mechanical energy efficient technology

N/A

6.7 Cubic capacity correction factor

N/A

6.8 Calculated value of attained EEDI

mile/tonCOg99.2
125.141500001
000.220206.36250.165206.3112501
2
1
)()(
1
)()(
1
)(
1
1
)()()(
1

---CHUNK---

SOURCE: MEPC.214(63).pdf
N/A

6.7 Cubic capacity correction factor

N/A

6.8 Calculated value of attained EEDI

mile/tonCOg99.2
125.141500001
000.220206.36250.165206.3112501
2
1
)()(
1
)()(
1
)(
1
1
)()()(
1

wrefi
neff
i
MEFMEieffieffAEFAE
neff
i
iAEeffieff
nPTI
i
iPTI
M
j
j
wrefi
AEFAEAE

nME
i
iMEiFMEiME
M
j
j
fVCapacityf
SFCCPfSFCCPfPf
fVCapacityf
SFCCPSFCCPf
EEDI

attained EEDI: 2.99 g-CO2/ton mile
refwci VfCapacityff
refwci VfCapacityff
25.14115000011
RESOLUTION MEPC.214(63)
Adopted on 2 March 2012
2012 GUIDELINES ON SURVEY AND CERTIFICATION OF THE
ENERGY EFFICIENCY DESIGN INDEX (EEDI)MEPC 63/23/Add.1
Annex 10, page 15

I:\MEPC\63\23-Add-1.doc
7 Calculated value of attained EEDI weather

7.1 Representative sea conditions

Mean wind
speed
Mean wind
direction
Significant
wave height
Mean wave
period
Mean wave
direction
BF6 12.6 (m/s) 0 (deg.)* 3.0 (m) 6.7 (s) 0 (deg.)*
* Heading direction of wind/wave in relation to the ship' s heading, i.e. 0 (deg.) means the ship is heading directly into the wind.
.

---CHUNK---

SOURCE: MEPC.214(63).pdf
wave height
Mean wave
period
Mean wave
direction
BF6 12.6 (m/s) 0 (deg.)* 3.0 (m) 6.7 (s) 0 (deg.)*
* Heading direction of wind/wave in relation to the ship' s heading, i.e. 0 (deg.) means the ship is heading

directly into the wind.
.

7.2 Calculated weather factor, fw

fw 0.900

7.3 Calculated value of attained EEDIweather

attained EEDIweather: 3.32 g-CO2/ton mile

APPENDIX 2