Preliminar y v alidation Preliminary ship electric load analysis ans
supporting documents
Application for EPT - EEDI
preliminary valida tion
Issuance of prel iminary valida tion ce r t ificate
Pr eparation and submission of final
EPT - EED I
Check of consistency of preliminary
and final EPT
Pr eparation of data for final

---CHUNK---

SOURCE: MEPC.214(63).pdf
preliminary valida tion
Issuance of prel iminary valida tion ce r t ificate
Pr eparation and submission of final
EPT - EED I
Check of consistency of preliminary
and final EPT
Pr eparation of data for final
validation at sea trials
Modification of final EPT - EED I
Final validation at sea trials by
c heck of predicted power requirements
Issuance of final valida tion ce r t ificate
Submission of EPT - EEDI
Certificate for EEDI Verification
RESOLUTION MEPC.214(63)
Adopted on 2 March 2012
2012 GUIDELINES ON SURVEY AND CERTIFICATION OF THE
ENERGY EFFICIENCY DESIGN INDEX (EEDI)MEPC 63/23/Add.1
Annex 10, page 19

I:\MEPC\63\23-Add-1.doc
6.3 Final validation

6.3.1 The final validation process as a minimum shall include the check of ship electric load analysis to ensure that all electric consumers are listed; their specific data and the calculations in the power table itself are correct and are supported by sea trial results. If necessary, additional information has to be requested.

6.3.2 For final validation the applicant shall revise the EPT-EEDI Form and supporting

---CHUNK---

SOURCE: MEPC.214(63).pdf
calculations in the power table itself are correct and are supported by sea trial results.
If necessary, additional information has to be requested.

6.3.2 For final validation the applicant shall revise the EPT-EEDI Form and supporting documents as necessary, by taking into account the characteristics of the machinery and other electrical loads actually installed on board the ship. The EEDI condition at sea trials

shall be defined and the expected power requirements in these conditions documented in the EPT. Any changes within the EPT from design stage to construction stage should be highlighted by the shipyard.

6.3.3 The preparation for the final validation includes a desk top check comprising:

.1 consistency of preliminary and final EPT;

.2 changes of service factors (compared to the preliminary validation);

.3 all electric consumers are listed;

.4 their specific data and the calculations in the power table itself are correct; and

.5 in case of doubt, component specification data is checked in addition.

6.3.4 A survey prior to sea trials is performed to ensure that machinery characteristics and

---CHUNK---

SOURCE: MEPC.214(63).pdf
.5 in case of doubt, component specification data is checked in addition.

6.3.4 A survey prior to sea trials is performed to ensure that machinery characteristics and data as well as other electric loads comply with those recorded in the supporting documents. This survey does not cover the complete installation but selects randomly a number [to be defined] of samples.

6.3.5 For the purpose of sea trial validation, the surveyor will check the data of selected systems and/or components given in the special column added to the EPT for this purpose or the predicted overall value of electric load by means of practicable measurements with the installed measurement devices.

7 ISSUANCE OF THE EPT-EEDI STATEMENT OF VALIDATION

7.1 The validator should stamp the EPT-EEDI Form " as Noted" after it validated the EPT-EEDI in the preliminary validation stage in accordance with these Guidelines.

7.2 The validator should stamp the EPT-EEDI Form "as Endorsed" after it validated the final EPT-EEDI in the final validation stage in accordance with these Guidelines.

RESOLUTION MEPC.214(63)
Adopted on 2 March 2012
2012 GUIDELINES ON SURVEY AND CERTIFICATION OF THE

---CHUNK---

SOURCE: MEPC.214(63).pdf
final EPT-EEDI in the final validation stage in accordance with these Guidelines.

APPENDIX 3

ELECTRIC POWER TABLE FORM FOR ENERGY EFFICIENCY DESIGN INDEX
(EPT-EEDI FORM) AND STATEMENT OF VALIDATION

Ship ID:
IMO No.:
Ship's Name:
Shipyard:
Hull No.: 5 Miles

Applicant: Validation Stage:
Name: Preliminary validation
Address:
Final validation

Summary Results of EPT-EEDI
Load Group
Seagoing Condition
EEDI Calculation Guidelines Remarks Continuous
Load (kW)
Intermittent
Load (kW)
Ship Service and Engine-room Loads
Accommodation and Cargo Loads
Total installed load
Diversity Factor
Normal seagoing load
Weighted average efficiency of generators
PAE

Supporting Documents
Title ID or Remarks

Validator details:
Organization:
Address:

This is to certify that the above-mentioned electrical loads and supporting documents have

---CHUNK---

SOURCE: MEPC.214(63).pdf
PAE

Supporting Documents
Title ID or Remarks

Validator details:
Organization:
Address:

This is to certify that the above-mentioned electrical loads and supporting documents have been reviewed in accordance with EPT-EEDI Validation Guidelines and the review shows a reasonable confidence for use of the above PAE in EEDI calculations.

The date of review: Statement of validation No.
This statement is valid on condition that the electric power characteristics of the ship do not change.
Signature of Validator