reference lines for use with the EEDI

.1 Bulk carrier

Bulk dry A21A2BC Bulk carrier
A single deck cargo vessel with an arrangement of topside ballast tanks for the carriage of bulk dry cargo of a homogeneous nature.
Bulk dry A21B2BO Ore carrier
A single deck cargo ship fitted with two longitudinal bulkheads. Ore is carried in the centreline holds only.
Self-discharging bulk dry
A23A2BD
Bulk cargo carrier, self-discharging
A bulk carrier fitted with self-trimming holds, a conveyor belt (or similar system) and a boom which can discharge cargo alongside or to shore without the assistance of any external equipment.
Other dry bulk
A24A2BT Cement carrier
A single deck cargo vessel fitted with pumping

---CHUNK---

SOURCE: MEPC.215(63).pdf
conveyor belt (or similar system) and a boom which can discharge cargo alongside or to shore without the assistance of any external equipment.
Other dry bulk
A24A2BT Cement carrier
A single deck cargo vessel fitted with pumping arrangements for the carriage of cement in bulk. There are no weather deck hatches. May be self-discharging.
A24B2BW
Wood chips carrier, self-unloading
A single deck cargo vessel with high freeboard for the carriage of wood chips. May be self-discharging.
A24C2BU Urea carrier A single deck cargo vessel for the carriage of urea in bulk. May be self-discharging.
A24D2BA Aggregates carrier A single deck cargo vessel for the carriage of aggregates in bulk. Also known as a sand carrier. May be self-discharging.
A24E2BL Limestone carrier A single deck cargo vessel for the carriage of limestone in bulk. There are no weather deck

hatches. May be self-discharging.
.2 Gas carrier Liquefied gas
A11A2TN LNG tanker
A tanker for the bulk carriage of liquefied natural
gas (primarily methane) in independent
insulated tanks. Liquefaction is achieved at
temperatures down to -163 deg C.
A11B2TG LPG tanker

---CHUNK---

SOURCE: MEPC.215(63).pdf
.2 Gas carrier Liquefied gas
A11A2TN LNG tanker
A tanker for the bulk carriage of liquefied natural
gas (primarily methane) in independent
insulated tanks. Liquefaction is achieved at
temperatures down to -163 deg C.
A11B2TG LPG tanker
A tanker for the bulk carriage of liquefied
petroleum gas in insulated tanks, which may be
independent or integral. The cargo is
pressurized (smaller vessels), refrigerated
(larger vessels) or both ("semi-pressurized")
to achieve liquefaction.
A11C2LC CO2 tanker A tanker for the bulk carriage of liquefied carbon dioxide.
A11A2TQ CNG tanker
A tanker for the bulk carriage of compressed
natural gas. Cargo remains in gaseous state
but is highly compressed.
.3 Tanker Chemical
A12A2LP Molten sulphur tanker A tanker for the bulk carriage of molten sulphur in insulated tanks at a high temperature.

A12A2TC Chemical tanker
A tanker for the bulk carriage of chemical
cargoes, lube oils, vegetable/animal oils and
other chemicals as defined in the International
Bulk Chemical Code. Tanks are coated with
suitable materials which are inert to the cargo.
RESOLUTION MEPC.215(63)
Adopted on 2 March 2012

---CHUNK---

SOURCE: MEPC.215(63).pdf
cargoes, lube oils, vegetable/animal oils and
other chemicals as defined in the International
Bulk Chemical Code. Tanks are coated with
suitable materials which are inert to the cargo.
RESOLUTION MEPC.215(63)
Adopted on 2 March 2012
GUIDELINES FOR CALCULATION OF REFERENCE LINES FOR USE WITH THE
ENERGY EFFICIENCY DESIGN INDEX (EEDI)MEPC 63/23/Add.1
Annex 11, page 7

I:\MEPC\63\23-Add-1.doc
A12B2TR
Chemical/
products
tanker
A chemical tanker additionally capable of the carriage of clean petroleum products.
A12C2LW Wine tanker
A cargo ship designed for the bulk transport of wine in tanks. Tanks will be stainless steel or lined. New vessels will be classified as chemical carriers.
A12D2LV Vegetable oil tanker
A cargo ship designed for the bulk transport of vegetable oils in tanks. Tanks will be stainless steel or lined. New vessels will be classified as chemical carriers.
A12E2LE Edible oil tanker
A cargo ship designed for the bulk transport of edible oils in tanks. Tanks will be stainless steel or lined. New vessels will be classified as chemical carriers.
A12F2LB Beer tanker A tanker for the bulk carriage of beer.

---CHUNK---

SOURCE: MEPC.215(63).pdf
A cargo ship designed for the bulk transport of edible oils in tanks. Tanks will be stainless steel or lined. New vessels will be classified as chemical carriers.
A12F2LB Beer tanker A tanker for the bulk carriage of beer.
A12G2LT Latex tanker A tanker for the bulk carriage of latex.
A12H2LJ Fruit juice tanker A tanker for the bulk carriage of fruit juice concentrate in insulated tanks.
Oil
A13A2TV Crude oil tanker A tanker for the bulk carriage of crude oil.
A13A2TW
Crude/oil
products
tanker
A tanker for the bulk carriage of crude oil but also for carriage of refined oil products.

A13B2TP Products tanker A tanker for the bulk carriage of refined petroleum products, either clean or dirty.
A13B2TU Tanker (unspecified) A tanker whose cargo is unspecified.
A13C2LA Asphalt/ Bitumen tanker A tanker for the bulk carriage of asphalt/bitumen at temperatures between 150 and 200 deg C.
A13E2LD Coal/oil mixture tanker A tanker for the bulk carriage of a cargo of coal and oil mixed as a liquid and maintained at high temperatures.
Other
liquids
A14A2LO Water tanker A tanker for the bulk carriage of water.

---CHUNK---

SOURCE: MEPC.215(63).pdf
A13E2LD Coal/oil mixture tanker A tanker for the bulk carriage of a cargo of coal and oil mixed as a liquid and maintained at high temperatures.
Other
liquids
A14A2LO Water tanker A tanker for the bulk carriage of water.
A14F2LM Molasses tanker A tanker for the bulk carriage of molasses.
A14G2LG Glue tanker A tanker for the bulk carriage of glue.
A14H2LH Alcohol tanker A tanker for the bulk carriage of alcohol.
A14N2LL Caprolactam tanker A tanker for the bulk carriage of caprolactam, a chemical used in the plastics industry for the production of polyamides.
Chemical A12A2TL Parcels tanker
A chemical tanker with many segregated cargo
tanks to carry multiple grades of chemicals as
defined in the International Bulk Chemical Code.
Typically these can have between 10
and 60 different tanks.
RESOLUTION MEPC.215(63)
Adopted on 2 March 2012
GUIDELINES FOR CALCULATION OF REFERENCE LINES FOR USE WITH THE
ENERGY EFFICIENCY DESIGN INDEX (EEDI)MEPC 63/23/Add.1
Annex 11, page 8

I:\MEPC\63\23-Add-1.doc

---CHUNK---