SOURCE: MEPC.215(63).pdf
and 60 different tanks.
RESOLUTION MEPC.215(63)
Adopted on 2 March 2012
GUIDELINES FOR CALCULATION OF REFERENCE LINES FOR USE WITH THE
ENERGY EFFICIENCY DESIGN INDEX (EEDI)MEPC 63/23/Add.1
Annex 11, page 8

I:\MEPC\63\23-Add-1.doc
.4 Containership Container A33A2CC Containership (fully cellular) A single deck cargo vessel with boxed holds fitted with fixed cellular guides for the carriage of containers.
.5 General
cargo ship
General
cargo A31A2GX General cargo ship
A single or multi-deck cargo vessel for the
carriage of various types of dry cargo. Single
deck vessels will typically have box-shaped
holds. Cargo is loaded and unloaded through
weather deck hatches.
Other dry
cargo A38H2GU Pulp carrier A vessel designed for carrying paper pulp.
.6 Refrigerated
cargo carrier
Refrigerated
cargo A34A2GR Refrigerated cargo ship A multi-deck cargo ship for the carriage of refrigerated cargo at various temperatures.
.7
Combination
carrier
Bulk dry/oil A22A2BB Bulk/oil carrier (OBO) A bulk carrier arranged for the alternative (but not simultaneous) carriage of crude oil.

---CHUNK---

SOURCE: MEPC.215(63).pdf
.7
Combination
carrier
Bulk dry/oil A22A2BB Bulk/oil carrier (OBO) A bulk carrier arranged for the alternative (but not simultaneous) carriage of crude oil.
Bulk dry/oil A22B2BR Ore/oil carrier An ore carrier arranged for the alternative (but not simultaneous) carriage of crude oil.
Bulk dry/oil A22A2BP
Ore/bulk/
products
carrier
A bulk carrier arranged for the alternative (but
not simultaneous) carriage of oil products.

RESOLUTION MEPC.215(63)
Adopted on 2 March 2012

Table 2: Ship types from IHSF not included in the calculation of reference lines for use with the EEDI

.1 Bulk carrier		
Bulk dry	A21A2BG	Bulk carrier, laker only A single deck cargo vessel with dimensions suited to the limitations of Great Lakes of North America trade, unsuitable for open sea navigation. Hatches are more numerous than standard bulk carriers, and much wider than they are long.

---CHUNK---

SOURCE: MEPC.215(63).pdf

		A single deck cargo vessel with dimensions suited to the limitations of Great Lakes of North America trade, unsuitable for open sea navigation. Hatches are more numerous than standard bulk carriers, and much wider than they are long.
Bulk dry	A21A2BV	Bulk carrier (with vehicle decks) A bulk carrier with movable decks for the additional carriage of new vehicles.
Bulk dry/oil	A22A2BB	Bulk/oil carrier (OBO) A bulk carrier arranged for the alternative (but not simultaneous) carriage of crude oil.
Bulk dry/oil	A22B2BR	Ore/oil carrier An ore carrier arranged for the alternative (but not simultaneous) carriage of crude oil.
Bulk dry/oil	A22A2BP	Ore/bulk/products carrier A bulk carrier arranged for the alternative (but not simultaneous) carriage of oil products.
Self-discharging		

bulk dry A23A2BK
Bulk cargo carrier,
self-discharging,
laker
A Great Lakes bulk carrier
fitted with a conveyor belt
(or similar system) and a
boom which can discharge
cargo alongside or to shore
without the assistance of any
external equipment.
Other bulk dry A24H2BZ Powder carrier
A single deck cargo vessel
for the carriage of fine
powders such as fly ash.

---CHUNK---

SOURCE: MEPC.215(63).pdf
boom which can discharge
cargo alongside or to shore
without the assistance of any
external equipment.
Other bulk dry A24H2BZ Powder carrier
A single deck cargo vessel
for the carriage of fine
powders such as fly ash.
There are no weather deck
hatches.
Other bulk dry A24G2BS Refined sugar carrier
A single deck cargo vessel
for the carriage of refined
sugar. Sugar is loaded in
bulk and bagged in transit
(BIBO Bulk In Bag Out).
.2 Gas
carrier Liquefied gas A11B2TH LPG/chemical tanker
An LPG tanker additionally
capable of the carriage of
chemical products as defined
in the International Bulk
Chemical Code.
.3 Tanker Oil A13A2TS Shuttle tanker
A tanker for the bulk carriage
of crude oil specifically for
operation between offshore
terminals and refineries. Is
typically fitted with bow
loading facilities.
RESOLUTION MEPC.215(63)
Adopted on 2 March 2012
GUIDELINES FOR CALCULATION OF REFERENCE LINES FOR USE WITH THE
ENERGY EFFICIENCY DESIGN INDEX (EEDI)MEPC 63/23/Add.1
Annex 11, page 10

I:\MEPC\63\23-Add-1.doc
.4 Containership Container A33B2CP Passenger/ containership
A containership with
accommodation for the
carriage of more

---CHUNK---

SOURCE: MEPC.215(63).pdf
ENERGY EFFICIENCY DESIGN INDEX (EEDI)MEPC 63/23/Add.1
Annex 11, page 10

I:\MEPC\63\23-Add-1.doc
.4 Containership Container A33B2CP Passenger/ containership
A containership with
accommodation for the
carriage of more
than 12 passengers.
.5 General
cargo ship
General cargo
A31A2GO Open hatch cargo ship
A large single deck cargo
vessel with full width hatches
and boxed holds for the
carriage of unitized dry cargo