---CHUNK---

SOURCE: MEPC.219(63).pdf
drains. It does not include drainage from toilets, urinals, hospitals, and animal spaces, as defined in regulation 1.3 of MARPOL Annex IV (sewage), and it does not include drainage from cargo spaces. Grey water is not considered garbage in the context of Annex V.

1.6.3 Recycling means the activity of segregating and recovering components and materials for reprocessing.

1.6.4 Reuse means the activity of recovering components and materials for further use without reprocessing.

1.7 Application

1.7.1 This section provides clarification as to what should and should not be considered garbage under MARPOL Annex V.

1.7.2 Ash and clinkers from shipboard incinerators and coal-burning boilers should be considered as operational wastes within the meaning of regulation 1.12 of MARPOL Annex V, and therefore are included in the term garbage, within the meaning of regulation 1.9 of MARPOL Annex V.

RESOLUTION MEPC.219(63)
Adopted on 2 March 2012
2012 GUIDELINES FOR THE IMPLEMENTATION OF MARPOL ANNEX VMEPC 63/23/Add.1
Annex 24, page 4

I:\MEPC\63\23-Add-1.doc
1.7.3 The definition of " operational wastes" (regulation 1.12 of MARPOL Annex V) excludes

---CHUNK---

SOURCE: MEPC.219(63).pdf
Adopted on 2 March 2012
2012 GUIDELINES FOR THE IMPLEMENTATION OF MARPOL ANNEX VMEPC 63/23/Add.1
Annex 24, page 4

I:\MEPC\63\23-Add-1.doc
1.7.3 The definition of " operational wastes" (regulation 1.12 of MARPOL Annex V) excludes grey water, bilge water, or other similar discharges essential to the operation of a ship. "Other similar discharges" essential to the operation of a ship include, but are not limited to the following:

boiler/economizer blowdown;

boat engine wet exhaust;

chain locker effluent;

controllable pitch propeller and thruster hydraulic fluid and other oil to sea interfaces (e.g. thruster bearings, stabilizers, rudder bearings, etc.);

distillation/reverse osmosis brine;

elevator pit effluent;

firemain systems water;

freshwater lay- up;

gas turbine washwater;

motor gasoline and compensating discharge;

machinery wastewater;

pool, spa water and recreational waters;

sonar dome discharge; and

welldeck discharges.

1.7.4 While cleaning agents and additives contained in hold washwater, and deck and external surface washwater are considered "operational wastes" and thus "garbage" under

---CHUNK---

SOURCE: MEPC.219(63).pdf
sonar dome discharge; and

welldeck discharges.

1.7.4 While cleaning agents and additives contained in hold washwater, and deck and external surface washwater are considered "operational wastes" and thus "garbage" under
Annex V, these cleaning agents and additives may be discharged into the sea so long as they are not harmful to the marine environment.

1.7.5 A cleaning agent or additive is considered not harmful to the marine environment if it:

.1 is not a "harmful substance" in accordance with the criteria in MARPOL Annex III; and

.2 does not contain any components which are known to be carcinogenic, mutagenic or reprotoxic (CMR).

1.7.6 The ship's record should contain evidence provided by the producer of the cleaning agent or additive that the product meets the criteria for not being harmful to the marine environment. To provide an assurance of compliance, a dated and signed statement to this

---CHUNK---

SOURCE: MEPC.219(63).pdf
agent or additive that the product meets the criteria for not being harmful to the marine environment. To provide an assurance of compliance, a dated and signed statement to this effect from the product supplier would be adequate for the purposes of a ship's record. This might form part of a Safety Data Sheet or be a stand-alone document but this should be left to the discretion of the producer concerned.

1.7.7 Releasing small quantities of food into the sea for the specific purpose of fish feeding in connection with fishing or tourist operations should not be considered a discharge of garbage in the context of Annex V.

1.7.8 Fishing gear that is released into the water with the intention for later retrieval, such as fish aggregating devices (FADs), traps and static nets, should not be considered garbage or accidental loss in the context of Annex V.

2 GARBAGE MANAGEMENT

2.1 Waste Minimization

2.1.1 All shipowners and operators should minimize taking onboard material that could become garbage. Ship-specific garbage minimization procedures should be included in the Garbage Management Plan. It is recommended that manufacturers, cargo owners, ports

---CHUNK---

SOURCE: MEPC.219(63).pdf
become garbage. Ship-specific garbage minimization procedures should be included in the Garbage Management Plan. It is recommended that manufacturers, cargo owners, ports and terminals, shipowners and operators and governments consider the management of garbage associated with ships' supplies, provisions, and cargoes as needed to minimize the generation of garbage in all forms.

2.1.2 When making supply and provisioning arrangements, shipowners and operators , where possible, with the ships suppliers should consider the products being procured in terms of the garbage they will generate. Options that should be considered to decrease the amount of such garbage include the following:

.1 using supplies that come in bulk packaging, taking into account factors such as adequate shelf-life (once a container is open) to avoid increasing garbage associated with such products;

.2 using supplies that come in reusable or recyclable packaging and containers; avoiding the use of disposable cups, utensils, dishes, towels and rags and other convenience items whenever possible; and

.3 avoiding supplies that are packaged in plastic, unless a reusable or

---CHUNK---

SOURCE: MEPC.219(63).pdf
containers; avoiding the use of disposable cups, utensils, dishes, towels

and rags and other convenience items whenever possible; and

.3 avoiding supplies that are packaged in plastic, unless a reusable or recyclable plastic is used.

2.1.3 When considering selection of materials for stowage and securing of cargo or protection of cargo from the weather, shipowners and operators should consider how much garbage such materials will generate. Options that should be considered to decrease the amount of such garbage include the following:

.1 using permanent reusable coverings for cargo protection instead of disposable or recyclable plastic sheeting;

.2 using stowage systems and methods that reuse dunnage, shoring, lining and packing materials; and

.3 discharging to port reception facilities the dunnage, lining and packaging