to conditions in
regulation 6.1.2)
Cleaning agents and
additives6 contained in
cargo hold washwater

Discharge permitted
> 12 nm, en route and as
far as practicable (subject
to conditions in
regulation 6.1.2)

Discharge prohibited
RESOLUTION MEPC.219(63)
Adopted on 2 March 2012
2012 GUIDELINES FOR THE IMPLEMENTATION OF MARPOL ANNEX VMEPC 63/23/Add.1
Annex 24, page 8

I:\MEPC\63\23-Add-1.doc
Garbage type1 All ships except platforms4 Offshore platforms located
more than 12 nm from nearest
land and ships when
alongside or within
500 metres of such
platforms4
Regulation 5
Outside special areas
Regulation 4

---CHUNK---

SOURCE: MEPC.219(63).pdf
Garbage type1 All ships except platforms4 Offshore platforms located
more than 12 nm from nearest
land and ships when
alongside or within
500 metres of such
platforms4
Regulation 5
Outside special areas
Regulation 4
(Distances are from the
nearest land)
Within special areas
Regulation 6
(Distances are from
nearest land or nearest
ice-shelf)
Cleaning agents and
additives6 in deck and

external surfaces
washwater
Discharge permitted
Animal Carcasses (should be split or otherwise treated to ensure the carcasses will sink immediately)
Must be en route and as far from the nearest land as possible. Should be >100 nm and maximum water depth
Discharge prohibited Discharge prohibited
All other garbage including plastics, synthetic ropes, fishing gear, plastic garbage bags, incinerator ashes, clinkers, cooking oil, floating dunnage, lining and packing materials, paper, rags, glass, metal, bottles, crockery and similar refuse
Discharge prohibited Discharge prohibited Discharge prohibited

1 When garbage is mixed with or contaminated by other harmful substances prohibited from discharge or

---CHUNK---

SOURCE: MEPC.219(63).pdf
paper, rags, glass, metal, bottles, crockery and similar refuse
Discharge prohibited Discharge prohibited Discharge prohibited

1 When garbage is mixed with or contaminated by other harmful substances prohibited from discharge or having different discharge requirements, the more stringent requirements shall apply.

2 Comminuted or ground food wastes must be able to pass through a screen with mesh no larger than 25 mm.

3 The discharge of introduced avian products in the Antarctic area is not permitted unless incinerated, autoclaved or otherwise treated to be made sterile.

4 Offshore platforms located 12 nm from nearest land and associated ships include all fixed or floating platforms engaged in exploration or exploitation or associated processing of seabed mineral resources, and all ships alongside or within 500 m of such platforms.

5 Cargo residues means only those cargo residues that cannot be recovered using commonly available methods for unloading.

6 These substances must not be harmful to the marine environment.

2.3.2 Compliance with Annex V involves personnel, equipment and procedures for

---CHUNK---

SOURCE: MEPC.219(63).pdf
methods for unloading.

6 These substances must not be harmful to the marine environment.

2.3.2 Compliance with Annex V involves personnel, equipment and procedures for collecting, sorting, processing, storing, recycling, reusing and discharging garbage. Economic and procedural considerations associated with these activities include storage space requirements, sanitation, equipment and personnel costs and in port garbage service charges.

2.3.3 Compliance with the provisions of Annex V involves careful planning by the ship' s owner and operator and proper execution by crew members as well as other seafarers. The most appropriate procedures for handling and storing garbage on board ships may vary depending on factors such as the type and size of the ship, the area of operation (e.g. special area, distance from nearest land or ice-shelf), shipboard garbage processing equipment and storage space, number of crew or passengers, duration of voyage, and regulations and reception facilities at ports of call. However, in view of the cost involved with the different garbage handling options, it is economically advantageous to first, limit the

---CHUNK---

SOURCE: MEPC.219(63).pdf
regulations and reception facilities at ports of call. However, in view of the cost involved with the different garbage handling options, it is economically advantageous to first, limit the
RESOLUTION MEPC.219(63)
Adopted on 2 March 2012
2012 GUIDELINES FOR THE IMPLEMENTATION OF MARPOL ANNEX VMEPC 63/23/Add.1
Annex 24, page 9

I:\MEPC\63\23-Add-1.doc
amount of material that may become garbage from being brought on board the ship and second, separate garbage eligible for discharge into the sea from other garbage that may not be discharged into the sea . Proper management of containers and packaging coming on board and proper handling and storage can minimize shipboard storage space requirements and enable efficient transfer of retained garbage to port reception facilities for proper handling (i.e. recycling, reuse) or land-based disposal.

2.3.4 Every ship of 100 gross tonnage and above, and every ship certified to carry 15 or more persons, and fixed and floating platforms are required to carry and implement a garbage management plan that specifies procedures to be followed to ensure proper and

---CHUNK---

SOURCE: MEPC.219(63).pdf
more persons, and fixed and floating platforms are required to carry and implement a garbage management plan that specifies procedures to be followed to ensure proper and efficient handling and storage of garbage. A garbage management plan 2 should be developed that can be incorporated into crew and ship operating manuals. Such manuals

should identify crew responsibilities (including an Environmental Control Officer) and procedures for all aspects of handling and storing garbage on board the ship. Procedures for handling ship-generated garbage are divided into four phases: collection, processing, storage, and discharge. A generalized garbage management plan for handling and storing ship-generated garbage is presented in table 2. Specific procedures for each phase are discussed below.

2 Garbage management plans are mandatory on certain ships in accordance with regulation 10 of Annex V of MARPOL 73/78.

---CHUNK---

SOURCE: MEPC.219(63).pdf
of MARPOL 73/78.