Table 2: Options for shipboard handling and discharge of garbage

Ship-generated garbage
Collection and separation
Sea - dischargeable garbage
Non-Sea dischargeable garbage
No processing Incinerator Grinder or

comminuter
Compactor
Retain and
reuse on ship
Trip-long
storage
Port reception
special/advanced
treatment (e.g.
incineration,
sterilization,
bioremediation,
energy recovery)

Port reception
landfill
Port reception
recycling/
reuse
No processing Grinder or
comminuter
Compactor Incinerator
Short-term
storage
Sea discharge
Reusable?
Reuse on
ship?
Authorized
discharge
area?
No No
No
No
Yes
Yes
Yes
Option

2.4 Collection

2.4.1 Procedures for collecting garbage generated on board should be based on the

---CHUNK---

SOURCE: MEPC.219(63).pdf
Adopted on 2 March 2012
2012 GUIDELINES FOR THE IMPLEMENTATION OF MARPOL ANNEX VMEPC 63/23/Add.1

I:\MEPC\63\23-Add-1.doc
2.4 Collection

2.4.1 Procedures for collecting garbage generated on board should be based on the consideration of what is permitted and what is not permitted to be discharged into the sea while en route, and whether a particular garbage type can be discharged to port facilities for recycling or reuse. The details of these procedures should be written in the garbage management plan.

2.4.2 To reduce or avoid the need for sorting after collection and to facilitate recycling, it is recommended that distinctively marked garbage receptacles be provided on board the ship to receive garbage as it is generated. Receptacles on board can be in the form of drums, metal bins, cans, container bags, or wheelie bins. Any receptacles on deck areas, poop decks or areas exposed to the weather should be secured on the ship and have lids that are tight and securely fixed. All garbage receptacles should be secured to prevent loss, spillage, or loss of any garbage that is deposited in the receptacles. Receptacles should be clearly

---CHUNK---

SOURCE: MEPC.219(63).pdf
tight and securely fixed. All garbage receptacles should be secured to prevent loss, spillage, or loss of any garbage that is deposited in the receptacles. Receptacles should be clearly marked and distinguishable by graphics shape, size, or location. Receptacles should be placed in appropriate spaces throughout the ship (e.g. the engine- room, mess deck, wardroom, galley, and other living or working spaces) and all crew members and passengers should be advised of what garbage should and should not be placed in them.

2.4.3 The recommended garbage types that should be separated are:

n on-recyclable plastics and plastics mixed with non-plastic garbage;
rags;
recyclable material:
o cooking oil;
o glass;
o aluminium cans;
o paper, cardboard, corrugated board;
o wood;
o metal;
o plastics ; (including styrofoam or other similar plastic material); and
garbage that might present a hazard to the ship or crew (e.g. oily rags, light bulbs, acids, chemical, batteries, etc.).

2.4.4 Crew responsibilities should be assigned for collecting or emptying these receptacles and taking the garbage to the appropriate processing or storage location. Use of such a

---CHUNK---

SOURCE: MEPC.219(63).pdf
bulbs, acids, chemical, batteries, etc.).

2.4.4 Crew responsibilities should be assigned for collecting or emptying these receptacles

and taking the garbage to the appropriate processing or storage location. Use of such a system facilitates subsequent shipboard processing and minimizes the amount of garbage which must be stored on board ship for return to port.

Plastics and plastics mixed with non-plastic garbage

2.4.5 Plastics are used for a variety of marine purposes including, but not limited to, packaging (vapour-proof barriers, bottles, containers, liners , bags, cargo wrapping material, foam cushioning material, etc.); ship construction (fibreglass and laminated structures, siding, piping, insulation, flooring, carpets, fabrics, paints and finishes, adhesives, electrical and electronic components, etc.); disposable eating utensils (styrofoam plates, bowls, food containers, cups, etc.); bags; sheeting; floats; fishing nets; fishing lines; strapping bands; wire rope with synthetic fibre sheaths; combination wire rope; rope; line; sails; and many other manufactured plastic items.

RESOLUTION MEPC.219(63)
Adopted on 2 March 2012

---CHUNK---

SOURCE: MEPC.219(63).pdf
wire rope with synthetic fibre sheaths; combination wire rope; rope; line; sails; and many other manufactured plastic items.