2.4.6 Regulation 3.2 of Annex V prohibits the discharge of all plastics into the sea. When plastic is mixed with other garbage, the mixture must be treated as if it were all plastic. The most stringent procedures for the handling and discharge should be followed taking into account the applicable provisions of the garbage management plan.

Food wastes

2.4.7 Some governments have regulations for controlling human, plant, and animal diseases that may be carried by foreign food wastes and materials that have been associated with them (e.g. food packing and disposable eating utensils, etc. ). These regulations may require incinerating, sterilizing, double bagging or other special treatment of garbage to destroy possible pest and disease organisms. This type of garbage should be kept separate from other garbage and preferably retained for discharge at port reception

---CHUNK---

SOURCE: MEPC.219(63).pdf
garbage to destroy possible pest and disease organisms. This type of garbage should be kept separate from other garbage and preferably retained for discharge at port reception facilities in accordance with the laws of the receiving country. Governments are reminded of their obligation to ensure the provision of adequate reception facilities. Precautions must be taken to ensure that plastics contaminated by food wastes (e.g. plastic food wrappers) are not discharged into the sea with other food wastes.

Synthetic fishing net and line scraps

2.4.8 As regulation 3.2 of MARPOL Annex V prohibits the discharge into the sea of synthetic fishing net and line scraps generated by the repair or operation of fishing gear, these items should be collected in a manner that avoids their loss overboard. Such material may be incinerated, compacted, or stored along with other plastics or it may be preferable to keep it separate from other types of garbage if it has strong odour or is present in great volume. Unless such garbage is appropriately incinerated, the atmospheric incineration products could

---CHUNK---

SOURCE: MEPC.219(63).pdf
separate from other types of garbage if it has strong odour or is present in great volume. Unless such garbage is appropriately incinerated, the atmospheric incineration products could be toxic. Onboard incineration should follow regulation 16 of MARPOL Annex VI.

Recovery of garbage at sea

2.4.9 Seafarers are encouraged to recover persistent garbage from the sea during routine operations as opportunities arise and prudent practice permits, and they are encouraged to retain the material for discharge to port reception facilities.

2.5 Processing

2.5.1 Depending on factors such as the type of ship, area of operation, number of crew or passengers, etc., ships may be equipped with incinerators 3, compactors, comminuters, or other devices for shipboard garbage processing (see sections 2.8 to 2.11). Appropriate members of the crew should be trained and assigned responsibility for operating this equipment on a schedule commensurate with ship needs. In selecting appropriate processing procedures, the following should be considered.

2.5.2 Use of compactors, incinerators, comminuters, and other such devices has a

---CHUNK---

SOURCE: MEPC.219(63).pdf
equipment on a schedule commensurate with ship needs. In selecting appropriate processing procedures, the following should be considered.

2.5.2 Use of compactors, incinerators, comminuters, and other such devices has a number of advantages, such as, reducing shipboard space requirements for storing garbage, and making it easier to discharge garbage at port reception facilities.

2.5.3 It should be noted that special rules on incineration under domestic law may apply in some ports and may exist in some special areas. Incineration of hazardous materials (e.g. scraped paint, impregnated wood) and certain types of plastics (e.g. PVC-based plastics or other plastics containing hazardous chemicals) calls for special precaution due to

3 Refer to resolution MEPC.76(40), "Standard specification for shipboard incinerators ". Amended by resolution MEPC.93(45).

the potential environmental and health effects from combustion of by-products.

---CHUNK---

SOURCE: MEPC.219(63).pdf
Adopted on 2 March 2012
2012 GUIDELINES FOR THE IMPLEMENTATION OF MARPOL ANNEX VMEPC 63/23/Add.1
Annex 24, page 13

I:\MEPC\63\23-Add-1.doc
the potential environmental and health effects from combustion of by-products.
The problems of combustion of by-products are discussed in 2.11.3.

2.5.4 Ships operating primarily in special areas or within three nautical miles from the nearest land or ice-shelf are greatly restricted in what they can discharge. These ships should choose between storage of either compacted or uncompacted material for discharging at port reception facilities or incineration with retention of ash and clinkers. The type of ship and the expected volume and type of garbage generated determine the suitability of compaction, incineration or storage options.

2.6 Storage

2.6.1 Garbage collected from throughout the ship should be delivered to designated processing or storage locations. Garbage that must be returned to port for discharge at port reception facilities may require storage until arrangements can be made to discharge it ashore for appropriate processing. In all cases, garbage should be stored in a manner which

---CHUNK---

SOURCE: MEPC.219(63).pdf
reception facilities may require storage until arrangements can be made to discharge it ashore for appropriate processing. In all cases, garbage should be stored in a manner which avoids health and safety hazards. The following points should be considered when selecting procedures for storing garbage:

.1 sufficient storage space and equipment (e.g. cans, drums, bags or other containers) should be provided. Where storage space is limited, ship operators are encouraged to consider the installation of compactors or incinerators. To the extent possible, all processed and unprocessed garbage stored for any length of time should be in tight, securely covered containers in order to prevent the unintentional discharge of stored garbage;

.2 food wastes and other garbage to be returned to port and which may carry diseases or pests should be stored in tightly covered containers and be kept separate from garbage which does not contain such food wastes. Quarantine arrangements in some countries may require double bagging of this type of waste. Both types of garbage should be stored in separate

---CHUNK---

SOURCE: MEPC.219(63).pdf
separate from garbage which does not contain such food wastes. Quarantine arrangements in some countries may require double bagging of this type of waste. Both types of garbage should be stored in separate clearly marked containers to avoid incorrect discharge and facilitate proper handling and treatment on land; and

.3 cleaning and disinfecti ng are both preventative and remedial pest control methods that should be applied regularly in garbage storage areas.

2.7 Dischar ge

2.7.1 Although discharge into the sea of limited types of garbage is permitted under Annex V, discharge of garbage to port reception facilities should be given primary consideration. When discharging garbage, the following points should be considered:

.1 regulations 4, 5, and 6 of MARPOL Annex V, summarized in table 1, set forth the requirements for garbage permitted to be discharged into the sea. In general the discharge shall take place when the ship is en route and as far as practicable from the nearest land. Attempts should be made to spread the discharge over as wide an area as possible and in deep water (50 metres or more). Prevailing currents and tidal movements should be

---CHUNK---

SOURCE: MEPC.219(63).pdf
far as practicable from the nearest land. Attempts should be made to spread the discharge over as wide an area as possible and in deep water (50 metres or more). Prevailing currents and tidal movements should be taken into consideration when discharging into the sea is permitted; and



.2 to ensure timely transfer of large quantities of ship-generated garbage to port reception facilities, it is essential for shipowners, operators or their agents to make arrangements well in advance for garbage reception. At the same time, discharge needs should be identified in order to make arrangements for garbage requiring special handling or other necessary arrangements. Advice should be provided to the port of the type of garbage to be discharged and whether it is separated and the estimated amounts. The port may have special discharge requirements for food wastes and related garbage which may carry certain disease or pest organisms, dunnage, batteries, medicines, outdated pyrotechnics or