For compliance with regulation 10 of the revised MARPOL Annex V

1 INTRODUCTION

1.1 In 2011, IMO adopted amendments to MARPOL Annex V which require that:

.1 every ship of 100 gross tonnage and above, and every ship certified to carry 15 or more persons, and fixed or floating platforms shall carry a garbage management plan;

.2 every ship of 400 gross tonnage and above, and every ship certified to

---CHUNK---

SOURCE: MEPC.220(63).pdf
carry 15 or more persons, and fixed or floating platforms shall carry a garbage management plan;

.2 every ship of 400 gross tonnage and above, and every ship certified to carry 15 or more persons engaged in voyages to ports or offshore terminals of another Party, and every fixed or floating platform shall be provided with a Garbage Record Book; and

.3 every ship of 12 metres or more in length overall, and fixed or floating platforms shall display placards which notify the crew and passengers of the ship's disposal requirements of regulations 3, 4, 5 and 6 of the Annex as applicable.

These provisions are included in regulation 10 to the revised MARPOL Annex V with an entry into force date of 1 January 2013.

1.2 These Guidelines provide direction on complying with the requirements for a ship' s garbage management plan, and are intended to assist the shipowner/operator in the implementation of regulation 10.2 of the revised MARPOL Annex V. It is assumed that the author of the garbage management plan is familiar with the requirements of the revised MARPOL Annex V and the IMO Guidelines for the Implementation of MARPOL Annex V.

---CHUNK---

SOURCE: MEPC.220(63).pdf
author of the garbage management plan is familiar with the requirements of the revised MARPOL Annex V and the IMO Guidelines for the Implementation of MARPOL Annex V.

1.3 Shipowners and operators should also consult other available technical guidance on shipboard garbage handling such as, ISO 21070 "Standard for the Management and handling of shipboard garbage" which outlines best management practices for shipboard garbage management and, to the extent it is consistent with the revised MARPOL Annex V, should be incorporated in any garbage management plan.

1.4 A ship's garbage management plan should detail the specific ship's equipment, arrangements and procedures for the handling of garbage. The plan may contain extracts and/or references to existing company instructions.

2 REGULATORY REQUIREMENTS

2.1 Regulation 10.2 of MARPOL Annex V reads as follows:

"Every ship of 100 gross tonnage and above, and every ship which is certified to carry 15 or more persons, and fixed or floating platforms, shall carry a garbage management plan which the crew shall follow. This plan shall provide written

---CHUNK---

SOURCE: MEPC.220(63).pdf
"Every ship of 100 gross tonnage and above, and every ship which is certified to carry 15 or more persons, and fixed or floating platforms, shall carry a garbage management plan which the crew shall follow. This plan shall provide written
procedures for minimizing, collecting, storing, processing and disposing of garbage, including the use of the equipment on board. It shall also designate the person or

persons in charge of carrying out the plan. Such a plan shall be based on the guidelines developed by the Organization and written in the working language of the crew."

3 PREVENTION OF POLLUTION FROM GARBAGE

3.1 To achieve cost-effective and environmentally sound results, many garbage management planners use a combination of complementary techniques to manage garbage, such as the following:

.1 reduction at source;

.2 reusing or recycling;

.3 onboard processing (treatment);

.4 discharge into the sea in those limited situations where it is permitted; and

---CHUNK---

SOURCE: MEPC.220(63).pdf
such as the following:

.1 reduction at source;

.2 reusing or recycling;

.3 onboard processing (treatment);

.4 discharge into the sea in those limited situations where it is permitted; and

.5 discharge to a port reception facility.

3.2 When requisitioning stores and provisions, shipping companies should encourage their suppliers to remove, reduce, all packaging, at an early stage, to limit the generation of garbage on board ships.

3.3 When garbage is generated aboard a ship, procedures should be defined to enable the crew to sort the material that can be reused onboard the ship or recycled at an appropriate port reception facility.

3.4 Ship's garbage is made up of distinct components, some of which are regulated in MARPOL Annex V, while others may be regulated locally, nationally or regionally. Each component of the garbage should be evaluated separately to determine the best management practice for that type of garbage.

4 MATTERS WHICH SHOULD BE ADDRESSED IN THE GARBAGE MANAGEMENT PLAN

4.1 Designated person in charge of carrying out the plan

4.1.1 In accordance with regulation 10.2 of the revised MARPOL Annex V, the plan shall

---CHUNK---

SOURCE: MEPC.220(63).pdf
4 MATTERS WHICH SHOULD BE ADDRESSED IN THE GARBAGE MANAGEMENT PLAN

4.1 Designated person in charge of carrying out the plan

4.1.1 In accordance with regulation 10.2 of the revised MARPOL Annex V, the plan shall designate a person in charge of carrying out the plan. The person should ensure the garbage management plan is followed.

4.1.2 This person should be assisted by ship's crew to ensure that the minimization, collection, separation and processing of garbage is appropriate and efficient in all areas of the ship.

4.2 Procedures for collecting garbage

4.2.1 Identify suitable receptacles for collection and separation 1.

1 Separation of garbage for the purposes of these Guidelines is considered part of the collection process. Separation may take place at the source or at a separate designated station.

4.2.2 Identify the locations of receptacles and collection and separation stations.

---CHUNK---

SOURCE: MEPC.220(63).pdf
Adopted on 2 March 2012
2012 GUIDELINES FOR THE DEVELOPMENT OF
GARBAGE MANAGEMENT PLANSMEPC 63/23/Add.1
Annex 25, page 4

I:\MEPC\63\23-Add-1.doc
4.2.2 Identify the locations of receptacles and collection and separation stations.

4.2.3 Describe the process of how garbage is transported from the source of generation to the collection and separation stations.

4.2.4 Describe how garbage is to be handled between primary collection and separation stations and other handling methods relating to the following:

.1 needs of reception facilities, taking into account possible local recycling arrangements;

.2 onboard processing and potential reuse of garbage aboard the ship;