3365m Wf =
RESOLUTION MSC.245(83)
(adopted on 12 October 2007)
RECOMMENDATION ON A STANDARD METHOD FOR
EVALUATING CROSS-FLOODING ARRANGEMENTSMSC 83/28/Add.2
ANNEX 16
Page 11

I:\MSC\83\28-Add-2.doc

Final head of water after cross-flooding:

m hf 5 . 1=

min 0 . 12 721
3 . 5
5 . 11
1
3 . 5 81 . 9 2
3 . 5
5 . 11
54 . 0 12 . 0
365 2
2
2
3
= =

=
s T
m
mm
m
m
m
mT
f
s
mf

Time required to bring the vessel from the maximu m allowable angle of heel for final stage of flooding to the final equilibrium condition f :

=

H
hgH
H
h
F S
WT
f
f
1
1
2
1
*
2

Maximum allowable angle of heel for final stage of flooding ° =7

Head of water when the maximum allowable angle of heel
for final stage of flooding is achieved m H7 . 3=

Volume of water which is used to bring the vessel from the
maximum allowable angle of heel for final stage of flooding
to the final equilibrium condition 3160m W=

min 9 . 5 354
7 . 3
5 . 11
1
7 . 3 81 . 9 2
7 . 3
5 . 11

---CHUNK---

SOURCE: MSC.245(83).pdf
Volume of water which is used to bring the vessel from the
maximum allowable angle of heel for final stage of flooding
to the final equilibrium condition 3160m W=

min 9 . 5 354
7 . 3
5 . 11
1

7 . 3 81 . 9 2
7 . 3
5 . 11
54 . 0 12 . 0
160 2
2
2
3
= =

=
s T
m
mm
m
m
m
mT
s
m

Time required from comme ncement of cross-flooding o until the maximum allowable angle of heel for final stage of flooding is achieved:

T T Tf = = 12.0 min 5.9 min = 6.1 min

_____
RESOLUTION MSC.245(83)
(adopted on 12 October 2007)
RECOMMENDATION ON A STANDARD METHOD FOR
EVALUATING CROSS-FLOODING ARRANGEMENTSRESOLUTION MSC.245(83)
(adopted on 12 October 2007)
RECOMMENDATION ON A STANDARD METHOD FOR
EVALUATING CROSS-FLOODING ARRANGEMENTS

---CHUNK---

SOURCE: MSC.246(83).pdf
RESOLUTION MSC.246(83)
(adopted on 8 October 2007)
ADOPTION OF PERFORMANCE STANDARDS FOR
SURVIVAL CRAFT AIS SEARCH AND RESCUE TRANSMITTERS (AIS-SART)
FOR USE IN SEARCH AND RESCUE OPERATIONSMSC 83/28/Add.3

I:\MSC\83\28-Add-3.doc
ANNEX 18

RESOLUTION MSC.246(83)
(adopted on 8 October 2007)

ADOPTION OF PERFORMANCE STANDARDS FOR
SURVIVAL CRAFT AIS SEARCH AND RESCUE TRANSMITTERS (AIS-SART)
FOR USE IN SEARCH AND RESCUE OPERATIONS

THE MARITIME SAFETY COMMITTEE,

RECALLING Article 28(b) of the Convention on the International Maritime Organization concerning the functions of the Committee,

RECALLING ALSO resolution A.886(21) on Procedure for the adoption of, and amendments to, performance standards and t echnical specifications, by which the Assembly resolved that the function of adoption performance standards and technical specifications, as well as amendments thereto shall be performed by the Maritime Safety Committee,

RECOGNIZING that new designs of radar ar e being introduced which do not employ