team, to maintain the safe navigation of the ship.

Alert Alerts are announcing a bnormal situations and conditions requiring attenti on. Alerts are divided in three priorities: alarms, warnings and cautions.

---CHUNK---

SOURCE: MSC.252(83).pdf
team, to maintain the safe navigation of the ship.

Alert Alerts are announcing a bnormal situations and conditions requiring attenti on. Alerts are divided in three priorities: alarms, warnings and cautions.

Alert announcements Visual and acoustical presentation of alerts.

Alert history list Accessible list of past alerts.

Alert management Concept for the harmonized regulation of the monitoring, handling, distribution and presentation of alerts on the bridge.

Automatic control functions Functions that include automatic heading, and/or track and/or speed control or other navigation related automatic control functions.

Category A alerts Alerts where graphical information at the task station directly assigned to the function generating the alert is necessary, as decision support for the evaluation the alert related condition.

Category B alerts Alerts where no additional information for decision support is necessary besides the information which can be presented at the central alert management HMI.

Caution Lowest priority of an alert. Awareness of a condition which does not warrant a alarm or warning condition,

---CHUNK---

SOURCE: MSC.252(83).pdf
support is necessary besides the information which can be presented at the central alert management HMI.

Caution Lowest priority of an alert. Awareness of a condition which does not warrant a alarm or warning condition, but still requires attention out of the ordinary consideration of the situation or of given information.

Collision avoidance The navigational task of detecting and plotting other ships and objects to avoid collisions.

Consistent common reference system (CCRS) A sub-system or function of an INS for acquisition,

processing, storage, surveillance and distribution of
data and information providing identical and obligatory
reference to sub-systems and subsequent functions
within an INS and to other connected equipment, if
available.

Consistent common reference point (CCRP) The Consistent Common Reference Point (CCRP) is a
location on own ship, to which all horizontal
measurements such as target range, bearing, relative

---CHUNK---

SOURCE: MSC.252(83).pdf
ANNEX 30
Page 35

I:\MSC\83\28-Add-3.doc
Consistent common reference point (CCRP) The Consistent Common Reference Point (CCRP) is a
location on own ship, to which all horizontal
measurements such as target range, bearing, relative
course, relative speed, closest point of approach (CPA)
or time to closest point of approach (TCPA) are
referenced, typically the conning position of the bridge.

Degraded condition Reduction in system functionality resulting from
failure.

Essential functions Indispensable functions to be available as required for
the relevant operational use.

Essential information Indispensable information to be available as required
for the relevant functions.

External safety related messages Data received from outside of the ship concerning the
safety of navigation, through equipment listed in
SOLAS chapter V and/or NAVTEX.

Failure analysis The logical, systematic examination of an item,
including its diagrams or formulas, to identify and
analyse the probability, causes and consequences of
potential and real failures.

Human factor Workload, capabilities and limits of a user trained

---CHUNK---

SOURCE: MSC.252(83).pdf

including its diagrams or formulas, to identify and analyse the probability, causes and consequences of potential and real failures.

Human factor Workload, capabilities and limits of a user trained according to the regulations of the Organization.

Human machine interface (HMI) The part of a system an operator interacts with. The interface is the aggregate of means by which the users interact with a machine, device, and system (the system). The interface provides means for input, allowing the users to control the system and output, allowing the system to inform the users.

Indication Display of regular information and conditions, not part of alert management.

Integrated navigation system An INS is a composite navigation system which performs at least the following tasks: collision avoidance, route monitoring thus providing “added value” for the operator to plan, monitor and safely navigate the progress of the ship. The INS allows meeting the respective parts of SOLAS regulation V/19 and supports the proper application of SOLAS regulation V/15.

Integrity Ability of the INS to provide the user with information

---CHUNK---

SOURCE: MSC.252(83).pdf
navigate the progress of the ship. The INS allows meeting the respective parts of SOLAS regulation V/19 and supports the proper application of SOLAS regulation V/15.

Integrity Ability of the INS to provide the user with information within the specified accuracy in a timely, complete and unambiguous manner, and alerts within a specified time when the system should be used with caution or not at all.
RESOLUTION MSC.252(83)
(adopted on 8 October 2007)
ADOPTION OF THE REVISED PERFORMANCE STANDARDS FOR INTEGRATED NAVIGATION SYSTEMS (INS)MSC 83/28/Add.3
ANNEX 30
Page 36

I:\MSC\83\28-Add-3.doc
Partial integrations Smaller integrations which are not covering the tasks “route monitoring” and “collision avoidance”.

Man-over-board mode (MOB) Display mode for operations and actions of a ship after a Man-over-board accident happened (release of safety equipment, e.g., life buoy and life belt, performance of

a return manoeuvre etc.).

Multifunction display A single visual display unit that can present, either simultaneously or through a series of selectable pages, information from more than a single function of an INS.

---CHUNK---

SOURCE: MSC.252(83).pdf
a return manoeuvre etc.).

Multifunction display A single visual display unit that can present, either simultaneously or through a series of selectable pages, information from more than a single function of an INS.

Mode awareness The perception of the mari ner regarding the currently active Modes of Control, Operation and Display of the INS including its subsystems, as supported by the presentations and indications at an INS display or workstation.