Navigation control data Task that provides information for the manual and automatic control of the ship's movement on a task station.

One equipment concept The equipment which is recognized as one type of equipment by integrating the function of mandatory equipment of SOLAS of a plural number.

Operational modes Modes of operation depending on the sea area.

Operational/functional modules Modules comprising the operational/functional requirements for navigational systems.

Plausibility of data The quality representing, if data values are within the normal range for the respective type of data.

Route monitoring The navigational task of continuous surveillance of own

---CHUNK---

SOURCE: MSC.252(83).pdf
requirements for navigational systems.

Plausibility of data The quality representing, if data values are within the normal range for the respective type of data.

Route monitoring The navigational task of continuous surveillance of own ships position in relation to the pre-planned route and the waters.

Safety related automatic functions Automatic functions that directly impinge on hazards to ship or personnel, e.g., target tracking.

Search and rescue mode Display mode for operations of a ship involved in search and rescue actions.

Sensor A navigational aid (measuring device), with or without its own display, processing and control as appropriate, automatically providing information to operational systems or INS.

Sensor/source modules Modules comprising the senor/source requirements.

RESOLUTION MSC.252(83)
(adopted on 8 October 2007)
ADOPTION OF THE REVISED PERFORMANCE STANDARDS FOR INTEGRATED NAVIGATION SYSTEMS (INS)MSC 83/28/Add.3
ANNEX 30
Page 37

I:\MSC\83\28-Add-3.doc
Ship's primary movement The longitudinal directional, lateral directional and heading-rotational movement of the ship.

---CHUNK---

SOURCE: MSC.252(83).pdf

Ship’s primary movement The longitudinal directional, lateral directional and heading-rotational movement of the ship.

Simple operator action A procedure achieved by no more than two hard-key or soft-key actions, excluding any necessary cursor movements, or voice actuation using programmed codes.

Single operator action A procedure achieved by no more than one hard-key or soft-key action, excluding any necessary cursor movements, or voice actuation using programmed codes.

Situation awareness Situation awareness is the mariner’s perception of the navigational and technical information provided, the comprehension of their meaning and the projection of their status in the near future, as required for timely reaction to the situation. Situation awareness includes mode awareness.

Source A device, or location of generated data or information (e.g. chart database), which is part of the INS automatically providing information to INS.

System alerts Alerts related to equipment failure or loss (system failures).

---CHUNK---

SOURCE: MSC.252(83).pdf
Source A device, or location of generated data or information (e.g. chart database), which is part of the INS automatically providing information to INS.

System alerts Alerts related to equipment failure or loss (system failures).

System integrator The organization responsible for ensuring that the INS complies with the requirements of this standard.

System position Position calculated in the INS out of at least two positioning sensors.

Task station Multifunction display with dedicated controls providing the possibility to display and operate any navigational tasks. A task station is part of a workstation.

Track Path to be followed over ground.

Track control Control of the ship movement along a track.

Warning Condition requiring no-immediate attention or action
by the bridge team. Warnings are presented for
precautionary reasons to make the bridge team aware of
changed conditions which are not immediately
hazardous, but may become so, if no action is taken.

Watchdog System which monitors the software and Hardware well
running at regular intervals.

Workstation The combination of all job-related items, including the

---CHUNK---

SOURCE: MSC.252(83).pdf
hazardous, but may become so, if no action is taken.

Watchdog System which monitors the software and Hardware well
running at regular intervals.

Workstation The combination of all job-related items, including the
console with all devices, equipment and the furniture,
to fulfil certain tasks. Work stations for the Bridge are
specified in MSC/Circ.982.

Appendix 2

GUIDANCE TO EQUIPMENT MANUFACTURERS FOR THE PROVISION OF
ON-BOARD FAMILIARIZATION MATERIAL

1 General

1.1 It is a requirement of the International Safety Management Code (ISM) that personnel working on assignments related to safety and the protection of the environment need to be given proper familiarization with their duties.

1.2 To assist with this process it is required that the INS equipment manufacturer or system integrator provides suitable training material that may be used by the ship operator as a basis for onboard familiarization of users.

---CHUNK---

SOURCE: MSC.252(83).pdf
1.2 To assist with this process it is required that the INS equipment manufacturer or system integrator provides suitable training material that may be used by the ship operator as a basis for onboard familiarization of users.

1.3 The material is intended to be used by bri dge officers who have had generic training in the use of INS through attending shore-based instruction based on the Organization's Model Course 1.32 "Operational use of Integrated Bri dge Systems including Integrated Navigation Systems".

1.4 The intention of the familiarization material is that it should give a rapid means of understanding the configuration of the INS and its method of operation. General concepts concerning the use of INS are not required to be part of the material, as these would unnecessarily increase the duration of the familiarization training.

1.5 The material should be organized such th at it represents the actual equipment and configuration that is fitted to the ship.

2 On-board familiarization training for INS

2.1 The aim of familiarization training is to e xplain the configurati on, functions, limitations,

---CHUNK---