(i) reversion to a mode with lesser automation or to manual operation
(ii) emergency disabling of functions that are causing or worsening the emergency.
RESOLUTION MSC.252(83)
(adopted on 8 October 2007)
ADOPTION OF THE REVISED PERFORMANCE STANDARDS FOR INTEGRATED NAVIGATION SYSTEMS (INS)MSC 83/28/Add.3

---CHUNK---

SOURCE: MSC.252(83).pdf
(ii) emergency disabling of functions that are causing or worsening the emergency.
RESOLUTION MSC.252(83)
(adopted on 8 October 2007)
ADOPTION OF THE REVISED PERFORMANCE STANDARDS FOR INTEGRATED NAVIGATION SYSTEMS (INS)MSC 83/28/Add.3
ANNEX 30
Page 41

I:\MSC\83\28-Add-3.doc
Appendix 3

PROPOSED MODULAR STRUCTURE FOR RADAR PERFORMANCE STANDARDS
(RESOLUTION MSC.192(79))

Module
Paragraph of
MSC.192(79) Contents

A Sensor and Technical Requirements
A1 Sensor and Signals
5.1 Frequency
5.3.3.1-3 Signal processing
5.3.4 SARTs and radar beacons
5.6 Roll and pitch (Detection)
A2 Target detection, discrimination and accuracy
5.2 Range and bearing accuracy
5.3 Detection
5.3.1.1 Detection in clear conditions
5.3.1.2 Detection at close ranges
5.3.1.3.1-4 Detection in clutter conditions
5.4 Minimum range
5.5 Range and bearing discrimination
A3 Design and Installation
5.8 Radar availability delay
5.9.1 CCRP and off-set compensation
7.1.1 part Design for maximum availability
7.1.2 Record operational hours
7.3 Transmitter mute over preset sector
7.4 Antenna
7.5 Radar system installation

---CHUNK---

SOURCE: MSC.252(83).pdf
5.8 Radar availability delay
5.9.1 CCRP and off-set compensation
7.1.1 part Design for maximum availability
7.1.2 Record operational hours
7.3 Transmitter mute over preset sector
7.4 Antenna
7.5 Radar system installation

B Operational Requirements
B1 Display and operation
2 Application Table 1: Screen size
5.3.2 Gain and anti-clutter functions
5.7 (Means for) Radar performance optimization and tuning
5.9.2-5.9.4 Radar measurements - CCRP
5.10 Display range scales
5.11 Fixed rings
5.12 Variable range markers
5.13 Bearing scale
5.14 Heading line
5.15 EBLs
5.16 Parallel Index lines
5.17 Remote measurement of range and bearing
5.18 User cursor
5.19 Azimuth stabilization
5.20 Display mode of the radar picture
5.21 Off-centring
5.22 Ground and sea stabilization
5.23 Target trails and past positions
5.35 Integrating multiple radars
7.6.2 Target simulation for training

---CHUNK---

SOURCE: MSC.252(83).pdf
7.6.2 Target simulation for training
RESOLUTION MSC.252(83)
(adopted on 8 October 2007)
ADOPTION OF THE REVISED PERFORMANCE STANDARDS FOR
INTEGRATED NAVIGATION SYSTEMS (INS)MSC 83/28/Add.3
ANNEX 30
Page 42

I:\MSC\83\28-Add-3.doc

B2 Target information (tracking and AIS)
2 Application Table 1: Screen size
5.24 Presentation
5.25 Target (radar) tracking and acquisition
5.26 AIS reported targets
5.27 AIS graphical presentation
5.28 AIS and radar target data
5.29 Operational alarms
5.30 AIS and radar target association
5.31 Trial manoeuvre
B3 Chart and route overlay
5.32 Display of maps, navigation lines and routes
5.33 Display of charts
B4 Failure, back-up and fallback arrangements
5.34.1 Picture freeze alarm
5.34.2 Signal or sensor failure
7.1 part Design to facilitate simple fault diagnosis
9 Backup and failure arrangement
B5 Ergonomic Criteria
5.34 para 1 Presentation of alarms
6.1 Operational controls
6.2 Display presentation
7.2 Display device requirements
7.6.1 (General:) Design for simple use by trained person

C Interfacing
8.1 Input data
8.2 Input data integrity and latency

---CHUNK---

SOURCE: MSC.252(83).pdf
6.1 Operational controls
6.2 Display presentation
7.2 Display device requirements
7.6.1 (General:) Design for simple use by trained person

C Interfacing
8.1 Input data
8.2 Input data integrity and latency
8.3 Output data

D Documentation
5.3.1.3.5 Degradation in performance
5.3.3.4 Basic aspects of signal processing
6.3 Instructions and documentation
7.1.3 Routine servicing and restricted life components

RESOLUTION MSC.252(83)
(adopted on 8 October 2007)
ADOPTION OF THE REVISED PERFORMANCE STANDARDS FOR
INTEGRATED NAVIGATION SYSTEMS (INS)MSC 83/28/Add.3
ANNEX 30

Appendix 4

PROPOSED MODULAR STRUCTURE FOR TRACK CONTROL PERFORMANCE STANDARDS (RESOLUTION MSC.74(69), ANNEX 2)

Module Modular structure with paragraphs of track control PS (MSC.74(69))

B Operational Requirements
B1 Functionality
5 Operational requirements
B2 Operation
6 Ergonomic criteria
B3 Connection to sensors
7.1 Sensors
B4 Failure, back-up and fallback arrangements

8 Fallback arrangements

C Interfacing