---CHUNK---

SOURCE: MEPC.264(68).pdf
.2 protection of persons from the effects of cold, wind and sun;

.3 space to accommodate persons equipped with thermal protection adequate for the environment;

.4 means to provide sustenance;

.5 safe access and exit points; and

.6 means to communicate with rescue assets.

8.3 Regulations

8.3.1 Escape

In order to comply with the functional requirements of paragraphs 8.2.1.1 and 8.2.1.2 above, the following applies:

.1 for ships exposed to ice accretion, means shall be provided to remove or prevent ice and snow accretion from escape routes, muster stations, embarkation areas, survival craft, their launching appliances and access to survival craft;

.2 in addition, for ships constructed on or after 1 January 2017, exposed escape routes shall be arranged so as not to hinder passage by persons wearing suitable polar clothing; and

.3 in addition, for ships intended to operate in low air temperatures, adequacy of embarkation arrangements shall be assessed, having full regard to any effect of persons wearing additional polar clothing.

8.3.2 Evacuation

---CHUNK---

SOURCE: MEPC.264(68).pdf
.3 in addition, for ships intended to operate in low air temperatures, adequacy of embarkation arrangements shall be assessed, having full regard to any effect of persons wearing additional polar clothing.

8.3.2 Evacuation

In order to comply with the functional requirement of paragraph 8.2.2 above, the following applies:

.1 ships shall have means to ensure safe evacuation of persons, including safe deployment of survival equipment, when operating in ice -covered waters, or directly onto the ice, as applicable; and

.2 where the regulations of this chapter are achieved by means of adding devices requiring a source of power, this source shall be able to operate

independently of the ship's main source of power.

8.3.3 Survival

8.3.3.1 In order to comply with the functional requirement of paragraph 8.2.3.1 above, the following applies:

.1 for passenger ships, a proper sized immersion suit or a thermal protective aid shall be provided for each person on board; and

.2 where immersion suits are required, they shall be of the insulated type.
RESOLUTION MEPC.264(68)
(adopted on 15 May 2015)

---CHUNK---

SOURCE: MEPC.264(68).pdf
aid shall be provided for each person on board; and

.2 where immersion suits are required, they shall be of the insulated type.
RESOLUTION MEPC.264(68)
(adopted on 15 May 2015)
INTERNATIONAL CODE FOR SHIPS OPERATING IN POLAR WATERS (POLAR CODE)- 24 -

8.3.3.2 In addition, for ships intended to operate in extended periods of darkness, in order to comply with the functional requirements of paragraph 8.2.3.2 above, searchlights suitable for continuous use to facilitate identification of ice shall be provided for each lifeboat.

8.3.3.3 In order to comply with the functional requirement of paragraph 8.2.3.3 above, t he following applies:

.1 no lifeboat shall be of any type other than partially or totally enclosed;

.2 taking into account the assessment referred to in chapter 1, appropriate survival resources, which address both individual (personal survival equipment) and shared (group survival equipment) needs, shall be provided, as follows:

.1 life-saving appliances and group survival equipment that provide effective protection against direct wind chill for all persons on board;

.2 personal survival equipment in combination with life-saving

---CHUNK---

SOURCE: MEPC.264(68).pdf
provided, as follows:

.1 life-saving appliances and group survival equipment that provide effective protection against direct wind chill for all persons on board;

.2 personal survival equipment in combination with life-saving

appliances or group survival equipment that provide sufficient thermal insulation to maintain the core temperature of persons; and

.3 personal survival equipment that provide sufficient protection to prevent frostbite of all extremities; and

.3 in addition, whenever the assessment required under paragraph 1.5 identifies a potential of abandonment onto ice or land, the following applies:

.1 group survival equipment shall be carried, unless an equivalent level of functionality for survival is provided by the ship's normal life-saving appliances;

.2 when required, personal and group survival equipment sufficient for 110% of the persons on board shall be stowed in easily accessible locations, as close as practical to the muster or embarkation stations;

.3 containers for group survival equipment shall be designed to be easily movable over the ice and be floatable;

---CHUNK---

SOURCE: MEPC.264(68).pdf
locations, as close as practical to the muster or embarkation stations;

.3 containers for group survival equipment shall be designed to be easily movable over the ice and be floatable;

.4 whenever the assessment identifies the need to carry personal and group survival equipment, means shall be identified of ensuring that this equipment is accessible following abandonment;

.5 if carried in addition to persons, in the survival craft, the survival craft and launching appliances shall have sufficient capacity to accommodate the additional equipment;

.6 passengers shall be instructed in the use of the personal survival equipment and the action to take in an emergency; and

.7 the crew shall be trained in the use of the personal survival equipment and group survival equipment.

8.3.3.4 In order to comply with the functional requirement of paragraph 8.2.3.3.4 above, adequate emergency rations shall be provided, for the maximum expected time of rescue.
RESOLUTION MEPC.264(68)
(adopted on 15 May 2015)
INTERNATIONAL CODE FOR SHIPS OPERATING IN POLAR WATERS (POLAR CODE)- 25 -

CHAPTER 9 SAFETY OF NAVIGATION

9.1 Goal

---CHUNK---

CHAPTER 9 SAFETY OF NAVIGATION

9.1 Goal

The goal of this chapter is to provide for safe navigation.

9.2 Functional requirements

In order to achieve the goal set out in paragraph 9.1 above, the following functional requirements are embodied in the regulations of this chapter.

9.2.1 Nautical information

Ships shall have the ability to receive up-to-date information including ice information for safe navigation.

9.2.2 Navigational equipment functionality