ice-covered
polar waters
Abrasion resistant low friction
ice coating.
In sides, above bilge keel, max
thickness of anti-fouling
system 75 µm, to protect hull
between application of
anti-fouling system and next
anticipated voyage to
ice-covered waters. In bottom
area thickness to be decided
by shipowner. Composition of
anti-fouling system should also
be decided by the shipowner.
Compliant with the AFS
Convention. Thickness of
anti-fouling system to be
decided by shipowner.

---CHUNK---

SOURCE: MEPC.264(68).pdf
area thickness to be decided
by shipowner. Composition of
anti-fouling system should also
be decided by the shipowner.
Compliant with the AFS
Convention. Thickness of
anti-fouling system to be
decided by shipowner.
Category B
and C ships
Compliant with the AFS
Convention. Thickness of
anti-fouling system to be
decided by shipowner.
Compliant with the AFS
Convention. Thickness of
anti-fouling system to be
decided by shipowner.

RESOLUTION MEPC.264(68)
(adopted on 15 May 2015)
INTERNATIONAL CODE FOR SHIPS OPERATING IN POLAR WATERS (POLAR CODE)- 46 -

APPENDIX I

Form of Certificate for Ships operating in Polar Waters

POLAR SHIP CERTIFICATE

This Certificate shall be supplemented by a Record of Equipment for the Polar Ship Certificate

(Official seal)
(State)

Issued under the provisions of the

International Convention for the Safety of Life at Sea, 1974, as amended

under the authority of the Government of

(name of the State)

by _____
(person or organization authorized)

Particulars of ship

---CHUNK---

SOURCE: MEPC.264(68).pdf
under the authority of the Government of

(name of the State)

by _____

(person or organization authorized)

Particulars of ship

Name of ship
Distinctive number or letters..
Port of registry..
Gross tonnage..
IMO number.....

Alternatively, the particulars of the ship may be placed horizontally in boxes.
RESOLUTION MEPC.264(68)
(adopted on 15 May 2015)
INTERNATIONAL CODE FOR SHIPS OPERATING IN POLAR WATERS (POLAR CODE)- 47 -

THIS IS TO CERTIFY:

1 That the ship has been surveyed in accordance with the applicable safe ty-related provisions of the International Code for Ships Operating in Polar Waters.

2 That the survey showed that the structure, equipment, fittings, radio station arrangements, and materials of the ship and the condition thereof are in all respects

---CHUNK---

SOURCE: MEPC.264(68).pdf
provisions of the International Code for Ships Operating in Polar Waters.

2 That the survey showed that the structure, equipment, fittings, radio station arrangements, and materials of the ship and the condition thereof are in all respects satisfactory and that the ship complies with the relevant provisions of the Code.

Category A/B/C ship as follows:

Ice Class and ice strengthened draught range

Ice Class Maximum draught Minimum draught
Aft Fwd Aft Fwd

2.1 Ship type: tanker/passenger ship/other

2.2 Ship restricted to operate in ice free waters/open waters/other ice conditions

2.3 Ship intended to operate in low air temperature: Yes/No

2.3.1 Polar Service Temperature: ..°C/not applicable

2.4 Maximum expected time of rescue .days

3 The ship was/was not subject to alternative design and arrangements in pursuance

of regulation XIV/4 of the Convention.

4 A Document of approval of alternative design and arrangements for structure, machinery and electrical installations/fire protection/life-saving appliances and arrangements is/is not appended to this Certificate.

5 Operational limitations

---CHUNK---

SOURCE: MEPC.264(68).pdf
machinery and electrical installations/fire protection/life-saving appliances and arrangements is/is not appended to this Certificate.

5 Operational limitations

The ship has been assigned the following limitations for operation in polar waters:

5.1 Ice conditions: .....

5.2 Temperature: .....

5.3 High latitudes: .....